

**State Environment Impact Assessment Authority, M.P.**  
**(Government of India, Ministry of Environment & Forests)**

**Research and Development Wing**  
Madhya Pradesh Pollution Control Board  
Paryavaran Parisar, E-5, Arera Colony  
Bhopal-4620 16  
visit us <http://www.mpseiaa.nic.in>  
Tel:0755-2466970, 2466859  
Fax : 0755-2462136

No: 672 / SEIAA /13  
Date: 17/5/2013

To,  
Mr. Alpa Saxena, Executive Engineer  
"Gharonda" Affordable Housing  
Bhopal Development Authority,  
Pragati Bhawan, Press Complex,  
MP Nagar, Zone-I, Bhopal- 462011

**Sub: -Case No. 1123/2013**, Prior Environmental Clearance for Gharonda Affordable Housing Awasiya Yojna Project at Khasra No. 66, 121 & 127, Village Salaiya, Tehsil Huzur, District Bhopal total land area 85100 Sq.m. (8.510 ha) total built up area 46988.02 sq.m. by Bhopal Development Authority through Executive Engineer Mrs. Alpa Saxena, Pragati Bhawan, Press Complex, MP Nagar, Zone-I, Bhopal- 462011

This has reference to your application No. nil, dated 26.12.2012 received in SEIAA office on 27.12.2012 for seeking Prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 and on the basis of the mandatory documents enclosed with the application viz., form I, form IA, Conceptual Plan, drawings & the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (2) The proposed project is residential project at Village Salaiya, Tehsil Huzur, Bhopal. The Proponent is Bhopal Development Authority (Gharonda Affordable Housing Awasiya Yojna Project) through Mrs. Alpa Saxena (EE).
- (3) As per the T & CP Bhopal-Sehore (vide letter no. 761/G.(LP)05/धारा / 27-28/न. ग्रा.नि./जि.का./2011 dtd 04.10.2012) the total land area is 85100 Sq.m. (8.510 ha) (Khasra No. 66, 121 & 127) at village Salaiya, Tehsil Huzur, District Bhopal, MP. The total built up area proposed by PP is 46988.02 sq.m. (Form-1 & 119<sup>th</sup> SEAC meeting dtd 02.02.13). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sqmt. & 1,50,000 sqmt.
- (4) The land has been allocated to Bhopal Development Authority by the Collector, Bhopal vide letter no. 2912/RM/ Shakha/2012 dtd 06.08.12. As per the Khasra Panchsala, 2006-2007, submitted by PP the part of Khasra No. 66, 121 & 127 for the proposed project is under the possession of MP Government.

1 of 4

- 
- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
  - **Registration No.:** To be quoted in registered cases for correspondence

Case no. 1123/2013





क्र.	फार्म -1 में उल्लेख किये गये खसरा न.		टी एण्ड सी पी में उल्लेखित खसरा न.		खसरा पांचशाला 2006-08		स्वामित्व (खसरा पांचशाला अनुसार)
	खसरा न.	रकबा है.	खसरा न.	रकबा है.	खसरा न.	रकबा है.	
1							
2	66		66		66	2.02	मध्य प्रदेश शासन नगर बाहुय नजूल
3	121		121		121	1.43	मध्य प्रदेश शासन नगर बाहुय नजूल
	127		127		127	10.93	मध्य प्रदेश शासन नगर बाहुय नजूल
	कुल	8.510 है. 85,1000 वर्गमी.		8.510 है.		14.38 है.	

- (5) The height of residential blocks proposed in the project is 12 m + Stilt. The project involves the construction of 70 blocks/towers (G+3) with 1104 flats. The total water requirement is 752 KLD and fresh water requirement is 408 KLD. The source of water is municipal supply. Kolar Nagar Palika, Bhopal (vide letter no. 32 dtd 03.04.13) has given provisional NOC for supply of water. SEAC in its 119<sup>th</sup> meeting dtd 02.02.13 has recommended that fresh water demand shall not exceed from 408 KLD.
- (6) The total waste water generated is 520 KLD is proposed to be treated in sewage treatment plant of 525 KLD capacity. The treated waste water shall be recycled (flushing – 203.97 KLD and horticulture – 140.0 KLD) while extra treated water will be 124.03 KLD. Kolar Nagar Palika, Bhopal (vide letter no. 31 dtd 03.04.13) has given provisional NOC regarding disposal of 124 KLD of extra treated waste water.
- (7) Approximately 2.23 tonnes per day of Municipal Solid waste shall be generated. Kolar Nagar Palika, Bhopal (vide letter no. 32 dtd 03.04.13) has given provisional NOC for disposal of Municipal Solid waste. An area of 22750.00 sqmt. shall be covered under plantation.
- (8) Regarding fire fighting provision PP has proposed water storage tanks, fire hydrants system, portable fire extinguisher, sprinkler system etc.
- (9) The project has been considered in accordance with the provisions of the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendment.
- (10) Based on the information submitted at Para 2 to 7 above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 128<sup>th</sup> meeting held on 03.05.2013 and decided to accept the recommendations of 119<sup>th</sup> SEAC meeting held on 02.02.2013 with 09 special conditions.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 subject to conditions mentioned in Para v, vi, viii, x to xii of 128<sup>th</sup> SEIAA meeting dtd 03.05.13 to the proposed residential project Gharonda Affordable Housing Awasiya Yojna at Village Salaiya, Tehsil Huzur, Bhopal Khasra No. 66, 121 & 127 total land area 8.510 ha by, Bhopal Development Authority, Bhopal through Mrs. Alpna Saxena (EE) subject to the compliance of the Standard Conditions enclosed at **Annex-I** and the following additional Specific Conditions as recommended by SEIAA & SEAC:

- The construction should be started only after the possession of the land is duly transferred to BDA by the State Govt. / its authorized officer. The BDA's ownership should also be mentioned in Khasra Panchsala.
- The entire demand of fresh water (408 KLD) should be met through Kolar Nagar

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence

- Palika municipal supply and there should be no extraction of ground water.
- iii. The final disposal of extra treated waste water should be integrated with the Kolar municipal sewer system.
  - iv. The final disposal of MSW should be linked with the Nagar Palika Parishad, Kolar.
  - v. The car parking space should be provided as per the MPBVR 2012 (Rule No. 84 (1) Clause 1 (3) table).
  - vi. PP should ensure the fire fighting norms as per National Building code, 2005.
  - vii. BDA shall procure additional land adjacent to the existing land to develop play ground or the land parcel towards eastern boundary of the planning area shall be developed as play space and the proposed construction in this part shall be dropped out.
  - viii. Fresh water demand shall not exceed from 408 KLD.
  - ix. Permission from the competent authority for supply of water to the residents has to be obtained and submitted to MPPCB at the time of consent application.
  - x. Part of sale-cost shall be reserved as corpus fund for execution of environmental commitments including operation & maintenance of STP.
  - xi. Mobile Toilets for the workers and staff shall be installed at site before commencement of construction activities
  - xii. STP shall be installed for the residents the activity shall be taken up along with the other construction activities
  - xiii. MSW storage facility for storing MSW having minimum capacity of 48 hour storage has to be developed at the designated location in the project
  - xiv. Transfer of wastes should be facilitated with minimum disturbance to the residents of the township.
  - xv. Open areas and parking should be strictly in accordance to the 'Bhoomi Vikas Niyam 2012'.

**Encl: Annex-I (General Conditions)**

(Sharad Kumar Jain)  
Member Secretary (I/C)

673  
Endt No. / SEIAA/ 13

Dated

17/5/2013

Copy to:-

1. Principal Secretary, Housing and Environment Department, Government of Madhya Pradesh, Mantralaya, Bhopal.
2. Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5. Arera Colony Bhopal-462016.
3. Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.

3 of 4

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence


Case no. 1123/2013

104



4. The Collector, Distt- Bhopal -M.P.
5. The Commissioner, Municipal Corporation, Bhopal.
6. Chief Municipal Officer, Office of the Nagar Palika Parishad, Kolar, District Bhopal.
7. The Jt. Director, Town & Country Planning, Bhopal.
8. I.A. Division, Monitoring Cell, MoEF, Gol, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi- 110 003.
9. Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
10. Guard file.

**Encl: Annex-I (General Conditions)**

  
o/c (Dr. Vinita Vipat)  
Officer-in-Charge

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence



# State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16


Annex-I


Standard Conditions related to under item 8 (a) & 8 (b) of the schedule of EIA  
notification, 2006


(Building/ construction projects / area development projects & township)

## A. Construction Phase

1. The construction site shall be provided with adequately barricades of at least 3 m height on its periphery with adequate signage.
2. All required sanitary and hygienic measures should be in place before starting any construction work and are to be maintained throughout the project phase.
3. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
4. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to dust etc. shall be carried out. Periodic monitoring for exposure to respirable dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of dust on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically.
5. A First Aid Room will be provided in the project both during construction and operation of the project.
6. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
7. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
8. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
9. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.
10. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

1 of 6


672-73  
Issued Vide No. .... EIA/VEPCO  
Dated..... 17/5/2013




# State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

11. The diesel generator sets (if any) to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
12. The diesel required (if any) for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
13. Wastewater generated from temporary labour tents will be diverted to the sewer network in the area.
14. No water logging should take place at any point during construction phase.
15. If the project site is located within the 100 km of Thermal Power Stations, then fly ash should be used as building material in the construction as per the provisions of Fly ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003.
16. As far as possible ready mixed concrete should be used in construction work.
17. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
18. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ MPPCB.
19. Storm water control and its use should be as per CGWB and BIS standards for various applications.
20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
21. Care shall be taken during the wet drilling activities.
22. Spread of contaminated water should be prevented by installing temporary barriers of G.I. Sheets.
23. To prevent surface and ground water contamination by oil/grease, leak proof containers shall be used for storage and transportation of oil/grease. The floors of oil/grease handling area will be kept effectively impervious.
24. On-site burning of waste material will not be permitted.
25. Ground water should not be used during construction phase. Private tanker water suppliers may be asked to supply water during construction phase.
26. Commitment towards CSR have to be followed strictly.
27. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

  
(Dr R.P. Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

2 of 6

672-73  
Issued Vide No. .... 311AA/EPCO  
Dated..... 17/5/2013

# State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16


28. Wherever possible, the area around the STP / ETP should be surrounded with dense green belt.
29. To reduce the electricity consumption and load on air conditioning, high quality double glass with special reflective coating in windows should be promoted.
30. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
31. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
32. Approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightning etc.

## B. Operation Phase

1. The installation of the Sewage Treatment Plant (STP) as submitted by PP in the office of SEIAA should be certified by an independent expert and a report in this regard should be submitted to the Regional office of the Ministry of Environment & Forest, GoI before the project is commissioned for operation. Treated effluent discharge from STP shall be recycled/reused to the maximum extent possible. Treated effluent shall conform to the norms and standards of the M.P. Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
2. Treated waste water should not be used for air conditioning.
3. Treatment of 100% grey water by decentralized treatment should be done.
4. The bio-medical waste (if applicable) generated should be disposed off as per the provisions of Bio-medical waste (Management and Handling) Rules 1988 as amended till date.
5. Provision of separate entrance / exit gate should be made for collection of segregated bio-medical waste (if applicable) from the storage area.
6. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material as per CPCB norms.
7. Diesel power generating sets if proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Low sulphur diesel must be used. The location of the DG sets may be decided with in consultation with Madhya Pradesh Pollution Control Board.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

3 of 6


Issued vide No. 672-72  
Dated: 17/5/2013  
SEIAA/VEPCO





# State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

8. No water logging should take place at any point during operation phase.
9. The Project Proponent shall explore the possibility of using solar energy wherever possible.
10. Provision for plantation has to be made as per Madhya Pradesh Bhumi Vikas Niyam, 1984.
11. Any hazardous waste generated during operation phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.
12. Noise should be controlled to ensure that it does not exceed the prescribed standards of CPCB.
13. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
14. Rain water harvesting for roof run- off and surface run- off, should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
15. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
16. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
17. A Report on the energy conservation measures confirming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Regional office of Ministry of Environment & Forest, GoI in three months time.
18. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
19. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
20. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
21. Ozone Depleting Substances (Regulation & Control) Rules shall be followed while designing the air conditioning system (if any) of the project.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

4 of 6

672-72  
Issue No. .... SEIAA EPCO  
Dated. 17/5/2012



# State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)


Research and Development Wing, Madhya Pradesh Pollution Control Board,


Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

## C. Others

1. All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.
2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
4. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.
5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, Gol, and its Regional Office located at Bhopal.
6. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
7. The Environmental Clearance shall be valid for a period of five years from the date of issue of this letter.
8. The project proponent shall also submit six monthly reports on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year on the status of compliance of the stipulated EC conditions including results of monitored data to the regulatory Authority in hard and soft copies.
9. The Regional Office, MoEF, Gol, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, Gol at Bhopal and MPPCB.
10. The Project Proponent shall inform to the Regional Office, MoEF, Gol, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
11. In the case of expansion or any change(s) in the scope of the project, the project shall again require prior Environmental Clearance as per EIA notification, 2006.
12. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
13. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

5 of 6


Issued Vide No. 672-73 EIAA/EPCO


Dated 17/5/2015


# State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
15. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and in the public domain.
16. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the State Level Environment Impact Assessment Authority (SEIAA) at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal.
20. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

  
(Dr R P Singh)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr Sadhna Tiwari)  
Officer-in-Charge

6 of 6

672-73  
Issued Via SEIAA/EPCB  
Dated 17/12/13