



**State Environment Impact Assessment Authority, M.P.**  
**(Government of India, Ministry of Environment, Forest & Climate Change)**  
Environmental Planning Coordination Organization (EPCO)  
Paryavaran Parisar, E-5. Arera Colony  
Bhopal-4620 16  
visit us <http://www.mpseiaa.nic.in>  
Tel:0755-2466970, 2466859  
Fax : 0755-2462136

No: 5739 /SEIAA/2017

Date: 30.3.17

To,  
Shri Anuj Jain Director,  
M/S Mahavir Coal Resources Pvt. Ltd.  
Coal Processing Unit, Jain Complex,  
Maihar Road, Pureni, Katni M.P.- 483501

**Sub:- Case No. 2171/2014:** Prior Environmental Clearance for proposed production of 0.95 MTPA Wet Type Coal washery at Khasra No.320/1, 320/2. at Village-Chirhulli, Teh-Badwara Dist-Katni (MP), by Shri Anuj Jain Director, M/S Mahavir Coal Resources Pvt. Ltd. Coal Processing Unit, Jain Complex, Pureni, Katni M.P.- 483501 Mob : 9752413400 email : [mcrpl.india@gmail.com](mailto:mcrpl.india@gmail.com) Env't. Consultant Anacon Laboratories Pvt. Ltd.

**Ref:** Your application dtd.09.11.14 received in SEIAA office on 27.11.2014

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O.1533(E), dtd. 14.09.06 & its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR & EIA Report and additional clarifications furnished in response observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The proposed project is Coal Washery at Village – Chirhulli, Tehsil – Badwara, Distt. Katni (M.P.). The Company supplies coal, washed coal, Imported coal etc. to user industries like power, cement, chemicals, steel and many other medium and small scale industries.
- (ii) The proposed capacity of coal beneficiation is 0.95 Million Ton Per Annum, the project is covered under 2 (a) category B of the EIA Notification issued by the Ministry of Environment & Forests vice S.O.1533 (E), dtd. September 14, 2006 and its amendments.
- (iii) There is no National park / Sanctuaries (DFO letter dtd. 21.10.14), Eco-sensitive areas, critically polluted areas and inter-State boundaries within 05 km around the proposed site hence the general conditions are not attracted.
- (iv) The total land area of the project is 4.44 ha. PP has submitted Khasra Panchsala (2011-12).
- (v) Public Hearing was conducted in the Village Chirhuli, Tehsil Badwara District Katni on 18.01.2016. It is noted that some issues raised in the PH regarding air pollution due to railway siding, transportation, overloading, pollution of coal crushing and screening, loading and unloading, impact on human health, effect on crop production impact on Datla Reservoir, Educational facilities, Health Care, maintenance of roads, water supply and employment etc. which were addressed by PP



- (vi) Raw material storage & transport:
- Coal will be sourced from different mines of South Eastern Coalfield Limited located at 260 KM, SE.
  - Raw Coal will be transported by rail up to Rupaund Railway Station which is located 3.58 KM, NE from plant site from which the raw coal would be transported by road to plant site.
  - Coal will be stacked in designated area within the plant site and water sprinkling arrangements will be provided to avoid fugitive emissions.
  - Washed coal from the plant will be supplied to the different power plants and other industries through rail and road mode.
  - Covered transportation of coal will be ensured to avoid dust emission during transport.
- (vii) The coal washery will produce rejects and coal fines as byproduct. Both have significant calorific value and is proposed to be sold to power plant.
- (viii) The total water requirement is 4357 KLD (coal washing – 4320 KLD + dust suppression – 27 KLD + green belt development – 5 KLD + domestic use – 5 KLD). The source of water for the project will be Ground water for which PP has obtained Permission from CGWA on 01-02-2017.
- (ix) The total effluent generation will be 3672 KLD which will be recycled in process. The waste water generated from washing circuit and from Dust Suppression will be drained to the ETP and is proposed to be recycled 100%. Domestic waste water 5.0 KLD will be disposed of through septic tank followed by soak pit.
- (x) For air pollution control, PP has proposed to construct concrete roads, water sprinklers during coal unloading and stacking, closed conveyor belts, dry fog type dust suppression arrangements, enclosures/shirt boards in coal crushing and screening plants, Bag filters etc.
- (xi) Solid Wastes generated from the process activities will be mainly discarded bags/containers, waste papers, broken glass bottles etc. which is proposed to sold off to authorized vendors/recyclers. Thickener sludge will be mixed with washed coal and dispatched to the user industries for utilization in power plans. Sludge from STP will be used as manure. Hazardous wastes like used oil, Resin from cooling towers, Reject Carbons and discarded drums are proposed to be stored in HDPE drums and given to re-processor or disposal at TSDF, Pithampur authorized by MPPCB/MoEF.
- (xii) PP has proposed firefighting measure including medium velocity spray portable fire extinguishers, fire alarm system, fire detection, heat detection, and alarm system to detect fire/heat/smoke in the vulnerable areas of the plant.
- (xiii) PP has submitted layout plan showing details of storage area, crushing and screening unit and traffic movement plan, parking facilities, width of approach road and has also submitted traffic density study with proposed movement of 20 tonner's capacity of 144 trucks for handling 2880TPD coal washery materials.
- (xiv) PP has proposed to provide rooftop rainwater harvesting system as well as PP has proposed to adopt 3 village ponds of surrounding area for rain water harvesting.
- (xv) Green area proposed by PP is about 2.67 ha which is approximately 33% of the total land area. A 15 m wide green belt will be developed all around the washery plant.
- (xvi) PP has included disaster management plan, fire fighting provisions in the EIA.



- (xvii) Under CSR activities, PP has proposed Vocational training, education facilities with donation of stationeries, construction of toilets in nearby villages, ambulance facility, drainage & sanitation facilities with budgetary provision of 12 lakh/year.

Based on the information submitted at Para i to xvii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 415<sup>th</sup> meeting held on 09.03.2017 and decided to accept the recommendations of 286<sup>th</sup> dtd SEAC meeting held on dtd 28.01.2017.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 to the Proposed production of 0.95 MTPA Wet Type Coal washery at Khasra No.320/1,320/2 at Village-Chirhulli, Teh-Badwara Dist-Katni (MP), by Shri Anuj Jain Director, M/S Mahavir Coal Resources Pvt. Ltd. Coal Processing Unit, Jain Complex, Pureni, Katni M.P.483501, subject to the compliance of the Standard Conditions enclosed at Annex-I and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

**A. Specific Conditions as recommended by SEIAA**

1. For controlling fugitive emission, construct concrete roads, regular water sprinkling during coal unloading and stacking, closed conveyor belts, fog type dust suppression arrangements, use mechanical sweepers, enclosures/shirt boards in coal crushing and screening plants, Bag filters & wind shields at appropriate distances in vulnerable areas of the plants shall be ensured.
2. PP shall ensure that the treated effluent from the unit are within the norms stipulated under the EPA rules of MPCB whichever is more stringent. In case of process disturbances/failure of pollution control equipment adopted by the unit, the respective unit shall be shut down and shall not be restarted until the control measures are rectified to achieve the desired efficiency.
3. The particulate emissions shall conform to the prescribed standards. The emissions from the DG sets shall be dispersed through stack of adequate height as per M.P. Pollution Control Board standards. Acoustic enclosures shall be provided to mitigate the noise pollution.
4. Poly-electrolite process shall be used for water treatment.
5. Railway siding shall be properly concreted with provision of fixed sprinkling and vacuum cleaning system (Mechanical Sweeper) to control dust emissions.
6. Adequate number of water quality monitoring stations shall be set up in consultation with the State Pollution Control Board. Regular monitoring should be carried out for relevant parameters.
7. Regular monitoring of the air quality specially SPM, NO<sub>x</sub>, SO<sub>2</sub> and CO both in work zone and ambient air shall be carried out in and around plant and records shall be maintained. The location of monitoring stations and frequency of monitoring shall be decided in consultation with M.P. Pollution Control Board (MPPCB) & suit report accordingly to MPPCB.
8. A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water. PP shall ensure to develop proper rainwater harvesting system in plant premises and adopt nearby 3 villages for rainwater harvesting as committed.
9. PP shall develop green belt in 2.67 ha land (33% of total area) with 5500 numbers of trees. Minimum 3 year old saplings will be used for plantation. A 15 m wide three tier green belt will be developed in about 975 m periphery of washery plant.
10. PP shall ensure to obtain approval of Competent Authority for fire fighting, Onsite & Offsite Disaster Management, Risk Management plan before commencing the operation of the unit.
11. A length of 500 m internal roads and coal storage yard area of the plant should be properly concrete/pakka to reduce dust emission.
12. Leq of noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.



13. The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 and Rules 1989.
14. Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident.
15. The company shall undertake following waste minimization measures:
  - a) Metering of quantities of active ingredients to minimize waste.
  - b) Reuse of by products from the process as raw materials or as raw material sub situates in other process.
  - c) Maximizing recoveries.
  - d) Use of automated material transfer system to minimize spillage.
  - e) Use of "close feed" system into crushing, screening and washery unit.
16. Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes/improvements required. If any, in the on-site management plan shall be ensured.
17. An amount of Rs. 5.00 lakhs per year shall be contributed to District Admininstraion for maintaining village road from plant to railway siding under EMP, Besides this, appropriate budget provision for concreting the internal road and coal storage yard area also be made in EMP.
18. There is a possibility that dust emission from coal handling at railway siding might affect the standing crops and the agriculture soil of the nearby fields. This was highlighted during the public hearing also. PP must ensure six monthly monitoring cycle of the standing crop and soil samples in collaboration with the district agriculture department. Any damage to the crop should be duly compensated by the PP.
19. PP should ensure 100% recycling and in no circumstance waste water should be discharged outside the premises.
20. PP should provide garland drain all along the periphery of the project area with 3 nos. of settling tank of adequate capacity.
21. PP should ensure the traffic movement plan, parking facilities and road width as proposed.


**B. Specific Conditions as recommended by SEAC**

22. The EC shall be valid for production of 0.95 MTPA throughput of coal.
23. As proposed, no effluent from washery shall be discharged outside the plant premises and Zero discharge shall be maintained. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
24. Effluent from coal washing process shall be treated in thickener and shall be recycled back in process. Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
25. Storm water run-off shall be collected in a series of settling tanks and shall be utilized for coal washing, dust suppression and plantation.
26. Wash water from workshop shall be treated with oil & grease traps and treated water shall be used for sprinkling at coal stack yard.
27. Check-dams shall be constructed along with other activities at site on the appropriate locations so as to ensure that no water is discharged from the premises.
28. Adequate numbers of ground water quality monitoring stations by providing piezometers around the slurry ponds/project area shall be set up. The ground water quality monitoring shall be monitored as per the MPPCB norms. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to the Ministry's Regional Office at Bhopal and MPPCB.





29. Covered conveyers should be provided for internal transportation of coal with provision of dust extraction/water sprinkling at all transfer points.
30. Transportation of material shall be done by railway and only in case of emergency; road transportation will be carried out only in covered vehicles.
31. Fixed types of water sprinklers should be provided in all plant areas where materials are loaded / unloaded. Water sprinklers should also be provided at railway siding area during loading and unloading.
32. Bag filters of adequate capacity shall be provided for coal crushers.
33. Two on-line monitoring systems for ambient air quality on suitable locations should be provided and data connectivity must be provided to the MPPCB's server for remote operations.
34. Fire fighting system shall be provided as per the norms and cover all areas where coal and rejects are produced, handled and stored. Disaster Management Plan shall be implemented.
35. Records for the coal rejects shall be meticulously maintained and such rejects shall be disposed off as per the submitted proposal.
36. Need based CSR activities shall be taken up in coordination with the Gram Panchayat.
37. As proposed, green belt over 1.47 ha. of the project area shall be developed within plant premises with at least 5 meter wide green belt on all sides along the periphery of the project area in downward direction and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
38. All the commitments made in the Public Hearing shall be implemented by PP and adequate budget provision shall be made accordingly.
39. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
40. Necessary consents shall be obtained from MPPCB and the air / water pollution control measures have to be installed as per the recommendation of MPPCB.
41. All recommendations mentioned in the EMP shall be binding for the project authorities.
42. Ultrasonic/Magnetic flow/Digital meters shall be provided at the inlet and outlet of the proposed ETP & all water abstraction points and records for the same shall be maintained regularly.
43. In case of power failure, stand by D.G. Set/s having power generation capacity equivalent to the requirement of power to run the ETP/APCD shall be installed, so that the ETP/APCD shall always be operated round the clock even in case of power failure.
44. Regular emission and effluent quality monitoring shall be carried out for relevant parameters and the monitored data along with the statistical analysis and interpretation should be submitted to the MPPCB.
45. All internal roads shall be made pucca/bituminous top to avoid fugitive emissions.
46. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.

  
(Anupam Rajan)  
Member Secretary

Encl: Standard Conditions (Annex-I)


5740  
Endt No. / SEIAA/ 2017

Dated 30.3.17

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, MPPCB, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Katni, M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Jabalpur) Limited, 447, Napier Town **Jabalpur**(M.P.) 482001.
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

**Encl: Standard Conditions (Annex-I)**

  
**(Dr. Sanjeev Sachdev)**  
Officer-in-Charge

or




## State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16


Annex-I

### Standard Conditions related to Activity 2 (a) - Coal washeries Category B projects under the Schedule of Ministry of Environment and Forests, GoI notification dtd 14-09-06

1. Any enhancement of capacity, change in technology, modernization and scope of working shall again required prior environmental clearance as per EIA notification, 2006.
2. All activities / mitigative measures proposed by PP in Environmental Impact Assessment (EIA) and recommended by SEAC shall be ensured.
3. All activities / mitigative measures proposed by PP in Environmental Management Plan (EMP) and recommended by SEAC shall be ensured.
4. All parameters listed in Environmental Monitoring Plan shall be monitored at the locations with the frequencies as recommended by SEAC.
5. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S R. No. 826 (E) dated 16<sup>th</sup> November, 2009 shall be followed.
6. Adequate protection against dust and other environmental pollution due to working of the plant shall be made. The status of implementation shall be reported to the Regional office of the Ministry of Environment, Forest & Climate Change at Bhopal and work shall be completed before commissioning of the plant.
7. Ground water quality shall be regularly monitored for contamination and depletion and records be maintained. The monitoring data shall be submitted to the Regional office of the Ministry of Environment, Forest & Climate Change at Bhopal regularly.
8. Transportation of ore (beneficiated and otherwise) shall be done by covering the trucks with tarpaulin or other suitable mechanism so that no spillage of ore / dust takes place.
9. The discharged water from the Tailing Dam (if any) shall be reused in the process and regularly monitored. Report be submitted to the Regional office of the Ministry of Environment, Forest & Climate Change at Bhopal, Central Pollution Control Board and the State Pollution Control Board.
10. Hoppers of the coal crushing unit and washery unit shall be fitted with high efficiency bag filters.
11. Mist spray water sprinkling system / fogging system, shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of closed belt conveyor systems and from transportation roads.
12. All approach roads shall be black topped /concreted. The roads shall be regularly cleaned and maintained.
13. Records of quantum and ash content of raw coal being washed, and clean coal and coal rejects produced from every batch of washing shall be maintained and details thereof uploaded on the company website.

  
(Dr U. M. Shukla)  
Officer-in-Charge

  
(Dr Vinita Vipat) 31/9/15  
Officer-in-Charge

  
(Dr R. K. Jain)  
Officer-in-Charge

1 of 4


Issued Vide No. 5739-40/MA/EPCCO  
Dated.....30.3.12





## State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

14. Heavy metal content in raw coal, and washed coal shall be analysed once in a year and records maintained thereof.
15. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of ores and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. Transportation of ore shall be done only during day time. No overloading of ores for transportation shall be committed.
16. Project Proponent shall explore the possibility of using solar energy wherever possible.
17. The solid waste management has to be taken up as per the proposal submitted by PP.
18. All measures proposed for prevention of any discharge from the industry has to be implemented prior to the commencement of production.
19. Periodic monitoring shall be carried out as per norms for RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets. Frequency of monitoring should be undertaken in consultation with the M. P. Pollution Control Board. The monitoring data shall be regularly uploaded on the company's website and displayed.
20. Data on ambient air quality (RPM, SPM, SO<sub>2</sub>, NO<sub>x</sub>) should be regularly submitted to the Regional office of the Ministry of Environment, Forest & Climate Change at Bhopal and the M.P. Pollution Control Board / Central Pollution Control Board once in six months.
21. Measures shall be adopted for control of noise levels below prescribed standards for industrial areas (75 dB(A) during day time and 70 dB (A) during night time) in the work environment. Workers shall be provided with ear plugs / muffs etc..
22. Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
23. Socio-economic and welfare measures for the local communities for the adjoining villages shall be implemented under CSR activities. These villages shall be identified in consultation with the local authorities, the details of status of implementation of CSR and expenditure thereon which would be annually updated on the company website.
24. Corporate Environment Responsibility :-
  - (a) The Company shall have a well laid down Environment Policy approved by the Board of Directors.
  - (b) The Environment Policy shall prescribe for standard operating process / procedure to bring into focus any infringements / deviation / violation of the environmental or forest norms/ conditions.
  - (c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.
  - (d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliance / violations of environmental norms to the Board of Directors of the company and / or shareholders at large.

  
(Dr U. M. Shukla)  
Officer-in-Charge

  
(Dr Virita Wpat) 3/9/15  
Officer-in-Charge

  
(Dr R. K. Jain)  
Officer-in-Charge

2 of 4


Issued Vide No. 5739-40  
Dated... 30-3-12





## State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

25. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.
26. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
27. The project authorities shall inform to the Regional office of the Ministry of Environment, Forest & Climate Change at Bhopal and MPPCB final approval of the project by the concerned authorities and the date of start of land development work.
28. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment, Forest & Climate Change at Bhopal.
29. The compliance of the stipulated conditions shall be monitored by the Regional Office, MoEF, Gol, Bhopal. A complete set a of documents including Environment Impact Assessment Report, Environmental Management Plan and other information should be given to Regional Office of the MoEF, Gol at Bhopal.
30. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1<sup>st</sup> June and 1<sup>st</sup> December of each calendar year.
31. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the local bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
32. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
33. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the environmental clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.
34. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

  
(Dr U. M. Shukla)  
Officer-in-Charge

  
(Dr Vinita Vipat)  
Officer-in-Charge

  
(Dr R. K. Jain)  
Officer-in-Charge

3 of 4


Issued Vide No. 5739-40 SEIAA/WPCO  
Dated.....30.3.12.....




## State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)  
Research and Development Wing, Madhya Pradesh Pollution Control Board,  
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

35. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
36. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
37. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.
38. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
39. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
40. The environmental statement for each financial year ending on 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
41. The Proponent is required to obtain all necessary clearance / approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection.
42. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



(Dr U. M. Shukla)  
Officer-in-Charge



(Dr Vinita Vipat)  
Officer-in-Charge



(Dr R. K. Jain)  
Officer-in-Charge