



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)
Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-462016
visit us <http://www.mpseiaa.nic.in>
Tel:0755-2466970, 2466859
Fax : 0755-2462136

No: 07 /SEIAA/2018
Date: 4.4.18

To,
Shri Bhupendra Sinh Rathod, Partner
Rathod Pharma Chem,
Plot no. 184 - D, Industrial Area,
AKVN, Meghnagar, Dist Jhabua
M.P.- 457779

Sub:- Case No 3118/2015 : Prior environmental clearance for proposed expansion of Rathod Pharma Chem at Plot No. 184 – D Village & Tehsil – Meghnagar District Jhabua M.P. Total Project area : 2400 sq. m. Existing Capacity – 4000 MT/year Proposed capacity : 20 MT/month by Mr. Bhupendra Sinh Rathod Partner, Rathod Pharma Chem, Plot no. 184 - D, Industrial Area, AKVN, Meghnagar, Dist Jhabua M.P.- 457779 E-mail rathodpharmachem@yahoo.com Mob No. 09824539985 Env't. Consultant : Bhagwati Enviro Care Pvt. Ltd., Ahmedabad

Ref: Your application dtd. 04.06.15 received in SEIAA office on 04.06.2015

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) This is a case of expansion of existing manufacturing of (1) Ferrous Sulphate @1000 MT /Yr (2) Magnesium Sulphate @ 3000 MT /Yr. The proposed site is located at Plot No. 184 – D Village & Tehsil – Meghnagar District Jhabua M. P. For existing unit PP has obtained CTE No. 27053 dated 26-08-2014 and CTO No. AW 30758 DTD 01-05-2015 from Regional office, Dhar, M.P. Pollution Control Board.
- (ii) Presently PP has proposed to manufacture (1) H Acid (1-amino, 8-naphthol, 3,6-disulphonic acid) (2) Violet Acid (1 NAPHTHOL 3:6 DI SULFONIC ACID) (3) PNCBOSA (Para Nitro Chloro Benzene Ortho Sulphonic Acid)(4) 4 Sulpho Anthranilic Acid (2-Amino-4-Sulfo Benzoic Acid)@ 20 MT /M.

Case No. 3118/2015

Issued vide letter no. 7-8..... dated 4.4.18

Case No.: To be quoted in registered cases for correspondence

1 of 7

- (iii) The project is covered under 5 (f) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. September 14, 2006 and its amendments.
- (iv) There is no interstate boundary within 10 km and no National Park / Sanctuary within the 5 km of the project area hence the general conditions are not attracted.
- (v) The total plot area is 2400 sq.m. (Plot no. 184-D) for which PP has executed amended registered lease deed dated 07.10.2015 between Managing Director MPAKVN, (Indore) Ltd. and M/s Rathod Pharma Chem through partner Shri Bhupendra Sinh Rathod & others for the period of 30 years.
- (vi) The project is located in notified Meghnagar Industrial Growth Centre District Jhabua approved by MPAKVN (Indore) Ltd. hence as per GoI, MoEF OM dtd 10.12.14, Public Hearing is exempted.
- (vii) PP has proposed that the based on the current cost of indigenous raw materials and the non availability of some materials, the company has to import some of the key raw materials as they are not available indigenously. All the storage tanks of raw materials/products are to be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided around the storage tanks and closed handling system of chemicals shall be provided.
- (viii) The source of water supply for the project is MPAKVN (permission letter dtd. 05.01.2015). The total water requirement for the proposed project is 21.5 KL /day. From that 9.0 KL will be condensed water from MEE and 12.5 KLPD will be Fresh water.
- (ix) Domestic water consumption will be 1.5 KL /Day & sewage will be 1.1 KL/Day. Domestic sewage will be disposed to soak pit via septic tank. Waste water will be treated in ETP along with MEE and MEE treated water will be reused in plant and MEE rejected will be spray dried.
- (x) The main sources of air emission expected from to use of Nitric Acid, SO₂, NO₂, CO₂ and subsequently development of Nox.. For which PP has installed Multi Cyclone Dust Collector Attached to Steam Boiler & TFH separately. Wet scrubber will be attached to stack of Spray Dryer Scrubber system attached to process Stack.
- (xi) Solid / Hazardous waste shall be generated from the process. Solid waste will be disposed off through authorize vendors. The details of source of Hazardous waste generation & their proposed disposal are as follows :

Sr. No	Type of Waste	Quantity			Management
		Existing	Proposed	Total After Expansion	
01	ETP Waste (Cat. 34.3)	0	37.5 MT/M	37.5 MT/M	Collection, Storage, Transportation and disposal at TSDF.
02	Used/Spent Oil Cat. No. 5.1)	50 L/Yr	0	50 L/Yr	Reused for lubrication of plant machinery.
03	Discarded Bags &	0.250 MT /M	3 MT/M	3.250 MT /M	Bags/ Drums will be return back to raw

Case No. 3118/2015

Issued vide letter no. 7-8 dated 4.4.18

Case No.: To be quoted in registered cases for correspondence

7
2 of 7

	containers (Cat.No.33.3)				material supplier.
04	Iron Sludge	31 MT /M	33 MT/M	64 MT/M	Collection, Storage, Transportation and disposal at TSDF or sell to Cement Industries after approval of sample
05	Gypsum Sludge	7 MT /M	146 MT/M	153 MT/M	Collection, Storage, Transportation and disposal at TSDF or sell to Cement Industries after approval of sample
06	Spray Drying Powder	0	6.5 MT /M	6.5 MT /M	Collection, Storage, Transportation and disposal at TSDF.
07	Glauber salt from Crystallization	0	82.5 MT /M	82.5 MT /M	Will be reused in process of Violet Acid and H acid.
08	Spent Acid	0	16.84 KL /Day	16.84 KL /Day	Collection, Storage, reuses in Plant or sell to authorize users.

- (xii) PP has proposed to collect first seasonable rain water in collection tank as provide separate collection for that & will be used for gardening purpose. After that runoff water will be used for ground water recharge.
- (xiii) Vehicular movement will be regulated inside the site with adequate roads and parking shall be provided.
- (xiv) PP has included disaster management plan, fire fighting plan on-site, off-site emergency plan in the EIA report.
- (xv) The power requirement for the project is 150 KVA (existing- 100KVA after expansion-50 KVA). Sourced from MPPKVV.
- (xvi) Out of the total plot area 2400 sq. m. 816 sq. m will be developed for green belt for which PP has provided budgetary provision of 2.0 lakh upto five year. Open Area will be 550 Sq. Meter.
- (xvii) Under CSR activities PP has proposed Infrastrucure development of Surrounding villages , Drinking Facility, Primary health care centre, Sanitation Facility, School Uniform, Notebooks and Scholarship for poor students, Tree Plantation in Rural Areas with budgetary provision of Rs. 7.5 lakh
- (xviii) The total project cost will be Rs. 3 Crores. Based on that unit is fall under small scale unit. Total Capital cost and recurring cost will be Rs. 167.5 Lacs per Annum and Rs. 98.5 Lacs Per Annum respectively.

Based on the information submitted at Para i to xviii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 473rd meeting held on 16.03.2018 and decided to accept the recommendations of 284th SEAC meeting dtd. 26.11.16 & 286th SEAC meeting held on dtd 28.01.2017.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 and its amendments to the proposed expansion

of Rathod Pharma Chem at Plot No. 184 – D Village & Tehsil – Meghnagar District Jhabua M.P. Total Project area : 2400 sq. m. Existing Capacity – 4000 MT/year Proposed capacity : 20 MT/month by Mr. Bhupendra Sinh Rathod Partner, Rathod Pharma Chem, Plot no. 184 - D, Industrial Area, AKVN, Meghnagar, Dist Jhabua M.P.- 457779 subject to the compliance of the Standard Conditions enclosed at **Annex-I** and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. The entire demand of fresh water should be met through MPAKVN water supply and there should be no extraction of ground water.
2. **Waste water:**
 - (a) PP should maintain zero discharge from the Industry as proposed.
 - (b) Separation of High & Low COD values effluent for better management of process effluent.
 - (c) RO treated water will be recycle for the process and High COD effluent generation shall be completely evaporated with help of MEE so as to achieve zero discharge.
 - (d) There shall be no industrial effluent discharge from the unit.
3. **For Air Pollution:**
 - (a) PP should ensure air pollution control measures and stack height as proposed in the EIA/ EMP.
 - (b) The performance of air pollution control system should be regularly monitored and maintained.
 - (c) PP should ensure regular stack monitoring & ambient air quality monitoring and should be carried out as per the guidelines/norms of MPPCB/CPCB.
 - (d) In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator/bag filters and water sprinkling system.
 - (e) Dust suppression system including water sprinkler system/ foaming arrangement shall be provided at loading and unloading areas to control dust emission.
 - (f) Fugitive emission in the work zone environment, product, raw material storage areas etc. shall be regularly monitored.
 - (g) High efficient four stage acid/alkali scrubber should be provided.
 - (h) Transportation of raw material and finished goods should be carried out in covered trucks.
 - (i) For control of fugitive emission and VOCs following steps should be followed:-
 - Chilled brine circulation system shall be provided and it should be ensured that the solvent recovery efficiency is not be less than 98%.

- Reactor and solvent handling pump shall be provided with mechanical seal to prevent leakage.
- Closed handling system should be provided for chemicals.
- System of leak detection and repair of pump/pipeline should be based on preventive maintenance.
- Solvent shall be taken from underground storage tank to reactor through closed pipeline. Storage tank shall be vented through trap receiver and condenser operated on chilled water.


4. Hazardous Waste:

- PP should ensure disposal of hazardous waste regularly and there should be no dumping of these materials in the premises/outside.
 - PP should ensure handling, disposal and management of hazardous waste as per the related prescribed rules.
 - PP should obtain renewal of authorization regularly from MPPCB for collection storage and disposal of hazardous waste (Management, Handling & Trans Boundary Movement) Rules 2008 and its amendments. Membership of the TSDF should be obtained for hazardous waste disposal.
 - Hazardous chemicals should be stored in sealed tanks, drums etc. Flame arrestors shall be provided on tanks. To avoid the spillage from processing unit, Industry shall provide fully mechanized filling and packaging operation unit.
 - PP should provide RCC layer and double layered HDPE lining for primary and secondary leachate collection.
 - PP should obtain NOC /approval from competent authority for health & safety measure, Onsite & Offsite disaster management, and Risk management plan before commencing the operation of the unit.
5. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
- 6. Green Belt:**
- PP should ensure to maintain the developed trees existing in the site and it will be not to allow cutting.
 - Plantation in the project area of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc.
 - Every effort should be made to protect the existing trees on the plot.
 - Pollution control trees should be planted in the green belt area PP should avoid to plant fruity trees in the project area.
7. PP should ensure the implementation of CSR activities on regular basis in consultation with the Gram Panchayat of the respective villages & also adopt nearby villages for construction of toilets and installation of hand pumps to fulfill the requirement of drinking water.

B. Specific Conditions as recommended by SEAC

8. The entire process area should be provided with doubled liner HDPE geo membrane system of thickness 1.5 mm and double leachate collection system for detection of any leachate.
9. Atleast eight numbers of Peizo-metric monitoring points should be provided all around the plant premises and their monitoring be done bi-monthly.
10. VOC's detectors should be provided in all storage areas.
11. As proposed, no effluent from the unit shall be discharged outside the plant premises and Zero discharge shall be maintained. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom to see entire ETP area, all out lets of storm water drains and all materials/wastes entry and exit gates. Data connectivity must be provided for all such cameras to the MPPCB's server for remote operations.
12. MEE sludge and other hazardous wastes should be sent to CTSDF, Pithampur, Dhar. 2.5 mm thick PP liner should be provided in the hazardous waste storage area to avoid soil contamination.
13. At least 2.5 cm of first rain water should be passed through the ETP.
14. No ground water recharge pits be provided in the plant premises.
15. Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
16. Automatic smoke, heat detection system should be provided in the sheds. Adequate fire fighting systems should be provided for the storage area.
17. The exhaust of the vehicles used for the purpose of handling, lifting and transportation within the factory such as forklifts or trucks should be fitted with the approved type of spark arrester.
18. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.
19. Dyke wall should be provided for storage of liquid materials. The dyke wall should be off 1.5 times higher than the quantity of stored materials.
20. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150mm above the maximum flood level.
21. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
22. Storage areas should be provided with adequate number of spill kits at suitable locations. The spill kits should be provided with compatible sorbent material in adequate quantity.
23. Engineered eye wash arrangements should be provided for protection against any spillage / leakages.
24. Recent MSDS of all the chemicals be displayed at appropriate places.


25. Two on-line monitoring systems for ambient air quality should be provided and data connectivity must be provided to the MPPCB's server for remote operations.


(P. Narahati)
Member Secretary

Endt No. ⁰⁸ / SEIAA/ 2018
Copy to:-

Dated 4.4.18

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, Distt- Jhabua -M.P.
- (5). Managing Director, M.P. Audyogik Kendra Vikas Nigam (Indore) Limited, Free Press House First Floor, 3/54 Press Complex , Agra – Mumbai Highway, Indore(M.P).
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.


(Dr. Sanjeev Sachdev)
Officer-in-Charge

Encl: Standard Conditions (Annex-I)

State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

27

Annex-I


Standard Conditions related to item 5 (f) of the schedule of EIA notification,
2006

(Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs
and intermediates excluding drug formulations; synthetic rubbers; basic
organic chemicals, other synthetic organic chemicals and chemical
intermediates)

1. The company shall install an effluent treatment plant to treat the effluent generated due to proposed activity. The treated water shall be utilized within the premises to achieve zero discharge.
2. The hazardous wastes and Incineration^{waste} from the process and treatment should be disposed off as per Hazardous Wastes (Management & Handling) Rules, 1989 and subsequent amendments.
3. The project authority shall obtain the membership of CTSDF (Common Treatment Storage & Disposal Facility) for disposal of solid and hazardous waste (if applicable) and copy of the same shall be submitted to the Regional Office of MoEF, GoI at Bhopal. The company shall maintain the valid membership of CTSDF.
4. The process emissions, VOCs and particulate matter from various units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission level shall go beyond the stipulated standards.
5. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by MPPCB.
6. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, GoI at Bhopal.
7. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.
8. The company shall develop greenbelt in the project area as per the guidelines of CPCB to mitigate the effect of fugitive emission.
9. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

1 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates

Issued Vide No. SEIAA/EPCO
Dated 23/5/2012


Issued Vide No. 7-8 SEIAA/EPCO
Dated 4.4.12

State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

28

10. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
11. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
12. The DG set will be provided with acoustic arrangements to attenuate the noise pollution. The emission from DG set shall be dispersed as per the CPCB/MPPCB standards.
13. Industry should get the Emergency Disaster Management Plan approved by DTSH and should also comply with the provisions made in Public Liability Insurance Act, 1991.
14. Any enhancement of capacity, change in technology, modernization and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
15. All activities / mitigative measures proposed by RP in Environmental Impact Assessment must be ensured.
16. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
17. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
18. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of raw material and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. No overloading of raw material for transportation shall be committed.
19. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.
20. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
21. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
22. Commitment towards CSR have to be followed strictly.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

2 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No 7-8
Dated 4/4/18
SEIA/VEPCO


Issued Vide No 843-VI/AA/VEPCO
Dated 23/5/2012


State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

29

23. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
24. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
25. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
26. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
27. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
28. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
29. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
30. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.


(Dr R.P. Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

3 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No. 243-18/SEIAA/EPCO
Dated: 24/5/2012


Issued Vide No. 7-8 SEIAA/EPCO
Dated: 4.4.18


State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

30

31. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB within six months.
32. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
33. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
34. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
35. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
36. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.
37. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
38. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

4 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No 7-8 SEIAA/EPCO
Dated 4.4.18

Issued Vide No 243-11 SEIAA/EPCO
Dated 23/5/2012