

State Environment Impact Assessment Authority, M.P. (Government of India, Ministry of Environment & Forests)

Environmental Planning & Coordination Organization

Paryavaran Parisar, E-5. Arera Colony Bhopal-4620 16

visit us http://www.mpseiaa.nic.in Tel:0755-2466970, 2466859 Fax: 0755-2462136

No: 74

/ SEIAA /17

Date: 3.4.12

To, M/s A. P. Trivedi Sons, Partner, Shri Nischal Trivedi R/o Main Road, Balaghat (M.P.) - 481001

Sub: - Case No. 3963/2015 Prior Environmental Clearance for Manganese Ore Mine (Open cast Underground Other than Fully Mechanized method) in an area of 43.086 ha for Expansion of production capacity from 25000 TPA to 62000 TPA at Khasra No. 127, 143, 145, 147/2, 146/1-2, 147/1-3-4,148,152, 153, 387, 381, 382, 384, 385, 386, 388/1, 389/1, 390, 391, 392, 393, 394, 395, 396, 397, 398 at Village - Ramrama, Tehsil -Waraseoni, Dist. - Balaghat (MP) by M/s A. P. Trivedi Sons, Partner, Shri Nischal Trivedi R/o Main Road, Balaghat (M.P.) - 481001.

This has reference to your letter received in SEIAA office on 05.10.2015 and subsequent letters seeking Prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the Form - I, Pre-Feasibility Report, ToR and subsequently submission of EIA, Public Hearing and the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

II. It has been noted that the proposal is for Manganese Ore Mine in an area of 43.086 ha. The mining lease area is located in Khasra No. 127, 143, 145, 147/2, 146/1-2, 147/1-3-4,148,152, 153, 387, 381, 382, 384, 385, 386, 388/1, 389/1, 390, 391, 392, 393, 394, 395, 396, 397, 398 at Village - Ramrama, Tehsil -Waraseoni, Dist. - Balaghat (M.P.). It lies at geographical co-ordinates at latitude 21°51'18.8" to 21°51'47.7" N and longitude 79°55'50.00" to 79°56'21.50" E. There is no National Park/Santuary within 10 Km radius. Mining Plan is approved by the IBM (vide letter no. BGT/MN/MPLN-126/NGP dtd. 03.07.2015).

DFO has given NOC vide letter No.8369 dated 13.9.2001 for carrying out mining activities. Forest Department vide letter No. F-5-5/2010/10-3 dated 4.1.12 has clarified that fresh NOC for mining area falling within 250 m forest area is not required as it is old mining lease. Forest NOC is required at the time of renewal of lease as per MRD letter dated 3.9.10.

The proposed project is for production capacity from 25000 TPA to 62000 TPA. The mining will be carried out by Opencast Underground Other than Fully Mechanized method. The the total water requirement is 101 KLD (55 KLD for Dust Suppression + 30 KLD for Green Belt + 4 KLD for washing of Plant + 12 KLD for Drinking/washing), which shall be met from mine pit and bore well in ML area. The public hearing was conducted at Mining site at Village- Ramrama, Tehsil -Waraseoni, Dist. - Balaghat on 24.08.2016,

S

- III. The project has been considered in accordance with the provisions of the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th Septezber 2006.
- IV. Based on the information submitted, as at Para (II) above and others the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 416th meeting dtd. 16.03.2017 and decided to accept the recommendations of 66th SEAC-II meeting dtd. 06.02.2017.

Hence, Prior Environmental Clearance is granted for Manganese Ore Mine (Open cast Underground Other than Fully Mechanized method) in an area of 43.086 ha for Expansion of production capacity from 25000 TPA to 62000 TPA at Khasra No. 127, 143, 145, 147/2, 146/1-2, 147/1-3-4,148,152, 153, 387, 381, 382, 384, 385, 386, 388/1, 389/1, 390, 391, 392, 393, 394, 395, 396, 397, 398 at Village - Ramrama, Tehsil -Waraseoni, Dist. - Balaghat (MP) for the lease period to M/s A. P. Trivedi Sons, Partner, Shri Nischal Trivedi R/o Main Road, Balaghat (M.P.) - 481001, subject to the compliance of following specific conditions as recommended by SEIAA & SEAC-II and subsequent Standard Conditions.

A. Specific Conditions

- Before commencing any mining activity fencing shall be carried out all around the lease area.
 Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.
- PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. The two row plantation shall be carried out in the greenbelt area in current year.
- 3. Before commencing the mining activity, site demarcation should be done leaving 250 m. from the forest boundary as a "no mining zone". The demarcation should be done by the Revenue Officials in the presence of Forest Department and Mining Officer, Balaghat or PP should seek NOC from the Revenue Commissioner, Jabalpur Sub Committee and submit a copy in SEIAA before taking up the mining activity.
- 4. Plantation on 26.3855 ha areas with 31920 numbers of trees and additional plantation should be done on both side of the road shall be carried out within the lease area, to lessen the air pollution and enhance aesthetic beauty of the area. Plantation programme as mentioned in EIA/EMP and presented during presentation in SEIAA & SEAC shall be followed in content and spirit.
- Proper handling of mineral and overburden to control fugitive emissions will be done to minimize the adverse impact on surrounding flora and fauna inclusive of agricultural species due to deposition of dust
- 6. PP should construct garland drain all along the lease area and OB dumps with total 31 number of settling pits within the drain and proposed to connect drains to large settling tanks through these pits to avoid silt discharge from open ended drains PP shall also ensure the proper cleaning and maintenance of garland drain and settling tank. PP should ensure zero discharge from the mined area.
- Regular air & water quality monitoring shall be carried out in consultation with RO, MPPCB before pumping out of pull water prior permission should be taken from MPPCB.
- 8. The over burden and waste will be simultaneously backfilled in the mined out area and plantation will be raised on it.
- 9. No overburden will be dumped outside the mine lease area.
- 10. Pakka construction of approach road from mining site to main road (approximately 2.5 km.) and avenue plantation on both side of the road.
- 11. No transportation should be carried out through the forest area without the permission of DFO, Balaghat. Labour at mine site shall be strictly prohibited not to enter the forest area.
- 12. PP shall ensure to conduct a regular monitoring of ground water level within 2 km radius of mining lease area .
- 13. Controlled blasting shall be carried out during mining operation.

Sy

- 14. PP Should follow all safety measures mentioned in DGMS Norms
- 15. Consent of the farmers shall be taken before discharging the mine water into their fields and also take the consent of the MPPCB qualifying the quality norms.
- 16. Vibration study of the area shall be carried out in consultation with the local stakeholders through any authorized technical institution.
- Water tankers with fogging arrangement will be used for regular water sprinkling on the haul roads to ensure effective dust suppression
- Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
- 19. Proper infrastructure with shelter, drinking water, toilet and first-aid facilities shall be provided for the labourers. A provision should be made to construct a pakka rest shelter along with toilet and drinking water facility.
- 20. The ventilation surveys will be conducted in each quarter
- 21. Periodic maintenance of haulage and village road will be carried out.
- 22. Regular maintenance of vehicles and machinery's shall be conducted to control emissions.
- 23. Proper care and safety precaution through intermittent studies shall be undertaken to avoid any land subsidence and void created after exploration of ore will be filled properly by mine waste/sand/fly ash/slag/tailing waste etc as per approved mine plan.
- 24. No transportation route shall be selected which goes through wild life sanctuaries/parks.
- 25. PP has proposed under CSR the following activities for which a provision of 12.96 lakhs has been kept:
 - a) Health awareness camps & other welfare facility for nearby villagers
 - Financial assistance for construction of separate toilets for boys and girls in Schools in at nearby village Ramrama Tola & Marariat Tola
 - Providing computer(2 number) of school at nearby villages Ramrama Tola & Marariat Tola
 - d) Providing Solar light (5 Nos) and street light at nearby villages Ramrama Tola , Penditola , Marariat Tola, Naka Tola, Sonewani and Silijhari
 - e) Provide Vocational training for women for upgrade living standard
 - f) Provide Vocational training for youth like mobile repairing , winding & electrician training

The modification to the above activities can be made with the permission of the district administration.

- 26. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- 27. Transportation of material shall be done in covered vehicles.
- 28. Transportation of minerals shall not be carried out through forest area.
- 29. Necessary consents shall be obtained from MPPCB and the air / water pollution control measures have to be installed as per the recommendation of MPPCB.
- Curtaining of site shall be done through thick plantation all around the boundaries of the lease area.
- 31. The OB should be properly stacked inside the ML area in barrier zone and disposed off as per the submitted plan. All the waste dumps should be stabilized and compactedproperly by appropriate methods and continuous water spraying should be carried out during the handling of waste dumps and muck pile to avoid fugitive emissions.
- Condition of existing settling pits should be improved and stone pitching should be carryout for their stability.
- Water sprinkling arrangement through pipeline should be provided at unloading point of underground material and all other dust prone area.
- 34. For Underground (U/g) operations, natural ventilation should be provided (Veq at the rate of 0.99) in all working shifts through vertical shaft and incline no.06 and ventilation survey should be conducted on each quarter and flow of air (intake and return) should be monitored on daily basis as per DGMS norms.

Sp

35. For mining operations following standard illumination should be provided as per DGMS norms:

	FOR SURFACE LIGHT	TING
SI.No.	Location	Illumination in Lux
	Vertical shaft pit top	0.5 lux
	No. 06 incline pit top	0.5 lux
	Winder/Haulage room	1.5 lux
	Siding	0.5 lux
	Roads	0.2 lux
CI Na	FOR UNDERGROUND LIC	
SI.No.	Location	Illumination in Lux
	Incline No. 06 travelling road way	0.5 lux
	incline pit bottom	1.5 lux
	monte pit bottom	1.5 lux

- 36. For roof support system, as proposed steel rods should be atleast 1.50 meter long with minimum 20 mm diameter and the diameter of holes should be less than 32mm. The load bearing capacity of each bolt shall be atleast 02 tonnes of load in one hour, 04 tonnes of load in 04 hours and 06 tonnes of load in 08 hours.
- 37. The back of the excavated area shall be supported by fully grouted cable bolts of 12 mm at an interval of 2.0 meter X2.0 meter in a grid pattern with one additional 2.0 meter long fully grouted rock bolt in the centre of the grid. Diameter of each cable bolt shall be atleast 16 mm and cable bolts shall be installed in the back of the stope in such manner that its length in the back at no time shall be less than 4.0 meters (for 8.0 meter wide stops) and 6.0 meters (for 22.0 meter wide stops). Each cable bolt shall be capable of bearing atleast 25 tonnes of load.
- 38. The hanging wall shall be supported by rock bolts atleast 2.00 meter long at maximum interval of 2.0mX2.0 m in grid pattern. The bolts shall be installed perpendicular to the foliation plan of the rock mass with one row of chocks shall be provided at an interval of 3.0 meter all along the hang wall side in the stope as and when required. Similarly, additional rack bolts shall be provided as and when required.
- 39. The freshly exposed footwall area shall be supported with cable bolts of suitable length and the distance between the cable bolt and footwall shall in no case be more than 2.0 meters. If required, inclined cable bolts shall also be provided to ensure the same. If clay bands/geological disturbances exposed in footwall, the side shall be immediately supported by 2.0 meter long fully grouted steel bolts in a grid pattern of 2.0mX2.0m. The bolts shall be installed perpendicular to foliation of the rock mass.
- 40. Wet drilling system and controlled NONAL blasting with low charge (if required) as prescribed by DGMS should be practiced.
- 41. As proposed by PP, safety distance of 100 meters between u/g and o/c operation shall be maintained to prevent entering of water in U/g operation. In this regard, all the norms stipulated by DGMS should be complied.
- 42. Sand stowing shall be carried out as per the plan submitted in EIA using sand and fly ash. Any other material such as tailing waste or slag should be used with sand for stowing only after confirming its suitability by lechate study.
- 43. Blast vibration study should be carried out once in a year and their record shall be maintained.
- 44. PP should carryout load testing after one hour of bolting.
- 45. Garland drains and settling pits should be provided to avoid silt discharge. As proposed, 31 settling pits (0.5mX0.35mX0.5m) connected with garland drains shall be provided for proper sedimentation.
- 46. Fixed types of water sprinklers should be provided on 750 meter long and 05 meter wide haul road. However, regular water spraying should be practiced on 2.0 kms long and 06 meters wide transport road for dust suppression.
- 47. For management of mine water in underground operations, as proposed two underground sumps of 20m (L)x05m (W)x 05m (D) & 20m (L)x05m (W)x 04m (D) with water pumps of suitable capacity shall be provided respectively.
- 48. The proposed plantation should be carried out and PP would maintain the plants including casualty replacement.
- 49. Appropriate activities shall be taken up for social up-liftment of the Region. Funds reserved towards the same shall be utilized through Gram Panchayat.

Sy

- 50. PP will take adequate precautions so as not to cause any damage to the flora and fauna during mining operations.
- 51. The commitments made in the public hearing are to be fulfilled by the PP.
- 52. Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product mix in proposed mining unit shall require a fresh Environment Clearance.
- 53. PP will comply with all the commitments made in by the letter dated 06/02/2017.

B. Standard Conditions

- All activities / mitigative measures proposed by PP in Environmental Impact Assessment and approved by SEAC must be ensured.
- 2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
- 3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
- 4. Blast vibrations study shall be conducted and submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB within six months. The study shall also provide measures for prevention of blasting associated impact on nearby houses and agricultural fields.
- 5. Controlled blasting techniques with sequential drilling shall be adopted. The blasting shall be carried out in the day time only.
- 6. Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines.
- A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB within 5 years in advance of final mine closure for approval.
- No change in the calendar plan including excavation, quantum of mineral and waste shall be made.
- 9. Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
- 10. Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.
- 11. The transportation of the minerals extracted from the mining area shall be limited to day hours time only.
- Maintenance of near by local roads through which transportation of minerals are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped.
- 13. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
- 14. Trenches / garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal/ perennial Nallahs, if any, flowing through the ML area and silts arrested. De- silting at regular intervals shall be carried out.
- 15. The project proponent will ensure necessary protection measures around the mine pit, waste dumps and garland drain.
- 16. Top soil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.
- 17. Over burden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of maximum 10 m and overall slope of the dump shall not exceed 35o. The OB dump shall be backfilled and shall be scientifically vegetated with suitable native species to prevent erosion & surface run off.
- 18. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB on six monthly basis.

3/

- 19. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Deptt. Herbs & shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB every year.
- 20. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of minerals and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the course of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through wild life sanctuary, if any in the study area.
- 21. Four ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO2, NOx monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up-loaded and displayed on the company's website.
- 22. Data on ambient air quality (RPM, SPM, S02, NOx) should be regularly submitted to the Regional office, MoEF, Gol, Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.
- 23. Ambient air quality at the boundary of the mine premises shall confirm to the norms prescribed in MoEF notification no. GSR/826(E) dtd. 16.11.09.
- 24. Fugitive dust emissions from all the sources shall be controlled. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained. The dust emission shall be monitored regularly as per norms and records to be submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB regularly.
- 25. Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers engaged in operations of HEMM, etc., shall be provided with ear plugs / muffs and health records of the workers shall be maintained.
- 26. Rain water harvesting shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Regional Office, MoEF, GoI, Bhopal and MP PCB within six months and thereafter every year from the next consequent year.
- 27. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e. pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be regularly sent to Regional Office, MoEF, Gol, Bhopal, MP PCB, Central Ground Water Authority and Regional Director, Central Ground Water Board.
- 28. The waste water from the mine if any, shall be treated to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The oil and grease trap shall be installed for the effluents generated from the workshop, if any, before discharging into the natural stream. The discharged water from the tailing dam, if any shall be regularly monitored and report submitted to the Regional Office, Ministry of Environment & Forests, Gol, Bhopal, Central Pollution Control Board, and the State Pollution Control Board.
- 29. Hydro-geological study of the area shall be reviewed by the project proponent annually. In case adverse effect on ground water quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.
- 30. Occupational health check up for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust etc. shall be carried out. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures shall be conducted followed by follow up action wherever required. It should be made available for inspection whenever asked. Necessary funds for this also should be earmarked.

Sy

- 31. Project Proponent shall ensure appropriate arrangement for shelter and drinking water for the mine workers.
- 32. Persons working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
- 33. Commitment towards CSR have to be followed strictly.
- 34. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
- 35. The Project Proponent shall inform to the Regional Office, MoEF, Gol, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- 36. The necessary funds as per mandate shall kept for environmental protective measures which should be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
- 37. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other relevant documents should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
- 38. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies, as applicable, in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
- 39. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.
- 40. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
- 41. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB and to the competent authority of the State Govt. within six months.
- 42. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
- 43. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 44. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- 45. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
- 46. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 47. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 48. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
- 49. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall

7 of 8

simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

50. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.

(Anupam Rajan) Member Secretary

Endt No

/ SEIAA/17

Dated: 3 4112

Copy to:-

- 1. Principal Secretary, Department of Urban Development & Environment, Government of Madhya Pradesh, Mantralaya, Bhopal.
- 2. Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-4620 16
- Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016
- 4. Collector, District Balaghat, (M. P)
- 5. Divisional Forest Officer, District Balaghat, (M. P)
- I.A. Division, Monitoring Cell, MoEF& CC, Gol, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi- 110 003.
- 7. Director (S), Regional office of the MOEF, Western Region, Kendriya Paryavaran Bhawan, Link Road No. 3 Ravi Shankar Nagar, Bhopal-462016
- 8. Director, Geology & Mining, Madhya Pradesh, 29-A, Khanij Bhawan, Arera Hills, Bhopal 462002.
- 9. District Mining Officer, District Balaghat, (M. P)
- 10. DEO, SEIAA, for update on website
- 11. Guard file

(Dr. Sanjeev Sachdev) Officer-in-Charge

8 of 8