



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment & Forests)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>
Tel:0755-2466970, 2466859
Fax : 0755-2462136

No: 598 /SEIAA/2017

Date: 1.6.17

To,
Project Manager,
Katni MSW Management Pvt. Ltd.
6-3-1089/G/10 & 11, Gulmohar Avenue,
Rajbhavan Road, Somajiguda,
Hyderabad-500082

Sub:- Case no. 5008/2016: Prior EC for proposed Development of an Integrated MSW Processing and Disposal Facility at Khasra No. 527, village Padarwara, District Katni area 6.20 ha by Katni MSW Management Pvt. Ltd. through Project Manager 6-3-1089/G/10 & 11, Gulmohar Avenue, Rajbhavan Road, Somajiguda, Hyderabad-500082 (Telangana) Mob-09866154725 email:reelin@ramky.com

Ref: Your application dtd. 15.02.2016 received in SEIAA office on 23.02.2016

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O.1533(E), dtd. 14.09.06 & its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR & EIA Report and ppt. furnished in response observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The proposed project is "Integrated Municipal Solid Waste processing and Disposal Facility" at village Padarwara, District Katni an area of 6.20 ha. The land is owned by Nagar Palika Nigam Katni (NPNK).The project includes 4 other participating ULBs (Sehora, Kymore, Barhi, and Vijayaragavagarh) located within 50 km radius from Katni with an inter-ULB agreement for MSW Management.
- (ii) The current total waste generation is about 90 TPD (Katni town - 65 TPD, Sehora - 13.4 TPD, Kymore - 5.43 TPD, Barhi - 4.05 TPD, Vijayaragavagarh - 2.75 TPD). However, considering the population projection it is proposed to establish the Integrated Municipal Solid Waste Processing and Disposal Facility to handle about 150 TPD.
- (iii) The project is covered under 7(i) category B of the EIA Notification issued by the Ministry of Environment & Forest vide S.O.1533 (E), dated September 14, 2006 and its ammendments.
- (iv) There is no National park / Sanctuaries, Eco-sensitive areas (DFO letter dtd 30.01.16), critically polluted areas and inter-State boundaries within 10 km of

Case No. 5008/2016

Issued vide letter no. 598-99.. dated 1.6.17

Case No.: To be quoted in registered cases for correspondence

1 of 6

the proposed site, hence, general conditions are not attracted as per EIA Notification 2006.

- (v) Regarding land documents PP has submitted concession agreement dtd 24.09.2015 between Nagar Palika Nigam Katni, Ramky Enviro Engineers Limited and Katnai MSW Management private Limited. As per the land documents the land is the name of Nagar Palika Nigam Katni.
- (vi) Public Hearing for the proposed project was conducted on 23 September 2016 at village Padarwara, Tehsil- Murwara, District- Katni, M.P under the Chairmanship of Add Collector, Katni. Some issues regarding, environment pollution, improper boundary wall of the site, employment to local people and fear of pollution emanating from the establishment of the dumping site area were raised during the Public Hearing which were addressed by PP.
- (vii) The water requirement for operating the proposed project is about 20 KLD. The source of fresh water is proposed to be met from ground water as well as supplementing external tankers also.
- (viii) The waste water generation would be around 12.0 KLD and it is proposed to collect it in a Septic tank/soak pit.
- (ix) Effluent from floor washing, equipment wash, workshop etc. shall be collected, treated in O&G trap, settling tank and recycle back for dust suppression.
- (x) Leachate shall be collected into leachate wells, sprayed back into the landfill, excess shall be disposed into spray drier of incinerator. No direct discharge of wastewater to be made to surface water, groundwater or soil.
- (xi) After closure, final cover would be maintained. Leachate shall observe to meet all discharge standards and discharged into lined drains. The landfill site would be abandoned after 30 years of closure if concentrations of contaminants in all liquid and gaseous emissions from the landfill are to be below MPPCB prescribed limits.
- (xii) For control of air pollution PP has proposed venturi scrubber followed by flooded scrubber, wet scrubber.
- (xiii) Internal roads shall be concreted/asphalted to reduce dust emission, tree plantation around the project boundary.
- (xiv) The collection vehicles provided for the proposed project are of mini container type of vehicles which can accommodate only around 1 ton of MSW waste at a time. The size of the vehicle identified for the Katni area are based on the existing road network, road size, and road conditions to minimize the traffic congestion as well as traffic impact on the Katni road network. The collection and transportation vehicles will only move during allowable entry time. The number of vehicles deployed for the collection of entire MSW from all different wards of the ULBs will be around 60 to 75 and will not cross more than 100 at any time. All the vehicles are distributed among the wards/ULBs.
- (xv) The ash generated from the incinerator will be used as a daily cover for landfill along with soil and mud and Sludge generated in leachate pond would be sent to landfill.
- (xvi) No hazardous materials and hazardous wastes / bio-medical waste shall be transported along with the domestic waste.

- (xvii) For firefighting PP has proposed to provide firefighting equipment at appropriate locations ABC type fire extinguisher(5 Kgs,2 Kgs), Foam type fire extinguisher 50 Ltrs, CO2 type fire extinguisher 4.5 Kgs, Hydrant Post ,10 liter sand bucket, Hose reel Trailer driven pump etc.
- (xviii) The energy requirement for operating the proposed project is about 0.4 MW. The electricity requirement will be fulfilled by MPTRANSCO. Sufficient capacity DG sets (750 KVA) are proposed for power backup.
- (xix) PP has proposed to develop green belt with a width of 10 m all along the boundary and in a minimum width of 2 m on both sides of the internal roads and also in all open areas.

Based on the information submitted at Para i to xix above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 424th meeting held on 27.04.2017 and decided to accept the recommendations of 288th SEAC meeting held on dtd. 30.03.2017.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments to the Proposed " Development of an Integrated MSW Processing and Disposal Facility at Khasra No. 527, village Padarwara, District Katni area 6.20 ha by Katni MSW Managment Pvt. Ltd. through Project Manager 6-3-1089/G/10 & 11, Gulmohar Avenue, Rajbhavan Road, Somajiguda, Hyderabad-500082 (Telangana) of the Standard Conditions enclosed at Annex-I and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. PP should ensure proper segregation before dumping the waste on the site. No hazardous waste/bio medical waste shall be allowed to be dumped on the MSW landfill site
2. PP should ensure periodic odour monitoring in and around the site, and adopt ecosorb spray to minimize the odour nuisance.
3. Proper road network with concrete road and parking facility should be provided for employees and vehicles being used for collection & disposal of MSW.
4. PP should develop 33% area under green belt. Buffer zone should be created along the periphery of the landfill site with 7.5 m. to 9 m. three rows plantation of suitable native species. Open land between the service road should also be planted.
5. No drinking water (fresh water) should be used for treatment of waste.
6. Waste segregation technology should be explored on the project site.
7. If Bio medical/hazardous waste is found mixed with MSW, then it should be disposed as per Hazardous/Bio Medical Waste Management Rules.
8. For collection of water samples to monitor water quality, dug wells in Padarwada village should be also included.
9. No Burning of waste shall be allowed at the MSW site.
10. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient plant machineries and equipments.
11. PP should ensure harnessing of roof water through recharging pits.



12. PP should establish a lab to monitor air emissions, spot noise level recording, gas quality for landfill area, stack emissions, waste discharge, ground water quality, soil quality etc.
13. A display board should be installed at the entrance gate of the MSW site to provide daily information of the quantity of MSW received during the day and lab analysis report on air, water, noise and odour.
14. Under CSR activities PP has proposed budgetary provision of Rs. 6.0 lakh upto three years, the details of activities under CSR should be finalized in consultation with the District Administration.

B. Specific Conditions as recommended by SEAC

15. The landfill facility shall be developed as per the proposal submitted by PP with 1.5 mm thick HDPE liners, Geo-textile media, Drainage media, Gas evacuation system and leachate collection system.
16. The PP will establish the adequate leachate treatment facilities to achieve the M.P. Pollution Control Board (MPPCB) zero discharge norms. As proposed, no effluent/leachate from the facility shall be discharged outside the premises and Zero discharge shall be maintained. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
17. Treated leachate shall be sprayed on landfill for dust control, keep the windrows dry and excess leachates shall be utilized in spray drier.
18. Regular leachate quality monitoring shall be carried out for relevant parameters and the monitored data along with the statistical analysis and interpretation should be submitted to the MPPCB.
19. Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. The ground water quality monitoring shall be monitored as per the MPPCB norms. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to the Ministry's Regional Office at Bhopal and MPPCB.
20. Magnetic flow meters shall be provided at the inlet/outlet of water supply point and records for the same shall be maintained and submitted to MPPCB regularly.
21. The PP should comply with the provisions made in Hazardous Waste (management, handling & Trans-boundary Movement) Rules 2016.
22. Dedicated parking facility for unloading of materials/wastes shall be provided in the facility premises. PP shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
23. No hazardous and biomedical waste should be disposed off in this facility.
24. Selection of plant species shall be as per the CPCB guidelines and in consultation with the DFO.
25. All the commitments made in the Public Hearing shall be implemented by PP.
26. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
27. Necessary consents shall be obtained from MPPCB and the air / water pollution control measures have to be installed as per the recommendation of MPPCB.

28. In case of power failure, stand- by D.G. Set/s having power generation capacity equivalent to the requirement of power to run the facility shall be installed, so that the facility shall always be operated round the clock even in case of power failure.
29. All internal roads shall be made pucca/bituminous top to avoid fugitive emissions.
30. At least two on-line continuous ambient air quality monitoring stations on suitable locations should be provided and data connectivity must be provided to the MPPCB's server for remote operations.
31. Fire fighting system shall be provided as per the norms covering all areas and Disaster Management Plan shall be implemented.
32. All recommendations and pollution mitigative measures proposed in the EMP shall be binding for the project authorities.
33. The ambient air quality shall be monitored in and around the facility area and results shall be submitted to the MPPCB. The locations for the ambient air quality monitoring shall be fixed and reviewed in consultation with the MPPCB.
34. All the storage tanks shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.
35. Personal Protective Equipments shall be provided to workers and its usage shall be ensured and supervised.
36. Training shall be imparted to all the workers on safety and health aspects of chemicals handling and facility operations.
37. The overall noise level in and around the facility area and D.G. Set shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall conform to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.
38. Pucca flooring / impervious layer shall be provided in the work areas, chemical/waste oil storage areas and chemical handling areas to minimize soil contamination.
39. Good housekeeping shall be maintained within the facility premises. All pipes, valves and drains shall be leak proof. Leakages from the pipes, pumps, shall be minimal and if occurs, shall be arrested promptly. Floor washing shall be admitted in to the effluent collection system for subsequent treatment and disposal.
40. The storm water drains shall be kept separate and shall remain dry throughout the year except monsoon.
41. The Environmental Management Cell with suitably qualified staff for implementation of the stipulated environmental safeguards and for monitoring functions shall be setup under the control of the Chief Executive of the company.
42. Peripheral plantation all around the project boundary shall be carried out using tree plants of large canopy. Green area at the site will be maintained by the project proponents, which would have an overall cooling effect on the surroundings.
43. PP will obtain other necessary clearances/NOC from concerned authorities.

44. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.


(Anupam Bajaj)
Member Secretary


Endt No. ⁵⁹⁹ / SEIAA/ 2017

Dated 1.6.12

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, MPPCB, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Katni, M.P.
- (5). The Principal Chief Conservator of Forest, Ground Floor, Satpuda Bhawan Bhopal (M.P.)
- (6). Director, I.A. Division, Monitoring Cell, MoEF, GoI, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.


Encl: Standard Conditions (Annex-I)



(Dr. Sanjeev Sachdev)
Officer-in-Charge


Standard Conditions related to Activity 7 (i) - Common Municipal Solid Waste Management Facility (CMSWMF) Category B Projects under the Schedule of Ministry of Environment and Forests, GoI Notification dtd 14-09-06

Annex-I


1. Any enhancement of capacity, change in technology, modernization and scope of working shall again required prior environmental clearance as per EIA notification, 2006. No further expansion or modifications in the project should be carried out without prior approval of the State Environmental Impact Assessment Authority.
2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
4. "Consent to Establishment" shall be obtained from the MPPCB under the Air (Prevention and control of Pollution) Act, 1981 and Water (Prevention and control of Pollution) Act, 1974 and a copy shall be furnished to the MPSEIAA, before taking up any construction activity at the site.
5. Transportation and handling of Hazardous Wastes shall be as per the Hazardous Wastes (Management, Handling and Trans-boundary Movement) Rules, 2008 including the section 129 to 137 of Central Motor Vehicle Rule, 1989 and also guidelines for Common Hazardous Waste Incineration - 2005, issued by CPCB.
6. Guidelines of State Pollution Control Board (MPPCB) for Common Hazardous Wastes Incinerators shall be followed.
7. Air pollution control device viz. gas chamber, treatment with mixture of hydrated lime and activated powder for adsorption of partial acidity and VOCs (if any), bag filter/ESP for removal of particulate matter, ventury scrubber followed by packed bed scrubber with caustic circulation to neutralize the acidic vapor in flue gas and demister column for arresting water carry over will be provided to the incinerator.
8. Online pollutant monitoring shall be provided as per CPCB/MPPCB guidelines for monitoring particulate matter, SO₂, NO_x, and CO from incinerator stack. The Periodical monitoring of Dioxin and Furans in the stack emission shall be carried out. Efficiency of scrubber shall be monitored regularly and maintained properly.
9. Necessary provision shall be made for firefighting facilities within the complex.
10. Use only low sulphur diesel. No other oil shall be used.
11. The proponent shall comply with the Environmental standards notified by Ministry of Environment, Forest & Climate Change for incinerators along with the technology / guidelines.
12. The Project Proponent should carryout periodical air quality monitoring in and around the site including VOC, HC.



(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman


13. The Project Proponent should develop green belt all along the periphery of the project site with plant species that are significant and used for the pollution abatement. The green belt area shall not be used for any other purpose.
14. Treated flue gas emissions discharge through stack to atmosphere shall always be less than or equal to the parameter-specific emission standards notified by the CPCB.
15. Incineration plants shall be operated (combustion chambers) with such temperature, retention time and turbulence, so as to achieve Total Organic Carbon (TOC) content in the slag and bottom ashes less than 3%, or their loss on ignition is less than 5% of the dry weight of the material.
16. Guidelines published by the Central Board from time to time for common incineration facilities shall be referred for implementation.
17. Transportation and handling of Bio-medical Wastes shall be as per the Bio-medical Wastes (Management and Handling) Rules, 2000 including the section 129 to 137 of Central Motor Vehicle Rules, 1989.
18. The gas generated from the Landfill facility shall be collected and disposed as per rules.
19. The Leachate from the facility shall be collected and treated to meet the prescribed standards before disposal.
20. The proponent should obtain necessary clearance from the Central Ground Water Authority.
21. The depth of the land fill should be decided based on the ground water level at the site.
22. Project proponent should prepare and implement an On Site Emergency Management Plan.
23. Project proponent should carry out periodical ground water/soil monitoring in and around the site to check the contamination including TCLP test for heavy metals.
24. Rain water runoff from the landfill area and other hazardous waste management area shall be collected and diverted to the leachate treatment plant.
25. There should not be any spillage from the transportation vehicles.
26. Zero discharge system shall be adopted.
27. Double containment system shall be provided for all waste transport vehicles to avoid spillage. The spillage shall be cleared immediately.
28. Vehicles should prominently display complaint numbers for use of public as well as antidotes to any toxic waste.
29. All the recommendations of EMP/DMP shall be strictly complied.
30. The project proponent will set up separate environmental management cell for effective implementation of the stipulated environmental safeguards under the supervision of a Senior Executive.



(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman


31. All the commitment made regarding issues raised during the public hearing / consultation meeting shall be satisfactorily implemented. Item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Bhopal.
32. The Project proponent will take necessary measures for prevention, control and mitigation of Air Pollution, Water Pollution, Noise Pollution and Land Pollution including solid waste management as mentioned by him in Form-1, Final EIA reports and Environment Management Plan (EMP) in compliance with the prescribed statutory norms and standards.
33. The project proponent should set up necessary facility for onsite testing of wastes to decide the requirement of treatment if any, before disposal.
34. Ambient noise level should not exceed the permissible limit. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should confirm to the standards prescribed under EPA Rules, 1989.
35. Health and safety of workers should be ensured. Workers should be provided with adequate personnel protective equipment and sanitation facilities. Occupational Health Surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
36. There shall not be removal/destruction of vegetative cover both at the establishment as well as the operational stage, without the sanction of appropriate authority.
37. Adequate measures shall be adopted to ensure industrial safety. Proper fire detection & protection systems shall be provided to control fire and explosion hazards. The implementation and monitoring of Environmental Management Plan and Disaster Management Plan should be carried out.
38. Environmental Management Information System shall be in position and maintained properly.
39. The gaseous emissions from various process units should conform to the load/mass based standards prescribed by the MoEF & CC and the State Pollution Control Board from time to time. At no time the emission level should go beyond the prescribed standards.
40. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
41. In the event of a change in project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment, Forest & Climate Change.
42. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. Agencies from time to time.



(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

43. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, Gol, and its Regional Office, Bhopal.
44. The Regional Office, MoEF, Gol, Bhopal & MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, and Environmental Monitoring Plan as approved by SEAC should be submitted to Regional Office, MoEF, Gol, Bhopal & MPPCB within six months.
45. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB within six months.
46. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies (Panchayat and Municipal Bodies), District Collector and DFO as applicable and responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
47. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF & CC Gol, Bhopal.
48. The Project Proponent has to upload only soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/>.
49. Full Cooperation should be extended to the Officers and staff from the Ministry and its Regional Office at Bhopal / the CPCB / the SPCB during monitoring of the project.
50. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
51. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
52. The Environmental Clearance shall be valid for a period of five years from the date of issue EC as per EIA Notification, 2006 Para 9.
53. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



(Anupam Rajan)
Member Secretary



(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

54. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with amendments and rules.
55. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
56. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
57. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.


(Anupam Rajan)
Member Secretary


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman