



**State Environment Impact Assessment Authority, M.P.**  
**(Government of India, Ministry of Environment, Forest & Climate Change)**

Environmental Planning Coordination Organization (EPCO)  
Paryavaran Parisar, E-5. Arera Colony  
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>  
Tel: 0755-2466970, 2466859  
Fax : 0755-2462136

No: 2117 /SEIAA/2019

Date: 1.2.19

To,  
Engineer-in-Chief,  
Water Resources Department,  
Office of Engineer-in-Chief,  
Tulsi Nagar, Bhopal, (M. P.). – 462003

**Sub:- Case No. 5023/2016 :** Prior Environmental Clearance for proposed "Kharmer Irrigation" Project at Dindori, District Jabalpur, MP ; CCA- 9959 ha Gross Catchment Area: 145 sq. km Maximum height - 21.38 m by Superintending Engineer, Madhya Pradesh Water Resources Department, through Engineer-in-Chief, Water Resources Department, Office of Engineer-in-Chief, Tulsi Nagar, Bhopal, (M. P.) – 462003 Env't. Consultant : Voyants Solutions Pvt. Ltd. Gurugram, Haryana.

**Ref:** Your application dtd. 23.01.16 received in SEIAA office on 09.02.2016

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EMP Report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The proposed dam site is located near Dungariya, Jhanki village across Kharmer River, a tributary of the Narmada & site falls in Samnapur Block and Tehsil Dindori. Catchment Area of the proposed dam is 145 Sq.Km. that is 75% dependable monsoon yield is 46.79 MCM. The project has been proposed for irrigation & drinking water for Samnapur Janpad Panchayat and Villages under command. 44 Villages comes under the area of command Samnapur & Amarpur Blocks. CCA of this project is completed as 9959 ha.
- (ii) To accommodate 54.632 MCM of water the area under submergence is 962.02 ha which affects 03 villages partially. 1.0 MCM water is kept for drinking purpose & 2.5 MCM water kept for environment releases.
- (iii) Kharmer River rises from Maikal hills and drains a gross catchment of 145 sq. km at the project site. The catchment area lies on the plateau of Baghelkhand bounded by plateau of Chhattisgarh in the east, plateau of Malwa in the west, plateau of Rewa and Panna in the north and Satpura Maikal region in the south

- (iv) Project has been conceived with a view to impound 46,79 MCM of monsoon discharge of the river and harness it for providing for irrigation, for drinking purpose and E-flow has been apportioned as 41.34 MCM, 1.80 MCM and 3.65 MCM after excluding the evaporation loses in the reservoir (9.717 MCM). Composite dam comprising of 1076.50 m long homogeneous earthen dam, maximum height of 21.38 m from deepest river bed level ; 88.50m long spillway with 7 radial gates (10.5m x 5.00m).
- (v) The project pertains to Item No. 1(c) category 'B' of the EIA Notification 2006 schedule and in terms of Notification dated, 25th June, 2014, as the CCA of the project is less than 10000 ha.
- (vi) The project has a command area of 9959 ha, therefore as per EIA notification of September 2006 and a recent amendment (August 14, 2018), it is a Category B2 project (Medium irrigation project having CCA > 2000 ha and < 10000 ha)". And Being a B2 Category project, it does not require an EIA report and is exempt from Public Hearing; it require submission of EMP only However, Scoping Clearance of the project was taken as Category B1 (prior to August 2018 amendment).
- (vii) There is no wildlife sanctuary, National park (DFO letter dtd. 08.02.16) or interstate boundaries (PWD letter dtd 23.01.16) within 10 km of the project area hence general conditions are not attracted.
- (viii) The land requirement for project shall be 900.34 ha, of which revenue and private land shall be 120.293 ha and 780.047 ha respectively. No diversion of forest land is required for the project. Due to project 8 villages shall be affected of which 1 village Umariya Ryt shall be fully affected and 7 villages shall be partially affected. There shall be 826 project affected families of which 273 families shall be displaced. The compensation shall be paid in accordance with "The Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation and Resettlement Act, 2013", (RFCTLARRA 2013) or as per special package, whichever is more. PP has committed following provisions will be made in the identified new rehabilitation and resettlement area with budgetary provision of INR 9483.00 Lakhs, after approval of District Administration on the land parcel:

- Pucca Road connectivity to the area including internal village road connectivity
- Drainage provision maintaining proper slope
- Water supply for R&R site
- Sanitation and solid waste management facility
- Electrification in the R&R site
- School buildings and health care centre as per norms
- Community building, community toilet, playground/ open space for play
- Provision of cattle shed
- Provision of drinking water for cattle
- Gram chaupal, Anganbadi



- Religious sites
  - Cremation ground
  - Plantation within the R&R site - along the proposed road / play ground / other areas
- (ix) The predicted ground level concentration in air for PM<sub>10</sub> due to fugitive dust emissions from construction activities (excavation involving drilling and blasting) at the Dam complex has been found to be 15.54 µg/m<sup>3</sup>, while the resultant concentration shall be 50.44 µg/m<sup>3</sup>, which is within the limits. For control of air pollution PP has proposed following mitigation measures:-
- a. The contractor will be responsible for maintaining properly functioning construction equipment to minimize exhaust.
  - b. Construction equipment and vehicles will be switched off when not used for extended time periods Unnecessary idle running of construction vehicles to be prohibited.
  - c. Effective traffic management to be undertaken to avoid significant delays in and around the project area.
  - d. Road damage caused by sub-project activities will be promptly attended to with proper road repair and maintenance work.
- (x) Temporary increase in noise levels are expected during construction phase only. The noise level of 65 dB(A) at the construction site gets highly attenuated to 39 dB(A), 34 dB(A) and 29 dB(A) about 300m, 600m and 900 m respectively from the point source (dam site). For control of Noise Pollution following mitigation measures will be adopted:-
- a. Vehicles to be equipped with mufflers recommended by the vehicle manufacturer.
  - b. Staging of construction equipment and their unnecessary idling in sensitive areas to be avoided.
  - c. Use of temporary sound fences or barriers with acoustic material at sensitive locations
  - d. Notification shall be provided at a conspicuous place close to residential areas within 100 meter of major noise generating activities.
  - e. Monitoring of noise levels will be conducted during the construction phase of the project
- (xi) For Control of Water Pollution the sewage generated from project and various labour camps is proposed to be treated in STP. Settling tanks for treatment of effluent from various crushers should be provided
- (xii) During operation phase the flows downstream of the dam shall be reduced to the volume (53.69 MCM) stored behind the dam for consumptive use. It is, therefore, proposed to release 3.65 MCM for environmental flows from the quantum reserved for the purpose besides 1.80 MCM drinking water allocation during Jan to May. This implies that about 0.28 cumec discharge shall regularly flow d/s in these months.
- (xiii) The evolution of disaster management plan dwells on various aspects such as provision of evacuation paths, setting up of alarms and warning systems, establishing communicating system besides delineating an Emergency Response Organization with an Effective Response System.
- (xiv) The emergency planning for dam break scenario is devised on the basis of results of dam break analysis mainly the travel time of flood wave to various locations in the downstream stretch of the river.



(xv) There is no power requirement in the pipe canal system of Project.

(xvi) The fact that the Project is being manned by MPWRD and so it does not attract the provisions either under Companies Act, 2013, or the Corporate Social Responsibility Policies issued by the concerned Ministry. PP has proposed total of 0.5% of the direct charges of project cost (Rs 34810.11 lakh) towards this fund i.e. Rs. 174 lakhs creation of local area development fund to undertake works. Activities under this plan shall involve: (a) Skill development (b) Infrastructure Development and other Services.

Skill development	Infrastructure Development And Public Utilities
a) Training Courses: b) Tailoring, Knitting & Embroidery Training Centers c) Computer Courses d) Income Generating Activities/ Projects e) Vocational Training	a) Community Centers: b) Hospital Facilities: c) Sports and other activities d) Setting up of Recreation Facilities: e) Assistance to Schools f) Development of concrete paths from Village to Road heads & drainage system: g) Community Toilets h) Enhancing Medicare in Govt. hospitals i) Development of Graveyard/Cremation Center

(xvii) **Benefit of the project:** Irrigation potential shall be created in area (9959 Ha) in 44 villages. Better living Standards for famers of command area. Employment opportunities/to locals in project work and fisheries. Improvement in environment through implementation of CAT, Compensatory Afforestation, Green belt Development, Command Area Development and different other plans.

Based on the information submitted at Para i to xvii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 517<sup>th</sup> meeting held on 04.01.2019 and decided to accept the recommendations of 336<sup>th</sup> SEAC meeting held on dtd. 04.12.18.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 & its amendments for the proposed "Kharmer Irrigation" Project at Dindori, District Jabalpur, MP ; CCA- 9959 ha Gross Catchment Area: 145 sq. km Maximum height - 21.38 m by Superntending Engineer, Madhya Pradesh Water Resources Department, through Engineer-in-Chief, Water Resources Department, Office of Engineer-in-Chief, Tulsi Nagar, Bhopal, (M. P.) – 462003, subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

#### **A. Specific Conditions as recommended by SEIAA**

1. The inputs given by the participants during Public hearing should be properly redressed. All the promises and assurances made during the public hearing shall be fulfilled completely by the water resources department GoMP. The implementation of R & R Plan to be closely monitored to ensure that all project affected families (PAFs) get adequate & timely compensation.
2. Besides the agricultural land, the rehabilitation of public buildings, infrastructures, monument etc. falling in the submergence area should also be included in the rehabilitation plan.
3. A monitoring Committee for R & R shall be constituted which must include representatives of project affected persons including form SC/ST community and at least a woman beneficiary.

4. A grievances redress mechanism is to be devised by WRD GoMP and put in place so that aggrieved PAFs and other stakeholders may approach the Authority easily for resolution of any dispute/conflict.
5. The implementation of Local Area Development Plan (LADP) to be closely monitored.
6. This being a seasonal stream/ river, a minimum environmental flow of 30 % in monsoon season should be released for downstream users.
7. Proposed Compensatory Afforestation programme in shall be taken-up in consultation with State Forest Department. The allocated grant for this purpose shall be fully utilized and not to be diverted for any other purpose. For compensatory afforestation programme, preference shall be given to native species.
8. Proposed Bio-diversity Conservation & Management Plan in EMP report should be implemented with State Forest Department. The allocated budget for this purpose shall be fully utilized and not to be diverted for any other purpose.
9. The catchment Area Treatment (CAT) Plan as proposed in EMP report shall be strictly implemented in consultation with Madhya Pradesh State Forest Department. Major works shall be completed before impounding of reservoir. The financial allocation for CAT Plan implementation shall be fully utilized and not to be diverted for any other purpose. Catchment Area Treatment Plan as has been proposed should be completed in five years.
10. To enhance the natural environmental quality & aesthetics of project site, greenbelt, as proposed in the EMP Report shall be undertaken in proposed area. Allocated grant for this purpose shall be fully utilized and not to be diverted for any other purpose.
11. Fishery conservation & management plan as proposed shall be implemented in consultation with the Fisheries Department, Government of Madhya Pradesh.. The stocking density of the reservoir shall be around 300 fingerlings per ha. Allocated grant for this purpose shall be fully utilized and not to be diverted for any other purpose.
12. Occurrence of stagnant pools/slow moving water channels during construction and operation of the project may provide breeding source for vector mosquitoes and other parasites. The river should be properly channelized so that no small pools and puddles are allowed to be formed. Even after taking precaution, due to unforeseen situations, breeding of mosquito and resultant malaria or mosquito borne diseases can increase. If such a situation arises, it will be the responsibility of project authorities to take all steps i.e. residual insecticidal spray in all the project area and surrounding 3 km. Area keeping the flight range of mosquitoes in consideration. Also medical assistance to be provided to the affected people at the cost of the developer and appropriate health benefits may be initiated with the help of State Health Department.
13. If the water of reservoir is used for drinking water supply, it should be done after conventional treatment.
14. Regular monitoring of water quality (Surface and Ground) including heavy metals shall be undertaken in the project area and around the project area to ascertain the change, if any, in the water quality due to leaching of contaminants, if any, from the increased use of chemical fertilizers and pesticides.



## **B. Specific Conditions as recommended by SEAC**

### **(A) PRE-CONSTRUCTION PHASE**

1. During any construction/plant erection activity, curtaining of site should be carried out to protect nearby areas.
2. For dust suppression, regular sprinkling of water should be undertaken.
3. PP will obtain other necessary clearances/NOC from respective authorities.
4. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter shall also be made available to local bodies, Panchayat, State Pollution Control Board and Regional Office, MoEF & CC Gol, Bhopal.
5. Provisions shall be made for the housing of construction/plant erection labor within the site with all necessary infrastructure and facilities such as mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after completion of the period.

### **(B) CONSTRUCTION PHASE**

6. PPE's such as helmet, welding shield, ear muffs etc should be provide to the workers during construction/plant erection activities.
7. Fire extinguishers should be provided on site during construction/ plant erection period.
8. Water sprinkling arrangements shall be made to suppress the fugitive emissions and shall ensure that the ambient air quality is well within the prescribed norms by MoEF&CC/CPCB/MPPCB.
9. Properly tuned construction machinery and good condition vehicles with mufflers (low noise generating and having PUC certificate) should be used and turned off which not in use.
10. DG sets shall be provided with acoustic enclosures to maintain the noise level within the prescribed limits.
11. Waste construction material should be recycles as far as possible and remaining should be disposed off at a designated place in consultation with the local authority
12. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed in the landscape plan & EMP. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
13. MSW of various labors generated during construction/plant erection activities should be disposed off at a designated place in consultation with the local authority.
14. Waste oil & grease generated from the pumps and standby DG sets should be disposed off in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 after obtaining authorization.
15. The soil removed during the excavation will be stacked separately and will be used for the green belt development only.

### (C) POST CONSTRUCTION/OPERATIONAL PHASE

16. Plantation shall be carried out by the PP as per submitted plan in the command area or on available degraded land.
17. Efficient irrigation systems should be promoted in the command area as Social Responsibility by the trained staff of the department.
18. Periodic soil/water testing shall be carried out in the command area and report to be submitted to Ministry of Agriculture with essential remarks.
19. Use of Solar Energy should be promoted in the project area where ever possible.
20. The project authorities should comply with the provisions made in the Water (Prevention & control) of Pollution Act 1974, and amended, Construction and Demolition Waste Management Rules, 2016, Solid Waste Management Rules, 2016, etc.
21. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.

### (D) ENTIRE LIFE OF THE PROJECT

22. For Environmental monitoring total budgetary provision of Rs. 30 lacs out of which Rs. 22.50 Lacs for during construction and Rs. 7.50 Lacs for during operation.
23. PP proposed in the EMP Rs. 17.00 Lacs for occupational health, Rs. 4.00 Lacs for environmental safeguards during construction stage.
24. Rs. 54.00 lacs for sanitation and solid waste management plan.
25. Rs. 21.00 lacs for energy conservation measures .
26. A budgetary provision of Rs. 66.87 crores is made for R&R plan. The environment policy of the company should be framed as per MoEF&CC guidelines and same should be complied and monitored through monitoring cell. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
27. The environment policy should be framed as per MoEF&CC guidelines and same should be complied and monitored through monitoring cell. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
28. A separate bank account should be maintained for all the expenses made in the EMP activities by PP for financial accountability and these details should be provided in Annual Environmental Statement.
29. All commitments pertaining to public hearing shall be mandatory on part of PP.
30. As proposed, the green belt development / plantation activities should be completed within the first three years of the project and the proposed species should also be planted in consultation with the forest department.
31. In case of any, change in scope of work, technology, modernization and enhancement of capacity/ built-up area/ project area shall again require prior environmental clearance as per EIA notification, 2006.



32. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
33. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity/ built-up area/ project area, addition with change in process and or technology and any change in product - mix in proposed project shall require a fresh Environment Clearance.

**Standard Conditions:**

1. Adequate arrangements for providing free fuel like kerosene/wood/LPG shall be made at the project cost for the labors engaged in the construction work so that indiscriminate felling of trees is prevented.
2. The laborers to be engaged for construction works shall be thoroughly examined by health personnel and adequately treated before issuing them work permit.
3. Water sprinkling arrangements shall be made to suppress the fugitive emissions and shall ensure that the ambient air quality is well within the prescribed norms by MoEF/CPCB.
4. Potable drinking water and proper sanitary facilities shall be provided for the labor force.
5. Consolidation and compilation of the muck should be carried-out in the muck dump sites and the dump sites should be above high flood level. Restoration of construction area including dumping sites of excavated materials shall be ensured by leveling, filling up of borrow pits, landscaping etc. The area should be properly treated with suitable plantation.
6. The Regional Office of MoEF, Gol, Bhopal & MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and Monitoring Plan should be given to Regional Office, MoEF, Gol, Bhopal & MPPCB. The project proponent shall provide full cooperation during their inspection and all required documents/data to the officials.
7. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MPPCB within six months.
8. The responsibility of implementation of environmental safeguards and RR plan rests fully with the Water Resources Department GoMP and Government of Madhya Pradesh. The WRD Government of Madhya Pradesh should also monitor implementation of EMP at regular intervals preferably at the level of Principal Secretary.
9. Necessary livelihood plan for oustees is to be prepared, if found necessary, in consultation with State Government Departments concerned. The Water Resources Department Government of Madhya Pradesh should submit compliance on this components & also while submitting six monthly compliance report to MoEF, Gol, Regional Office, Bhopal.
10. PP should ensure implementation of all activities / mitigative measures / safeguards proposed in the Environmental Impact Assessment (EIA) report and Environmental Management Plan (EMP) approved by SEAC and other reports from time to time must.
11. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.





12. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically.
13. The monitored data for criteria pollutant levels, namely; SPM, RSPM, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the dam site in the public domain.
14. The sewage or waste water should be properly collected, treated so as to conform to the standards prescribed by MoEF & CPCB. The treated effluents conforming to the prescribed standards shall be re-circulated and reused for horticulture / plantation.
15. Conjunctive use of surface water has to be planned and implemented in the project to check water logging as well as to increase productivity.
16. The equipment likely to generate high noise levels during construction period or otherwise shall have to meet the ambient noise level standards as notified under the Noise Pollution (Regulation and Control) Rules, 2000 as amended from time to time under the Environment Protection Act (EPA), 1986. Workers shall be provided with ear plugs / muffs.
17. The Project Proponent has to submit half yearly compliance report of the stipulated terms and conditions in the Prior Environmental Clearance, including the results of monitored data in hard and soft copy to the Regulatory Authority, respective Zonal Office of CPCB and the SPCB and Regional Office of MoEF, Gol at Bhopal on 1st June and 1st December of each calendar year.
18. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
19. Adequate financial provision should be made in the total budget of the project for implementation of the above suggestion safeguard measures. The funds earmarked for environmental protection measures shall be kept in separate account and shall be fully utilized for the said purpose and not to be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, Gol, Regional Office located at Bhopal, CPCB & MPCB. In case of revision of the project cost due to price level change the cost of EMP shall also be updated proportionately and revised upwardly.
20. On-farm development (OFD) works are to be completed by the project proponent simultaneously and before the commencement of irrigation. WUA's (Water Users Associations) should be made functional to undertake the OFD works. Special & critical monitoring of progress to be undertaken by the Water Resources Department GoMP to ensure that OFD works are completed along with main canal networks.
21. Details of land holding of project affected persons whose land is being acquired shall be submitted to MoEF&CC, Gol, Regional Office. The R & R benefits for the land losing households will be as per the National Rehabilitation and Resettlement Policy, 2007 or as per the State Rehabilitation and Resettlement Policy, whichever is more beneficial to the project affected villages. The R & R issues shall be completed before commissioning of the project. In case latest Act of 2014 is applicable, the same Act is to be followed.
22. The MP SEIAA or any other competent authority reserves the right to alter/modify or add additional, safeguard measures subsequently, if found necessary and to take



action, including revoking of the clearance under provisions of the environment (Protection) Act 1986 to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.


23. The Prior Environmental Clearance letter is valid for a period of 10 years from the date of issue of this letter for commissioning of the project.
24. A copy of the Prior Environmental Clearance issued by MP SEIAA shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat / Zila Parishad / Municipal Bodies as applicable, local NGO, if any, in addition to the associated Government Department from whom any suggestion / representations were received while processing the proposal and those responsible for controlling the proposed project, who in turn has to display the same for 30 days from the date of receipt. The clearance letter shall also be put on website by the project proponent.
25. State Pollution Control board / committee shall display a copy of the clearance letter at the regional office, district industries centre and collector's/tehsildar's office for 30 days.
26. The Project Proponent shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at [www.mpseiaa.nic.in](http://www.mpseiaa.nic.in) and copy the same shall be forwarded to the Regional Office, MoEF&CC, Gol, Bhopal.
27. After 5 years of the commissioning of the project a study shall be undertaken regarding impact of the project on the environment and downstream ecology. The study shall be undertaken by an independent agency to be decided in consultation with the Ministry / authority.
28. A multi disciplinary committee (MDC) for monitoring the implementation of environmental safe guards during construction shall be constituted by the project proponent (PP) in consultation with the state environment ministry as early as possible. A panel may be proposed by the PP and submitted to ministry. The Project Proponent shall organize six monthly meetings of the committee and submit the monitoring report to the ministry.
29. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to water borne diseases shall be carried out. Periodic monitoring for the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures shall be conducted followed by follow up action wherever required.
30. The Project Proponent shall provide proper arrangement for the disposal of hazardous waste (if any) and obtain authorization under Hazardous Waste (Management Handling & Transboundary Movement) Rules from MPPCB.
31. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution)

Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with amendments and rules.

32. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
33. Any other clearance required from any other organization / department should be obtained before commencement of works and commissioning of the project, as applicable.
34. Concealing factual data or submission of false / fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
35. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days from the date of issue, as prescribed under Section 10 of the National Green Tribunal Act 2010.


2118  
Endt No. / SEIAA/ 2019

Dated 1.2.19

  
(Jitendra Singh Raje)  
Member Secretary

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3<sup>rd</sup> Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District- Jabalpur (M.P.).
- (5). The Principal Chief Conservator of forest, Ground floor Satpuda Bhawan, Bhopal (M.P)
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

  
(Dr. Sanjeev Sachdev)  
Officer-in-Charge