

ENVIRONMENTAL
CLEARANCE



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), Madhya Pradesh)

To,

The Proprietor
M/S JAKHODIA MINERALS
Jakhodia Group 184, Samta Colony Raipur -492001

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MP/IND/44948/2016 dated 25 Apr 2022. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|-------------------------------------|
| 1. EC Identification No. | EC22B007MP177386 |
| 2. File No. | 5557/2017 |
| 3. Project Type | Expansion |
| 4. Category | B1 |
| 5. Project/Activity including Schedule No. | 2(b) Mineral beneficiation |
| 6. Name of Project | Dhamki Iron Ore Beneficiation plant |
| 7. Name of Company/Organization | M/S JAKHODIA MINERALS |
| 8. Location of Project | Madhya Pradesh |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 15/07/2022

(e-signed)
Vikas Mishra
Member Secretary
SEIAA - (Madhya Pradesh)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)



Ref: Proposal No. SIA/MP/IND/44948/2016, Case No. - 5557/2017 Prior Environment Clearance for Capacity Expansion in Iron, Mangnese & Bauxite Ore Beneficiation Plant at Khasra No. 75 & 85 Village - Dhamki, Tehsil - Sihora, Distt. - Jabalpur, (M.P.) Existing Capacity – 19,800 TPA, Proposed Input – 3,00,000 TPA Output – 2,10,000 TPA by M/s Jakhodia Minerals, Jakhodia Group 184, Samta Colony, Raipur, (C.G.). Email: jmpl100@yahoo.com Mob: 771-242667 Env. Consultant- Creative Enviro Services, Bhopal (M.P.)

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form 2, pre-feasibility report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- i. This is an Ore beneficiation project comprising beneficiation of Iron, Manganese & Bauxite Ore through physical beneficiation only and input volume shall be meet through their captive mines. The industry is operational with existing production capacity of 19,800 TPA and proposes an expansion in the production capacity up to – 3,00,000 TPA.
- ii. The existing beneficiation plant was accorded environment clearance (case no. 1937/2014) vide number 889 dated 02.05.2015 for capacity of 19800 TPA for Iron Ore under Category- B-2.
- iii. PP has submitted certified copy of compliance report (dated 07.09.2021) of earlier EC conditions obtained from Regional office MoEF &CC, Gol wherein no non compliances are reported.
- iv. As per EIA Notification, 2006 and subsequent amendments, the project is covered under schedule of the item no. 2 (b), hence requires prior Environmental Clearance.
- v. There are no Forest, Biosphere Reserve, National Park, Wild Life Sanctuary, and Wild Life Corridor present within 05 km Influence Zone.
- vi. The case was considered in 569th SEAC meeting dated. 06.05.2022 and 581st SEAC meeting dated. 24.06.2022 recommended for environmental clearance.
- vii. Total land in possession is 1.40 ha of Khasara No. 75 which has been kept for beneficiation activity. The beneficiation plant covers 750 sq. mt. Further 0.54 ha of Khasara No. 85 is also in their possession near to existing owned land.
- viii. **Project Detail:**

Sr. No	Parameters	Description
1.	Project Name & location	Capacity Expansion in Iron, Mangnese & Bauxite Ore Beneficiation Plant at Khasra No. 75 & 85 Village - Dhamki, Tehsil - Sihora, Distt. - Jabalpur, (M.P.)
2.	Latitude	23°21'52" N - 23°22'05" N
3.	Longitude	80°02'12" E - 80°02'28" E
4.	Total Production Capacity	Existing capacity: 19,800 TPA Proposed Capacity: 3,00,000 TPA (Through Put)
5.	Total Land available	1.40 ha + 0.54 ha = 1.94 ha
6.	Water Requirement	200 KLD
7.	Water Requirement & Source of Raw water	From mining pit of adjacent captive mine and Borewell
8.	Alternative Source of Power	D.G set of 650 KVA
9.	Cost of project	9.02 Crores

Sr. No	Parameters	Description
10.	Capital Cost for Environment Management Plan	32 lacs
11.	Recurring cost for environmental management (Proposed) etc	10.70 lacs
12.	Number of employment generation	50-60persons for Operation phase
13.	Fund for CSR activities	15.00 Lacs

ix. Public hearing for the proposed project was conducted on 23rd January 2021 at village Dhamki, Tehsil-Sihora Dist Jabalpur (MP) under the Chairmanship of Additional Collector, Jabalpur. The issues raised during public hearing were of general nature, nothing adverse was found regarding degradation of the environment.

Based on the information submitted at Para i to ix above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 736th meeting held on 12.07.2022 and decided to accept the recommendations of 569th SEAC & 581st meeting held on dated 06.05.2022 & 24.06.22 respectively.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA Notification dtd. 14th September 2006 & its amendments to the proposed capacity expansion in Ore Beneficiation Plant for Iron, Mn and Bauxite Existing Capacity – 19,800 TPA to Proposed Input – 3,00,000 TPA Output – 2,10,000 TPA Plant at Khasra No. 75 & 85 Village - Dhamki, Tehsil - Sihora, Distt. - Jabalpur, (M.P.) by M/s Jakhodia Minerals, Jakhodia Group 184, Samta Colony, Raipur, (C.G.) subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

- परियोजना का विस्तार बड़े पैमाने पर किया जा रहा है (19,800 TPA जब 3,00,000 TPA) साथ ही परियोजना में मैग्नीज एवं बॉक्साइट को भी शामिल किया जा रहा है अतः परियोजना प्रस्तावक को निर्देशित किया जाता है कि बेनीफिशियेशन से जेनरेटेड रिजेक्ट का उचित प्रबंध करे, जिसे पर्यावरण को किसी प्रकार कि क्षति न हो तथा उत्पादन क्षमता के अनुसार प्लांट में Raw Material के रखरखाव कि समुचित व्यवस्था हो।
- परियोजना प्रस्तावक द्वारा संचालन के समय पानी की मांग पूर्ति हेतु भूजल पानी से किया जाना प्रस्तावित है, भूजल का दोहन CGWA से अनापत्ति प्रमाण पत्र प्राप्त करने उपरांत ही करे।
- खसरा क्रमांक 75 की कुल 1.40 हेक्टेयर भूमि का उपयोग केवल बेनीफिशियेशन प्लांट के लिए ही किया जायेगा यह सुनिश्चित करें।
- परियोजना प्रस्तावक परिवहन मार्ग के साथ परिधीय सघन वृक्षारोपण करेगा और वृक्षारोपण को भी मजबूत करते हुए संपूर्ण वृक्षारोपण 02 वर्षों के भीतर पूरा किया जाएगा।
- Garland drain surrounding the raw material storage area has to be constructed which shall be connected to the treatment plant. Efforts shall be made to make use of the rain water harvested.
- Tailings generated from the process shall be used for brick manufacturing / building material as far as possible. Storing / dumping of this waste should be avoided. However, if stored or dumped, in abundant mine pit the ground water monitoring of the area has to be carried out periodically in consultation with MPPCB.
- Dense green area (not less than 33% of the total plot area) shall be developed all around the site especially in the predominant wind direction.

8. Occupational health check-up camps shall be organized regularly and records of health of each and every worker should be maintained at site.
9. National Ambient Air Quality Standard issued by the Ministry vide GSR No. 826 (E) dated 16.11.2009 shall be followed.
10. Secondary fugitive emissions from all sources shall be controlled within latest permission limits issued by the Ministry and regularly monitored. Guidelines / Code or practice issued by CPCB shall be followed.
11. Regular monitoring of influent and effluents surface, sub-surface and ground water shall be ensured and treated waste water shall be re-cycled in the process. Leachate study for effluent generated & analyses should also be regularly carried out and report submitted to ministry and MPPCB.
12. Risk & Disaster Management Plan along with the mitigation measures should be prepared and copy shall be submitted to Ministry of Environment & Forests, GoI & MPPCB.
13. PP shall implement the Corporate Environment Responsibility (CER) with budgetary provision of Rs. 15 lakh.

B. Specific Conditions as recommended by SEAC

I Statutory Compliance

- i. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).
- ii. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time & permission of competent authority if any tree falling is to be carried out.
- iii. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

II Air quality monitoring and preservation

- i. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- ii. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS.
- iii. The DG set of 650 KVA shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- iv. DG set of 650 kva exhaust will be discharged at height stipulated by CPCB.
- v. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

III Water quality monitoring and preservation

- i. About 3963 KLD process water is required for treating 100 TPH of feed out of which 3763 KLD will be recycled. There is no effluent let out from the Beneficiation Plant. Water from the Thickener & CVDF & Pressure Filter is also reclaimed and recirculating water in the process. Total water requirement is about 200 KLD which will be sourced through mine water reservoir, bore well and recycled water and shall be used for dust suppression, beneficiation process, green belt suppression for project. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard.
- ii. A borewell is in existence within the plant which shall only be used for drinking purpose.
- iii. The project proponent shall provide online continuous monitoring of effluent (if applicable), the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- iv. As already committed by the project proponent Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises, for which PP shall provide Thickener, Filter Press and recycling system for making system zero discharge.

- v. Adhere to 'Zero Liquid Discharge and No industrial effluent from the unit shall be discharged outside the plant premises. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
- vi. The effluent discharge shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
- vii. Process effluent/any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
- viii. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
- ix. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

IV Noise monitoring and prevention

- i. Acoustic enclosure shall be provided to DG set of 650 KVA for controlling the noise pollution.
- ii. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- iii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V Energy Conservation measures

- i. The energy sources for lighting purposes shall preferably be LED based.

VI Waste management

- i. From beneficiation plant, tailing shall be generated 340 TPD on dry basis for Iron Ore, 550 TPD on dry basis for Manganese Ore and 350 TPD on dry basis for Bauxite Ore resulting into 408 TPD (Iron Ore), 660 TPD (Manganese Ore) & 420 TPD (Bauxite Ore) respectively with 20%. About 3963 KLD process water is required for treating 100 TPH of feed out of which 3763 KLD will be recycled. For this purpose, tailing thickener & pressure filter shall be provided. In the Thickener & Pressure filter the tails get separated out & the water from tailing is recirculated to the Beneficiation Plant thus reducing the need of fresh water.
- ii. The stock pile which is used in feeding to hopper for beneficiation shall always have 15-20% moisture to avoid fugitive emission of dust and stored stock pile must have minimum 15% moisture.
- iii. The solid tailings shall be used by Cement Industries, for bricks manufacturing within plant premises, or paver blocks after conducting scientific study through an institute of national repute within a year and their findings shall be submitted with six monthly compliance reports.
- iv. At Khasara No. 85 (0.54 ha) shall be used for making bricks of tailing residues and on remaining part of land after (leaving area for brick plant) shall be used for thick green belt development.
- v. Comprehensive utilization of Iron ore, Mn ore and Bauxite Ore tailings and water will be efficient, economical, socially beneficial to improve environment.
- vi. Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm and the solvent transfer through pumps.
- vii. Hazardous wastes such as used oil, discarded drums, used carbon (if any) etc shall be directly sent to CTSDf, Dhar.

- viii. If any Flammable, ignitable, reactive and non-compatible wastes should be stored separately and never should be stored in the same storage shed.
- ix. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.
- x. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
- xi. Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
- xii. All the storage area of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks.
- xiii. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.

VII Green Belt

- i. As proposed total 6800 plants are to be planted out of which 500 have already been planted. Thus as per submitted proposal, 6300 plants are to be planted in the next two years as follows:

Plant Species for Mine Area, and village distribution				
Phase	Location	Name of Tree/ shrub/Herbs	No. of Plants	Remark
Existing	Plant	Kadam, Teak, Gulmohar, neem, Gular, Aam, Kachnar	500	Northern side of plant
1 st to 2 nd year	Along with plant boundary	Neem, Jungle jalebi Chiroi, Teak, Mahua, Khamar, Bans, Bad Amaltas, Mango, Leman, Karanj, Kathal and other local species etc. Row To Row Distance : 2.5 mtr Plant To Plant Distance 3 mtrs Depth of Trech – 0 cm	1000	Inside Fencing (Trench of 45 cm will be provided with channelling facility)
1 st and 2 nd year	Road Side	Mango, Neeem, Kadam and other local species etc.	800	With trees guard and 4ft saplings
1 st to 3 rd Year	Over adjacent owned land	Orchid, Amrud, Bamboo and other local species etc.	2500	
		Sub Total	4800	
1 st and 2 nd year	Distribution at Village	Mango, Neem, Lemon, Kathal, Jamun, Munga, and other local species	2000	
		Total	6800	

- ii. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 01 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
- iii. PP shall also develop green belt over community places in consultation with gram-panchayat

VIII Safety, Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.

- iii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iv. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- v. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- vii. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

IX EMP & CER

- i. The proposed EMP cost is Rs. 32.00-Lakhs as capital and 10.70 Lakhs /year as recurring cost.
- ii. PP shall propose physical targets based on public hearing under Corporate Environment Responsibility (CER).

SN	Plan	Activity	Budget in Rs. in lacs
1.	Construction of BMW road from plant area to NH-07	Construction of WBM road - 1km Length @7.5m Width	9.00 lacs
2	Provision of solar panel with pump for Borewell at village Dhamki with corporation of PHE under Jal Jiwan Yojna	2 bore well at Aganwadi center and Gram Panchayat Bhawan	6.00 lacs
	Total		15.00

- iii. The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iv. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- v. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
- vi. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- vii. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

Miscellaneous

- i. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- ii. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.
- iii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- iv. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- v. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any
- vi. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

Standard Conditions:

1. Regular monitoring of influent and effluent, surface, sub-surface and ground water should be ensured and treated waste water should meet the norms prescribed by the MP PCB or described under the Environment (Protection) Act, 1986 whichever are more stringent.
2. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. Agencies from time to time.
3. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF & CC, Gol, and its Regional Office, Bhopal.
4. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies (Panchayat and Municipal Bodies), District Collector and DFO as applicable and responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
5. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the MoEF & CC, Gol and State Level Environment Impact Assessment Authority (SEIAA) at www.environmentclearance.nic.in & www.mpseiaa.nic.in & a copy of the same shall be forwarded to the Regional Office, MoEF & CC, Gol, Bhopal.
6. Full Cooperation should be extended to the Officers and staff from the Ministry and its Regional Office at Bhopal / the CPCB / the SPCB during monitoring of the project.
7. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.


8. The Environmental Clearance shall be valid for a period of seven years from the date of issue EC as per EIA Notification, 2006 Para 9 & its amendments.
9. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
10. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
11. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF & CC, Gol.
12. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.



(Vikas Mishra)
14.7.22
Member Secretary

Copy to:-

- (1). Principal Secretary, Department of Environment, Government of MP, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, ParyavaranParisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, ParyavaranParisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Jabalpur -M.P.
- (5). Deputy Secretary, Department of Commerce, Industry & Employment, Mantralaya, Bhopal.
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, JorBagh Road, New Delhi - 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.


(Alok Nayak)
Officer-in-Charge