



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment & Forests)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>

Tel:0755-2466970, 2466859

Fax : 0755-2462136

No: 1195 /SEIAA/2018

Date: 25.7.18

To,
The Director,
M/s Ambashaktiudyog Plot No. 44 & 47,
AB Road, Industrial Area Banmore,
District- Morena, MP- 476444

Sub:- Case No 5568 /2017 - Prior Environmental Clearance for Capacity Expansion Project in Manufacturing of 150000 TPA of TMT Bar 200000 TPA of Billets 50000 TPA of Steel structure to Billets: 360000 TPA, TMT Bars : 300000 TPA, Steel Structure : 60000 TPA at Plot No. 44 & 47, AB Road, Industrial Area Banmore, Dist. Morena, MP Land Area: Existing: 60704 sq.m. After expansion: 82751.16 sq.m. by Director, M/s Ambashaktiudyog Limited through Plot No. 44 & 47, AB Road, Industrial Area Banmore, Dist. Morena, MP,- 476444, Mob no.- 9425112057 Email :udyog @ ambashakti.com Env. Consultant – M/s CES, Bhopal

Ref: Your application dtd. 27.05.17 received in SEIAA office on 27.05.2017

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) This is a project for proposed expansion in manufacturing of tmt bars, billets and steel structures of an existing unit, Billets - 2,00,000 TPA, TMT Bars- 150000 TPA and Steel Structure - 50,000 TPA Proposed Capacity Billets - 3,60,000 TPA, TMT Bars- 3,00,000 TPA and Steel Structure - 60,000 TPA .The total land area of the project is 60704 sq.mt. + 22047.16 sq.mt - 82751.16 sq.m.
- (ii) Earlier the case was registered **2091/2014** and EC was issued by MPSEIAA vide letter dtd. 14.07.15 for which PP has submitted compliance report certified by Regional office MoEF & CC and the report is found satisfactory.
- (iii) This is a rolling mill project. All non – toxic secondary metallurgical processing industries manufacturing >5000 tones/annum metal components are covered under the EIA Notification 2006 as amended 2009 and comes under the preview of Sr. 3(a), Metallurgical Industries (Ferrous & Non Ferrous) Subcategory B. Hence these projects are required to obtain prior EC before establishment.

- (iv) There is no inter-state boundary within 05 km (Project Director, NHAI, Gwalior letter dtd 07.10.14) and no Wildlife Sanctuaries, National Parks, and Tiger Reserves within 05 km of the boundary (DFO letter dtd. 14.11.14), hence, general conditions not attracted.
- (v) PP has submitted copy of registered amended lease deed dated 04.07.2014 between MD, Industrial Infrastructure Development Corporation (Gwalior) and M/s Ambashakti Udyog Limited for plot no. 44 & 47 Industrial Area, Banmore, Tehsil - Morena, District-Morena, for the period of 99 years (w.e.f. 04.08.1980 to 03.08.2079).
- (vi) The project is located in notified Industrial Growth Centre – Banmore, Distt, - Morena (M.P.) approved by AKVN hence exempted for public hearing as per MoEF, GoI OM dtd 10.12.2014 issued under EIA notification, 2006.
- (vii) Total water requirement for operation phase of the existing and proposed project is estimated at 600 KLD and shall be received from the AKVN supply. The source of water supply for the project is MPAKVN (letter dtd. 12.02.15).
- (viii) The water shall be required only for cooling and domestic purpose hence no industrial effluent shall be discharged. Thus the production process is zero discharge. Following are the EMP planned for existing and proposed activities of the plant
- Being a secondary metallurgical unit, potential of water pollution is not envisaged at larger level, however storm water drainage system need to be taken care preciously to prevent the flow of silt and other contaminant towards nalla, river outside of the site.
 - The TDS level of softner reject shall be checked regularly as being done for existing plant, and if found high shall be used for quenching purposes, otherwise wastewater shall be treated in neutralization tank and shall be taken to STP plant proposed for treatment of domestic effluent.
 - The raw water requirement shall be optimized. The COC in cooling system shall be maximized (such as COC=5 to 7) depending upon the TDS of the supply water.
 - Utilization of treated domestic wastewater in toilet flushing, greenbelt development and dust suppression;
 - A drain along the boundary wall shall be made , which will join the proposed settling tank/water tanks to protect the flow of contaminant towards nearby land
 - Regular monitoring and analysis of upstream and downstream of River Sank wrt to industry shall be continue .
 - Effective and strict implementation of recommendation of rain water harvesting measures.. Water harvesting structure have been constructed for harvesting of water at the rate of 25480 cum water per annum. Therefore installation of pizometers is recommended for ground water table study.
 - RCC dyke/platform should be constructed to avoid leachate possibility.
- (ix) Air emissions from melting furnaces are particulates, carbon monoxide, sulfur dioxide, nitrogen oxides, and small quantities of chlorides and fluorides. Following measures are proposed to mitigate negative impact of operation phase of the project on the surrounding air environment
- Electrically operated Induction furnace is proposed hence no pollution is envisaged from combustion of the fuel.
 - Installation of secondary control equipment for emissions

- PTZ camera has also been installed for monitoring of emission and discharge of effluent.
- Regular maintenance of exhausts, chimney and other abatement equipments
- Provision of spark arrestor, cooling circuit and bag filter for transfer points to control and capture dust emission.
- Provision of 30 mt height for the stack for additional furnace and will have stack monitoring facility (SMF) consisting of sampling port-hole, platform and access ladder. The outlet dust emission from the exhaust flue gases will be <50 mg/Nm³.
- The primary fume is extracted from the electric induction furnace through duct by the exhaust fan(s) of the abatement plant. The essential requirement of electric induction furnace is to control the primary fume. The sequence in which vent and bleeder valves open is important which need attention.
- Measures for minimization of dust and fume generated by discharging slag from the electric Induction furnace into slag pots for CCM.
- Development of Greenbelt (5) m all around the periphery of the plant to arrest the fugitive emissions.

- (x) No hazardous materials has been stored at the site except for LPG for cutting purposes.. Small quantities of lube oils for machine lubrication applications is used. It has been estimated that about 30000-50000 liters of lube oils is being used annually in the facility and about 15000 liters of used lubricating oils will be generated annually as waste oil and the same has been stored in drums and disposed to authorized used oils recycling vendors. The same practice shall be continue in future also.

Furnace slag has been generated from induction furnace (27 000 mt / annum from existing & proposed facility) as solid waste, the same is crushed in to installed crusher and segregated in to metallic and non metallic contents by magnetic separator. Iron is being recovered as 50 TPD from the slag. Metallic content is recycled back as raw material for captive utilization and non metallic content will be disposed off used for road embankment.

A additional unit of iron recovery from slag will be installed and the recovered iron shall be used with scrap to charge in induction furnace.

Solid wastes are being stored separately in a "Solid Waste Storage Area" within the factory premises. PP has proposed that it will have non -percolating R.C.C. floor and covered roof. Waste papers and boxes is sold off to vendors/ recyclers.Used oil from DG set is given to authorized recyclers.


- (xi) The plant water management system is designed to minimize the potential for storm water contamination occurring at the site. This will be achieved by incorporating the following features into the storm water management system:

Run-off from upstream areas will be diverted to proposed water body within the premises through storm water drain around the plant site.

The quantity of contaminated run-off generated will be minimized by diverting run-off from areas external to the plant to storm water discharge points;

Hazardous material and fuel storage areas will be bounded and drains will be provided to around these facilities to prevent entering of run-off water; and

Run-off from area external to process areas of the plant will be contained within a storage system. Regular inspection and cleaning of storm drains.



- (xii) PP has proposed to provide 08 nos of recharging pits for recharging of ground water.
- (xiii) About (16600+3560 = 20160 sq mt) area i.e. 33 % of plant land area shall be developed as green belt at plant boundaries, road sides, around offices & buildings and stretch of open lands within 05 year time by planting 2501 numbers of trees.
- (xiv) Under CSR activities PP has proposed Construction of toilets to stop open defecation at Pawaya, Sitapur, Sewa, Banmore, Bhepura, Khathane ka pura. Phulpura, Rain water harvesting in the villages Pawaya, Sitapur, Sewa, Banmore, Bhepura, Khathane ka pura. Phulpura., Promotion of advanced agriculture practices and water efficient farming practices etc with budgetary provision of Rs. 110 lacs upto ten years.

Based on the information submitted at Para i to xiv above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 493rd meeting held on 11.07.2018 and decided to accept the recommendations of 316th SEAC meeting held on dtd 19.06.18.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments to the Capacity Expansion Project in Manufacturing of 150000 TPA of TMT Bar 200000 TPA of Billets 50000 TPA of Steel structure to Billets: 360000 TPA, TMT Bars : 300000 TPA, Steel Structure : 60000 TPA at Plot No. 44 & 47, AB Road, Industrial Area Banmore, Dist. Morena, MP Land Area: Existing: 60704 sq.m. After expansion: 82751.16 sq.m. by Director, M/s Ambashaktiudyog Limited through Plot No. 44 & 47, AB Road, Industrial Area Banmore, Dist. Morena, MP,- 476444 subject to the compliance of the Standard Conditions enclosed at **Annex-I** and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

- (1) The entire demand of fresh water should be met through AKVN supply and there should be no extraction of ground water.
- (2) PP should ensure zero waste water discharge from the process.
- (3) PP should ensure air pollution control measure as proposed in EMP and should conduct regular monitoring of stack emissions and ambient air as per MPPCB / CPCB norms. For regular monitoring of air emission PP should installed ambient air monitoring stations.
- (4) PP should ensure the disposal of hazardous waste through authorized agencies and obtained consents from competent Authorities.
- (5) PP should ensure the roof top area of plant area including raw material storage area, finished goods area, and office building area should be used for rain water harvesting for ground water recharge. The concrete road of the site area should be regularly cleaned.
- (6) PP should obtain NOC for fire and approval for onsite offsite emergency plan, health and safety plan from the Competent Authorities.
- (7) Under green area development PP should ensure : -
 - (a) Plantation in the factory premises within the specifying of 2m x 2m, an area of 8000 sqm shall be covered with plantation / gardening as proposed. Subject to minimum of 33% of the total area of the project with budgetary provision of Rs 5.0 lakh.

- (b) Plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karnj, Kachnaar etc.
- (c) Periphery Plantation should be completed within one year within the plant premises.
- (d) Every effort should be made to protect the existing trees on the plot.
- (8) PP should ensure implementation of CSR activity of Rs. 110 lakh in consultation with District Collector/gram Panchyat of nearby villages..
- (9) PP should ensure all the raw material including scrap, coal, slag, sludge and oily waste shall be stored separately in designated place.
- (10) Monthly monitoring should be done of all the environmental parameters and Environmental Management Cell meeting should be carried out every month.

B. Specific Conditions as recommended by SEAC

(11) The production capacities are as follows:

Sr. No	Name of product	Existing Products & Capacity	Proposed Expansions & capacity
1	Billets	2,00,000 TPA	3,60,000 TPA
2	TMT Bars	1,50,000 TPA	3,00,000 TPA
3	Steel Structure	50,000 TPA	60,000 TPA

(A) PRE-CONSTRUCTION PHASE

- (12) During any construction/plant erection activity, curtaining of site should be carried out to protect nearby areas.
- (13) For dust suppression, regular sprinkling of water should be undertaken.
- (14) PP will obtain other necessary clearances/NOC from respective authorities.
- (15) Provisions shall be made for the housing of construction/plant erection labor within the site with all necessary infrastructure and facilities such as mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after completion of the period.

(B) CONSTRUCTION PHASE

- (16) PPE's such as helmet, welding shield, ear muffs etc should be provide to the workers during construction/plant erection activities.
- (17) Fire extinguishers should be provided on site during construction/ plant erection period.
- (18) Properly tuned construction machinery and good condition vehicles (low noise generating and having PUC certificate) should be used.
- (19) Waste construction material should be recycles as far as possible and remaining should be disposed off at a designated place in consultation with the local authority.

- (20) Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed in the landscape plan & EMP a minimum of 2300 no's of trees will be planted in addition to existing 191 number of plants. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.
- (21) MSW of various labors generated during construction/plant erection activities should be disposed off at a designated place in consultation with the local authority.
- (22) Waste oil generated from the DG sets should be disposed off in accordance with the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 after obtaining authorization.

(C) POST CONSTRUCTION/OPERATIONAL PHASE

- (23) Total water requirement for the existing and proposed project shall not exceed 600 KLD.
- (24) The waste water from existing and proposed activity shall be treated in STP of 50 KLD.
- (25) The TDS level of softner reject shall be checked regularly and if found high shall be used for quenching purposes, otherwise wastewater shall be treated in neutralization tank and shall be taken to STP plant proposed for treatment of domestic effluent
- (26) No industrial effluent from the unit shall be discharged outside the plant premises and Zero discharge shall be maintained. PP should also install Internet Protocol PTZ camera with night vision facility and data connectivity must be provided to the MPPCB's server for remote operations.
- (27) To control the particulate emission from the existing induction furnace (2 no.) and additional induction furnace , fume extraction system followed by bag filter meeting 50 mg/Nm³ shall be installed.
- (28) Road sweeping machiene should be provided by the PP to control fugitive emissions.
- (29) A drain along the boundary wall shall be made , and get connected settling tank to protect the flow of contaminant towards nearby land
- (30) Regular monitoring and analysis of upstream and downstream of River Sank wrt to industry shall be carried out.
- (31) Water harvesting structures shall be constructed for harvesting of water and details shall be submitted along with compliance report.
- (32) To control the fugitive emission of the furnace area, secondary control system shall be installed. Reverse pulse jet cleaning bag filters should be provided as APCD with 2nd stage fume extraction system on the top of the shed.
- (33) Hazardous wastes should be disposed off as per the authorization issued by MP Pollution Control Board.
- (34) Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
- (35) Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.

- (36) The project authorities should comply with the provisions made in the Hazardous Waste (management, handling & Trans-boundary Movement) Rules 2016, Manufacture, Storage and Import of Hazardous Chemicals Rules 1989, as amended, the Public Liability Insurance Act for handling of hazardous chemicals, Plastic Waste Management Rules 2016, e-waste (Management) Rules, 2016, Construction and Demolition Waste Management Rules, 2016, Solid Waste Management Rules, 2016 etc.
- (37) Dedicated parking facility for unloading of materials/wastes/products shall be provided in the facility premises. PP shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the High way.
- (38) The ambient air quality shall be monitored in and around the industry and results shall be submitted to the MPPCB. The locations for the ambient air quality monitoring shall be fixed and reviewed in consultation with the MPPCB.
- (39) Once in a year, health survey of the employees shall be be carryout.
- (40) The overall noise level in and around the facility area and D.G. Set shall be kept well within the standards by providing noise control measures including engineering controls like acoustic insulation hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise level shall confirm to the standards prescribed under The Environment (Protection) Act, 1986 & Rules.
- (41) Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
- (42) Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.

(D) ENTIRE LIFE OF THE PROJECT

- (43) The proposed EMP cost is Rs. 24.1097 crore and Rs. 20 lacks /year are proposed as recurring expenses out of which Rs. 13.75 lacks is proposed for green belt development and Rs. 1.25 lacks /year for recurring expenses for plantation in the proposed EMP of this project.
- (44) Under CSR activity, Rs. 55 lacks are proposed for the next 05 years in different activities and should be implemented through respective committees.
- (45) The environment policy of the company should be framed as per MoEF&CC guidelines and same should be implemented through monitoring cell. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
- (46) A separate bank account should be maintained for all the expenses made in the EMP activities by PP for financial accountability and these details should be provided in Annual Environmental Statement.
- (47) As proposed, the green belt development / plantation activities should be completed within the first three years of the project and the proposed species should also be planted in consultation with the forest department.

- (48) PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
- (49) The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity/ built-up area/ project area, addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.

1196
Endt No. / SEIAA/ 2018
Copy to:-

Dated 25.7.18

o/c (P.Narahari)
Member Secretary

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Morena, M.P.
- (5). MD, Industrial Infrastructure Development Corporation (Gwalior) Plaza, 39-City Center, Gwalior-474011 (M.P.)
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

Encl: Standard Conditions (Annex-I)

o/c (Dr. Sanjeev Sachdev)
Officer-in-Charge

State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16


21

Annex-I

Standard Conditions related to Activity 3 (a) - Metallurgical Industries of Category B projects under the Schedule of Ministry of Environment and Forests, GoI notification dtd 14-09-06

1. Any enhancement of capacity, change in technology, modernization and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
2. Environmental Management Plan (EMP) should be in strictly in accordance to the findings of Environmental Impact Assessment.
3. Execution of all activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
4. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
5. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S R. No. 826 (E) dated 16th November, 2009 shall be followed.
6. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of raw material shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. No overloading of raw material for transportation shall be committed.
7. Periodic monitoring shall be carried out as per norms for RPM, SPM, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the M. P. Pollution Control Board. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and displayed.
8. Gaseous emissions including secondary fugitive emissions from all the sources shall be controlled within the latest permissible limits issued by the CPCB.
9. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly submitted to the Regional office of the Ministry of Environment and Forest, Bhopal and the M.P. Pollution Control Board / Central Pollution Control Board once in six months.
10. Water sprinkling shall be done to control fugitive emission. Monitoring of fugitive emissions in the work zone environment shall be carried out regularly as per the CPCB guidelines and reports submitted to Madhya Pradesh PCB / CPCB and Ministry's Regional Office at Bhopal.
11. Industrial wastewater shall be properly collected and treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 as amended from time to time. The treated wastewater shall be utilized for plantation and dust suppression purpose. The domestic waste water shall be treated in septic tank followed by soak pit.
12. The Project Proponent shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
13. Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers shall be provided with ear plugs / muffs.


(Dr R P Singh)
Officer-in-Charge


(Dr U M Shukla)
Officer-in-Charge

3 (a) -Metallurgical Industries of Category

Issued Vide No. 11.95-98/SEIAA/EPCO
Dated 25.7.18


3669-70
Issued Vide No. SEIAA/EPCO
Dated 24.2.15


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

22

14. All the solid waste shall be properly utilized or disposed off in environment friendly manner or in secured landfills within the plant premises as per the CPCB guidelines. Waste oil and oily sludge shall be provided to registered recyclers / reprocessors as per CPCB guidelines.
15. Proper house keeping shall be ensured and all the raw material including scrap, coal, slag, sludge and oily waste shall be stored separately in designated place only. All the other solid wastes including broken refractory mass shall be properly disposed off in environment - friendly manner.
16. The Proponent shall provide housing for construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
17. Personnel working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
18. All the measures regarding occupational health surveillance of the workers shall be undertaken and regular medical examination of all the employees shall be ensured as per the Factories Act and records maintained.
19. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
20. The project authorities shall inform to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB final approval of the project by the concerned authorities and the date of start of land development work.
21. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal.
22. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
23. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation, if any shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB within six months.
24. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
25. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the associated Government Departments responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
26. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.


(Dr R P Singh)
Officer-in-Charge


(Dr U M Shukla)
Officer-in-Charge

2 of 3

3 (a) -Metallurgical Industries of Category

Issued Vide No. 1195-98/AA/EPCO
Dated. 25.7.18


Issued Vide No. 3669-70/SEIAA/EPCO
Dated. 24.2.15


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

23

27. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.
28. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
29. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
30. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
31. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
32. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
33. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
34. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.
35. The Corporate Social Responsibility as envisaged in the office memorandum dtd 18.05.2012 of the Ministry of Environment & Forests should be appropriately ensured.
36. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.


(Dr R P Singh)
Officer-in-Charge


(Dr U M Shukla)
Officer-in-Charge

3 of 3

3 (a) -Metallurgical Industries of Category

Issued Vide No. 1195-48/SEIAA/EPCO Dated. 25.2.18
Issued Vide No. 3669-70/SEIAA/EPCO Dated. 24.2.18