



State Environment Impact Assessment Authority, M.P.
(Ministry of Environment, Forest and Climate Change, Government of India)

Environmental Planning & Coordination Organization

Paryavaran Parisar, E-5, Arera Colony
Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

No.: 2196 /SEIAA/19

Date: 18.9.19

To,
M/s V.S.Industries,
Shri Vihar Colony H.No. 2,
Infront of Sagartalk Road, Bahodaur,
Gwalior, MP

Sub:- Case No 5647 /2018 : Prior Environmental Clearance for proposed Clinker Grinding Processing Unit at Plot No. F-6 and F-11 of Industrial Area, Jaderua, District- Morena Land area – 2039.22 sq.m. Proposed Capacity- 60000 MT/Annum by M/s V.S.Industries, Shri Vihar Colony H.No. 2, Infront of Sagartalk Road, Bahodaur, Gwalior, MP email - vsindustries20178@gmail.com Mob:- 9329478488 Evt. Consultant: in-situ Envirocare, Bhopal (MP)

Ref: Your application dated 03.02.18 received in SEIAA office on 12.02.2018.

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendment, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt and additional clarifications furnished in response to the observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- i. M/s. V.S. Industries proposes to set up a small-scale unit for Clinker Grinding (Processing) at Industrial Area, Jaderua, District Morena, (M.P) with a production capacity of 60,000 MT/annum
- ii. It is two compartment type mill and operates in open circuit with, dust collector and ducting etc. The cylindrical shell will be fitted with headers and hollow trunion mounted on heavy duty Rollers bearings and housing. The mill is driven by a set of girth gear and pinion, a set of reduction pulleys and EI. Motor.
- iii. The proposed project pertains to grinding unit for production of cement covered under 3(b) category (B) of the schedule of EIA notification issued by the Ministry of Environment & Forests vide S.O.1533 (E), dtd. 14.09.2006 & its amendments.
- iv. There is no National park / Sanctuaries, Eco-sensitive areas, (DFO letter dtd. 05.09.2017) critically polluted areas and inter-State boundaries within 05 km of the proposed site, hence, general conditions are not attracted as per EIA Notification 2006 & its amendments.

- v. M/s. V. S. Industries has acquired land for proposed Grinding Unit which is 2039.22 s.q. or 0.2039 ha of land which is located at Industrial Area, Jaderua, Morena District of Madhya Pradesh State. PP has submitted registered lease deed which is executed between Industrial Infrastructure Development Corporation, Gwalior, M.P., Ltd. and M/s. V. S. Industries on 09.08.2016
- vi. Public Hearing for the proposed project was conducted on 07.02.2019 under the Chairmanship of A.D.M, Morena. Some issues regarding, impact on human health and agriculture, employment to local villagers were raised during the Public Hearing which were addressed by PP.
- vii. Water requirement will be met through Industrial Infrastructure Development Corporation (Gwalior) M. P. Ltd. (IIDC(G) Ltd.) Water supply. Total water requirement will be 1000 Litters/day or 1.0 KLD. Water NOC has been obtained from IIDC (Gwalior) on 22.09.2017.
- viii. Total power requirement for the plant will be 37.30 KW from Madhya Pradesh Electricity Board (MPEB).
- ix. Project proponent has arrangement to secure cement clinker, Gypsum and other additives from outside and then grind them in the Ball Mill. The raw material will be transported through trucks/dumpers from the sources and product will also be transported through same process.
- x. All the three processes varied in the manufacturing process up to clinkerisation stage. Three technologies are available for the manufacture of cement plant as Wet Process Technology, Semi Dry Process Technology & Dry Process Technology.
- xi. Sources of solid waste in cement manufacturing can be of three categories namely process waste, domestic waste and office waste. Process waste includes clinker and cement production waste, mainly composed of spoil rocks, which are removed from the raw materials during the raw meal preparation. Another potential waste stream involves the kiln dust removed from the bypass flow and the stack, if it is not recycled in the process. Limited waste is generated from plant maintenance (e.g. used oil and scrap metal). Other waste materials may include alkali or chloride/fluoride containing dust build-up from the kiln.
- xii. Fly ash/slag, a waste material from thermal plant/iron industry will be utilized in the manufacture. Wastewater is not likely to be generated during the dry manufacturing process. Sanitary waste is likely @1-2 m³/day. This will be treated in septic tank followed by soak pits. Particulate trapped in dust control equipment at various material transfer points will be suitably recycled. Zero discharge is planned.
- xiii. The storm water collection system for the proposed project will be developed within site premises. The amount of run-off depends upon many factors such as intensity and duration of precipitation, characteristics of the tributary area and the time required for such flow to reach the drains. As per below calculation, 26.39 m³/hr water will be runoff and about one number of storage tank with dia 2.5 m and depth 5 m will be developed in the project premises area for storing the runoff water. This water will be utilized as a water requirement
- xiv. Total green area measures 878.02 sq.m. of the total land area. Plants having leaves with sunken stomata for withstanding pollution by avoidance will be planted inside the premises area.

Landscaping area	878. 02 sq.mt.
Periphery	400 M.
Total trees on green area & Periphery	450 Nos.
Species	Native & Ornamental Trees
Survival rate	80%

xv. The expected project cost is INR 184.0 Lakhs.

xvi. PP has proposed following CER activities with budgetary provision of Rs. 3.68 Lakh as per OM F.No.22-65/2017-IA.III dated 1st May 2018 by MoEF&CC

CER activities as per notifications	Proposed Budget for CER
<ul style="list-style-type: none"> Distribution of furniture in schools, awareness camp for traffic rules Skill Development Trainings of masonry for nearby unemployed villagers (Jaderua, Lohgarh, Jarara) 	Total Project Cost = 184 Lakhs Proposed CER Budget @2% of the total project cost = Rs. 3.68 Lakh

xvii. CSR implementation budget would be 2% of the annual average profit of the project i.e. Rs. 2,40,000/-

S. No.	CSR Activities	Details of expenses	Expenses per year (INR)
1	Total CSR budget	Total production = 60000 MT/Annum	240000
		Profit Rs. 200/MT, So profit/annum Rs. 1,20,00,000/-	
		Budget for CSR @ 2 % of the total profit = 2,40,000/-	
a.	Toilets will be constructed & repaired in nearby schools.	40 % of annual CSR budget	96000
b.	Drinking Water Facilities will be established through R.O Systems in nearby village/schools	30 % of annual CSR budget	72000
c.	Health camps	15 % of annual CSR budget	36000
d.	Energy conservation awareness through distribution of solar lamps.	15 % of annual CSR budget	36000
Total			240000

xviii. **Benefits of the project:** Project will provide employment opportunities, both direct and indirect, thus improving the economic status of the villagers. Improved communication & education facilities to local community. Direct and indirect employment will be generated due to the project. During construction phase, employment opportunity to approximately 40 persons is estimated. Total manpower requirement for the operation of the proposed project will be 10 Nos.

Based on the information submitted at Para i to xviii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 565th meeting held on 20.08.2019 and decided to accept the recommendations of 385th SEAC meeting held on dated 12.07.2019.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments to the proposed Clinker Grinding Processing Unit at Plot No. F-6 and F-11 of Industrial Area, Jaderua, District-. Morena Land area – 2039.22 sq.m. Proposed Capacity- 60000 MT/Annum by M/s V.S.Industries, Shri Vihar Colony H.No. 2, Infront of Sagartalk Road, Bahodaur, Gwalior, MP subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. The fresh water supply arrangement should be met through IIDC (Gwalior) on as per NOC dtd. 22.09.2017
2. All the treated waste water shall be recycled and reused in the processor for dust suppression and 'zero' discharge should be adopted.
3. PP should install online pollution control monitoring system in the plant premises.
4. PP should ensure to disposal of solid waste as per CPCB / MPPCB Norms.
5. All parking areas of trucks for transportation of raw material and finished products should be properly paved and concreted to reduce dust pollution. The service road & staff road should be developed separately.
6. Proper parking bays for control of traffic movement within the plant area and plantation be done on the parking bays.
7. Proper Parking facility should be provided for employees & transport used for collection & disposal of waste materials.
8. PP must ensure to develop area of 878.02 sq.m by planting of 850 trees. PP will make sure to have a green belt all around the periphery of plant area. The plants should be 3 years old.
9. Necessary provision shall be made for fire-fighting facilities within the complex.
10. All environmental parameters regarding air & water should be analyzed every year and in case of any deviation from the permissible limit, corrective measures be taken for improvement of environmental conditions.
11. PP should plan the CSR activities as per local villagers needs and should consult District administration for implementation of the CSR activities and submit the same to MPSEIAA.
12. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC,GoI,Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

B. Specific Conditions as recommended by SEAC

I Statutory Compliance

- i. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.

- ii. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.
- iii. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.

II. Air quality monitoring and preservation

- i. The project proponent shall install 24x7 continuous emission monitoring system at process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 (G.S.R. No. 612 (E) dated 25th S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
- ii. The project proponent shall monitor fugitive emissions in the plant premises at least once in every quarter through labs recognized under Environment (Protection) Act, 1986.
- iii. The project proponent shall install system carryout to Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions. **(case to case basis small plants: Manual; Large plants: Continuous)**
- iv. The project proponent shall submit monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality /fugitive emissions to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- v. Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed stack emission and fugitive emission standards.
- vi. The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.
- vii. Pollution control system in the cement plant shall be provided as per the CREP Guidelines of CPCB.
- viii. Sufficient number of mobile or stationery vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, regularly.
- ix. Ensure covered transportation and conveying of raw material to prevent spillage and dust generation; Use closed bulkers for carrying fly ash.
- x. Provide wind shelter fence and chemical spraying on the raw material stock piles; and Provide Low NOX burners as primary measures and SCR /NSCR technologies as secondary measure to control NOX emissions.

- xi. Have separate truck parking area and monitor vehicular emissions at regular interval.
- xii. Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agricultural land by the use of covered conveyor belts/railways as a mode of transport
- xiii. Ventilation system shall be designed for adequate air changes as per ACGIH document for all tunnels, motor houses, cement bagging plants

III. Water quality monitoring and preservation

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R. No. 612 (E) dated 25th August, 2014 (Cement) and subsequent amendment dated 9th May, 2016 (Cement) and S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. (case to case basis small plants: Manual; Large plants: Continuous)
- ii. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers / sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- iii. The project proponent shall submit monthly summary report of continuous effluent monitoring and results of manual effluent testing and manual monitoring of ground water quality to Regional Office of MoEF&CC, Zonal office of CPCB and Regional Office of SPCB along with six-monthly monitoring report.
- iv. Adhere to 'Zero Liquid Discharge.
- v. Sewage Treatment Plant shall be provided for treatment of domestic wastewater to meet the prescribed standards.
- vi. Garland drains and collection pits shall be provided for each stock pile to arrest the run-off in the event of heavy rains and to check the water pollution due to surface run off.
- vii. The project proponent shall practice rainwater harvesting to maximum possible extent.
- viii. Water meters shall be provided at the inlet to all unit processes in the cement plant.
- ix. The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use and by recycling treated water.

IV Noise monitoring and prevention

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

V. Energy Conservation measures

- i. Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly.
- ii. Provide the project proponent for LED lights in their offices and residential areas.
- iii. Maximize utilization of fly ash, slag and sweetener in cement blend as per BIS standards.

VI. Waste management

- i. The waste oil, grease and other hazardous waste shall be disposed of as per the Hazardous & Other waste (Management & Transboundary Movement) Rules, 2016.
- ii. Kitchen waste shall be composted or converted to biogas for further use. (to be decided on case to case basis depending on type and size of plants).

VII. Green Belt

- i. Green belt shall be developed in an area equal to 33% of the plant area with a native tree species in accordance with CPCB guidelines. The greenbelt shall inter alia cover the entire periphery of the plant.
- ii. The project area has proposed a green belt area for 878.02 Sq.m2. (43% of total area) which include 450 nos. These trees will be planted in the periphery and in the designated green area.
- iii. The project proponent shall prepare GHG emissions inventory for the plant and shall submit the programme for reduction of the same including carbon sequestration including plantation.

VIII. Public hearing and Human health issues

- i. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- ii. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
- iii. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iv. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

IX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. In the proposed EMP, capital cost is Rs. 21.005 Lakh is proposed and Rs.2.25 Lakh /year as recurring expenses.
- iii. Under CSR activity, Rs. 3.68 Lakh /year are proposed for different activities and should be implemented through respective committees.
- iv. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife

norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

- iv. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- v. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- vi. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out. MoM of 5th meeting of the Re-constituted EAC (Industry-I) held during 27-29th March, 2019 Page 68 of 132
- vii. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the cement plants shall be implemented.

X. Miscellaneous


- i. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- ii. The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- iii. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- iv. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- v. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- vi. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- vii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and

any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

Standard Conditions:

1. The project shall comply with the new MoEF & CC standards notified vide GSR 612 (E) dtd. 25.08.2014 with respect to cement sector.
2. No further expansion or modifications in the plant should be carried out without prior approval of the Madhya Pradesh State Environmental Impact Assessment Authority.
3. Cement grinding shall be carried out in closed cement mill. Further, provision of dust extraction and pollution control system consisting of highly efficient Bag Filters and ID Fan should be provided for Cement Mill, Clinker Silo, Fly Ash Storage Silo, Cement Silo, Wagon and Gypsum Crushing Plant with adequate stack height. Stack emissions shall be monitored at regular intervals and records maintained.
4. Transportation of fly ash to the plant should be brought through closed / covered tankers and stored in silo without any air pollution at transfer point..
5. All the pollution control devices/equipment in the grinding unit shall be interlocked so that in the event of the pollution control devices/system not working, the respective unit (s) shut down automatically.
6. Solid waste viz. dust generated shall be properly recycled and reutilized in the process itself.
7. Regular monitoring of influent and effluent, surface, sub-surface and ground water should be ensured and treated waste water should meet the norms prescribed by the MPPCB or described under the Environment (Protection) Act, 1986 whichever are more stringent.
8. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. Agencies from time to time.
9. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF & CC, Gol, and its Regional Office, Bhopal.
10. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies (Panchayat and Municipal Bodies), District Collector and DFO as applicable and responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
11. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the MoEF & CC, Gol and State Level Environment Impact Assessment Authority (SEIAA) at www.environmentclearance.nic.in & www.mpseiaa.nic.in & and a copy of the same shall be forwarded to the Regional Office, MoEF & CC, Gol, Bhopal.
12. Full Cooperation should be extended to the Officers and staff from the Ministry and its Regional Office at Bhopal / the CPCB / the SPCB during monitoring of the project.
13. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
14. The Environmental Clearance shall be valid for a period of five years from the date of issue EC as per EIA Notification, 2006 Para 9.

15. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
16. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
17. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF & CC, Gol.
18. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.



(Jitendra Singh Raje)
Member Secretary

2192
Endt No. / SEIAA/ 2019

Dated 18.9.19

Copy to:-

- (1). Principal Secretary, Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, MP Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal.
- (4). The Collector, District Morena -M.P.
- (5). IIDC(Gwalior)M.P. Ltd.,IIDC Plaza,39-City Centre,Gwalior-474011 (M.P)
- (6). Deputy Secretary, Department of Commerce, Industry & Employment, Mantralaya, Bhopal.
- (7). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (8). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (9). Guard file.


(Dr. Sanjeev Sachdev)
Officer-in-Charge