



State Environment Impact Assessment Authority, M.P.

(Ministry of Environment, Forest and Climate Change, Government of India)

Environmental Planning & Coordination Organization

Paryavaran Parisar, E-5, Arera Colony

Bhopal - 462016

visit us <http://www.mpseiaa.nic.in>

Email : mpseiaa@gmail.com

Tel.: 0755 - 2466970, 2466859

Fax : 0755 - 2462136

No.: 1313 /SEIAA/

Date: 30.6.21

To,
M/s Double Fortune Pvt Ltd.
Plot No. 62, 2nd floor,
Okhla Industrial Estate, Phase-3,
New Delhi - 110020

Sub:- Case No. 6021/2019, Prior Environmental Clearance for Flagstone Quarry (Opencast Semi-Mechanized Method) in an area of 4.99 ha. for production capacity of Flagstone - 8041 cum /year, Salable Waste Material - 3000 cum /year at Khasra No. 5/1 & 5/2 at Village - Jajer Raiyatwari, Tehsil - Banda, Dist. - Sagar (MP) by M/s Double Fortune Pvt Ltd, Plot No. 62, 2nd floor, Okhla Industrial Estate, Phase-3, New Delhi.

This has reference to your letter received in SEIAA office on 14.03.2019 and subsequent letters seeking Prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., the Form - I, Pre-Feasibility Report, ToR and subsequently submission of EIA, Public Hearing and the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

II. It has been noted that the proposal is for Flagstone Quarry in an area of 4.99 ha. The mining lease area is located in Khasra No. 5/1 & 5/2 at Village - Jajer Raiyatwari, Tehsil - Banda, Dist. - Sagar (MP). There is no National Park/Sanctuary within 10 Km radius of the proposed site. The forest boundary falls within 250 m. The commissioner committee has given the conditional NoC. It lies at coordinates at latitude 24°06' 10.8" N to 24°10' 19.2" N and longitude 78°46'09.7 E to 78°46'24.9 E.

The proposed project is for production capacity 8041 cum /year, Salable Waste Material - 3000 cum /year. The mining will be carried out by opencast semi - mechanized method. The total water requirement is 30 KLD (24 KLD for Dust Suppression + 1.0 KLD for Domestic + 5.0 KLD for Green Belt) which shall be met from mine pit, handpump & settling tank. The Public Hearing was carried out on 20.11.2019 near mine parisar under the Chairmanship of Upper Collector, Sagar.

III. The project has been considered in accordance with the provisions of the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006.

IV. Based on the information submitted, as at Para (II) above and others the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 640th meeting dtd. 01.10.2020 &

- A. Specific Conditions**
- Hence, Prior Environmental Clearance is granted for Flagstone Quarry (Opencast Semi-Slabble Waste Material - 3000 cum/year at Khasra No. 5/1 & 5/2 at Village Rayatwari, Tehsil - Bandra, Distt. Sagar (MP) for the lease period to M/s Double Fortune Pvt Ltd, Plot No. 62, 2nd floor, Okhla Industrial Estate, Phase-3, New Delhi, subject to the compliance of following specific conditions as recommended by SEIAA & SEAC and subsequent Standard Conditions.
- Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any unauthorized incidents involving public and animals by the PP.
 - Plantation programme as mentioned in EIA/EMP and presented during presentation in SEIAA & SEAC shall be followed in context and spirit.
 - PP shall demarcate a barrier zone of 7.5 m as no mining zone in the periphery of mining lease area and develop a green belt. Three row plantation shall be carried out in the green belt area in current year with proper watering arrangement.
 - The mining operation shall be restricted to above ground water table and in no case it should intersect the ground water table. In case of working below the ground water table approval of the Central Ground Water Board shall be obtained.
 - Total 6520 saplings of suitable tree species i.e. Neem, Pipal, Bargad, Mangro, Amala, Amaltas, Drumstick etc. shall be planted by PP at Govt. Kharsa under plantation programme. PP shall also explore and identify the agricultural fields from authorized laboratory in consultation with Regional Officer, MPPCB.
 - Regular air & water quality monitoring shall be carried out by PP before discharging it into the nearby agricultural air & water conditions given in National Committee report dated 16.03.2018.
 - PP shall comply all conditions given in National Committee report dated 16.03.2018.
 - PP ensure that no overburden will be dumped outside the mine lease area.
 - PP shall ensure generation of employment opportunities to nearby Village on priority bases.
 - Payments of wages to the workers shall be done in consonance with the provisions in the labour laws.
 - Proper infrastructure with shelter, drinking water, toilet and first-aid facilities shall be provided for the laborers. A provision should be made to construct a pakkha rest shelter along with toilet and drinking water facility.
 - PP should also carry out regular sprinkling of water in the mining lease area to arrest dust emission from mining activities affecting the nearby agriculture fields.
 - PP shall ensure proper water supply arrangement in surface plan and as per the approved mining scheme.
 - PP shall ensure proper water supply arrangement with separate budget provision of Rs. 4.0 Lakhs under CSR as committed.
 - PP must ensure implementation of the following activities with separate budget provision of Rs. 4.0 Lakhs of EMP.
 - Providing infrastructure support to the village school Fan, Solar light, boys and girls toilet, boundary wall, drinking water facility at Doma primary school within 2 years (Rs. 3.50 lakh).
 - Development of roads as per order of Honorable Supreme Court Re grassing of backfilled area of 0.5 ha out of 1.7135 hect and waste land in the villages As early as availability of backfilled and waste land (Rs. 0.25 lakh)
 - Execution of plumbing network for implementation of Jal Jivan Scheme ethic to villages houses or at school in Doma and Jajer Rayatwari in consultation with the local administration. Within 1 year (Rs. 1.0 lakh)

PP shall ensure to construct toilet with proper plumbing in the school of above village and contribute on behalf of village in Jal Jeewan Mission in consultation with Janpad Panchayat and PHED. PP shall give preference to develop/provide infrastructural facilities in schools or aganwadies of above villages. The modification to the above activities can be made with the permission of the district administration and need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Gram Panchayat.

18. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA. If PP is failed to upload or submit two consecutive half yearly compliance reports of EC conditions to concerned authority (SEIAA and Regional Office, MoEF&CC, Gol, Bhopal) than prior environmental clearance issued to PP will automatically be treated as cancelled/ revoked as per OM No. 930/SEIAA/2019 dated 30.05.2019 issued by MPSEIAA.

(A) PRE-MINING PHASE

19. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars.
20. Necessary consents for proposed activity shall be obtained from MPPCB and the air / water pollution control measures have to be installed as per the recommendation of MPPCB.
21. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
22. If any tree uprooting is proposed necessary permission from the competent authority should be obtained for the same.
23. For dust suppression, regular sprinkling of water should be undertaken.
24. Haul road shall be compacted on regular interval and transport road will be made pucca (tar road) and shall be constructed prior to operation of mine.
25. PP will obtain other necessary clearances/NOC from respective authorities.
26. Slope stability study shall be carried out before commencing the mining activities.
27. Reject stone shall be sold only after approval of the State Government as per the prevailing rules & regulations.
28. No evacuation of mineral shall be carried out from the nearby forest area.
29. All the conditions stipulated Divisional Commissioner Level Forest Committee, meeting held on 16.03.2018 shall be complied by PP.

(B) MINING OPERATIONAL PHASE

30. No blasting shall be carried out for mining of Flagstone.
31. Working height of the loading machines shall be compatible with bench configuration.
32. No intermediate stacking is permitted at the mine site.
33. No dump shall be stacked outside the lease area.
34. Dust Suppression through tanker on 1613m length and X 7.5m wide road shall be provided in mine.
35. Curtaining of site shall be done through thick plantation all around the boundaries of all part of lease. The proposed plantation scheme should be carried out along with the mining and PP would maintain the plants for five years including casualty replacement. Initially, dense plantation shall be developed along the site boundary (in three rows) to provide additional protection in one year only.
36. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed in the landscape plan & EMP a minimum of 6520 trees (area 2.6135 ha.) shall be planted on barrier zone, backfilled area and along the transportation route.
37. Transportation of material shall be done in covered vehicles.
38. Transportation of minerals shall not be carried out through forest area.
39. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
40. Garland drain and bund along with settling tank will be maintained in the boundary side and around dump to prevent siltation of low lying areas and in rush of water into the mine.

Garland drain no.	Location of Garland drain	Size mL X mW X mD
PGD_1	BP-1 to BP-4	461.00 X 1.00 X 1.00

49. The commitments made in the public hearing are to be fulfilled by the PP.
50. Fund should be exclusively earmarked for the implementation of EMP through a separate bank account.
51. PPE's such as helmet, ear muffs etc should be provided to the workers during mining operations.

48. PP will take up in coordination with local panchayat.
- towards the same shall be utilized through Gram Panchayat. Further any need base and appropriate activity may be taken up in coordination with local panchayat.
47. Appropriate and submitted activities shall be taken up for social upliftment of the Region. Funds reserved

Items	Existing	SOM Period	Conceptual Period
Total lease area	4.99 ha		
Ultimate depth of mining	Nil	11m bgl (454 m MSL)	12 m bgl (454 m MSL)
Ultimate pit slope		45 degree	45 degree
Area under dumps	0.00 ha	1.0281ha	0.00 ha
Area under pits	Nil	0.7671ha	4.1155ha
Infrastructure & Road	Nil	0.02ha	Nil
Mineral storage	Nil	Nil	Nil
Plantation	0.00 ha	0.25ha	0.50 ha
Un-worked area	4.99	2.9248ha	0.3745ha
Total	4.99	4.99 ha	4.99 ha
Water body	Nil	0.50 ha	1.4395ha
Area to be reclaimed	Nil	Nil	2.0255 ha

46. The existing and proposed land use plan of the mine is as follows:

45. For dust suppression over head sprinkler shall be provided while on transport road for dust suppression tankers shall be provided.
44. All garrand drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
43. Boundary wall of stones and inside drain (stone pitched) shall be made all along the periphery to prevent the flow of mineral and DB.

Details of Proposed Settling Tank				
Settling tank no.	Location	Size	Capacity of tank in KL	PST-1
	Between P-7 & P-8	0.27ha x 5MD	13500KL	

42. One settling tank is suggested to control sedimentation problem

Identified Drain With No	No. of Settling Pit	Size of Settling Pit (M)	W X L X D	PGD-1
	PSP-1 to PSP-4	0.5X0.35X1.5		PGD-2
	PSP-5 to PSP-7	0.5X0.35X1.5		PGD-3
	PSP-8 to PSP-9	0.5X0.35X1.5		PGD-3

41. It is proposed to make 04 numbers of settling pits within the garrand drain and proposed to connect drains to large settling tanks through these pits to avoid silt discharge from open ended drains:

PGD-2	BP-4 to BP-8	BP-8 to BP-1	205.00 X 1.00 X 1.00
PGD-3			

(C) ENTIRE LIFE OF THE PROJECT

52. In the proposed EMP, capital cost is Rs. 47.14 Lakh is proposed and Rs. 12.83 Lakh /year as recurring expenses.
53. Under CSR activity, Rs. 4.00 Lakh /year are proposed as capital and recurring expenses respectively in different activities and should be implemented through respective committees.
54. The environment policy of the company should be framed as per MoEF&CC guidelines and same should be implemented through monitoring cell. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
55. A separate bank account should be maintained for all the expenses made in the EMP activities by PP for financial accountability and these details should be provided in Annual Environmental Statement.
56. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
57. PP will comply with all the commitments made vide letter dated 28.02.2020.
58. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity/ built-up area/ project area, addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.

B. Standard Conditions

1. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
2. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
3. Blast vibrations study shall be conducted and submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB within six months. The study shall also provide measures for prevention of blasting associated impact on nearby houses and agricultural fields.
4. Controlled blasting techniques with sequential drilling shall be adopted. The blasting shall be carried out in the day time only.
5. Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines.
6. A final mine closure plan, along with details of Corpus Fund, shall be submitted to the Regional Office, MoEF, Gol, Bhopal and MP PCB within 5 years in advance of final mine closure for approval.
7. No change in the calendar plan including excavation, quantum of mineral and waste shall be made.
8. Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by SEIAA will stand cancelled.
9. Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.
10. The transportation of the minerals extracted from the mining area shall be limited to day hours time only.
11. Maintenance of near by local roads through which transportation of minerals are undertaken shall be carried out by the company regularly at its own expenses. The roads shall be black topped.
12. Measures for prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
13. Trenches / garland drains shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal/ perennial Nallahs, if any, flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.
14. The project proponent will ensure necessary protection measures around the mine pit, waste dumps and garland drain.
15. Top soil / solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.

16. Over burden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 20 m, each stage shall preferably be of maximum 10 m and overall slope of the dump shall not exceed 35°. The OB dump shall be backfilled and shall be scientifically vegetated with suitable native species to prevent erosion & surface run off.

17. Monitoring and management shall be carried out during construction until the vegetation becomes self-sustaining. Compilance status shall be submitted to the Regional Office, MoEF, Gof, Bhopal and MP PCB on six monthly basis.

18. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agriculture Deptt. Herbs & shrubs shall also form a part of afforestation programme besides trees plantation. The company shall involve local people for plantation programme. Details of year wise afforestation shall include rehabilitation of mined out area through wild life sanctuaries, if any in the study area.

19. Vehicles used for transporting minerals shall have valid permits issued under Central Motor Vehicle Rules, 1989 and its amendments. The vehicles transporting minerals shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the course of transportation. No overloading of minerals for transportation shall be committed. The trucks transporting minerals shall not pass through wild life sanctuaries, if any in the study area.

20. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the work environment. Workers engaged in operations of HEMM, etc., shall be provided with ear plugs / muffs and health records of the workers shall be maintained.

21. Data on ambient air quality (RPM, SPM, SO₂, NO_x) should be regularly uploaded and displayed on the company's website. MoEF, Gof, Bhopal and the State Pollution Control Board / Central Pollution Control Board once in six months.

22. Ambient air quality at the boundary of the mine premises shall confirm to the norms prescribed in MoEF notification no. GSR/826(E) dt. 16.11.09.

23. Fugitive dust emissions from all the sources shall be controlled. Water spraying arrangement on haul roads, shall be monitored regularly as transfer points shall be provided and properly maintained. The dust emission loading and unloading shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Regional Office, MoEF, Gof, Bhopal and MP PCB within six months and the thereafter every year from the next consequent year.

24. Measures shall be taken for control of noise levels below 75 dBA in the work environment. Workers engaged in operations of HEMM, etc., shall be provided with ear plugs / muffs and health records of the workers shall be maintained.

25. Rain water harvesting shall be undertaken to recharge the ground water source. Status of implementation shall be submitted to the Regional Office, MoEF, Gof, Bhopal and MP PCB within six months and the thereafter every year from the next consequent year.

26. Regular monitoring of ground and surface water sources for level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year i.e. pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be regularly sent to Regional Office, MoEF, Gof, Bhopal, MP PCB, Central Ground Water Authority and Regional Director, Central Ground Water Board, and the State Pollution Control Board.

27. The waste water from the mine if any, shall be treated to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The oil and grease trap shall be installed for the effluents generated from the workshop, if any, before discharging into the natural stream. The discharge water from the tailing dam, if any shall be regularly monitored and report submitted to the Regional Office, Ministry of Environment & Forests, Gof, Bhopal, Central Pollution Control Board, and the State Pollution Control Board.

28. Hydro-geological study of the area shall be reviewed by the project proponent annually. In case adverse effect on ground water quality and quantity is observed mining shall be stopped and resumed only after mitigating steps to contain any adverse impact on ground water is implemented.

29. Occupational health check up for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on malarial eradication, HIV, and health effects on exposure to mineral dust etc. shall be carried out.

on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures shall be conducted followed by follow up action wherever required. It should be made available for inspection whenever asked. Necessary funds for this also should be earmarked.

30. Project Proponent shall ensure appropriate arrangement for shelter and drinking water for the mine workers.
31. Persons working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.
32. Commitment towards CSR have to be followed strictly.
33. Special measures shall be adopted to prevent the nearby settlements from the impacts of mining activities.
34. The Project Proponent shall inform to the Regional Office, MoEF, Gol, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
35. The necessary funds as per mandate shall kept for environmental protective measures which should be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
36. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other relevant documents should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
37. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies, as applicable, in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
38. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.
39. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
40. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB and to the competent authority of the State Govt. within six months.
41. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
42. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
43. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
44. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
45. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
46. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
47. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
48. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the

Officer-in-Charge
(Alok Nayak)

Al

49. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the concerned Ministry along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
50. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
51. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
52. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the concerned Ministry along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
53. The additional Chief Secretary, Department of Environment, Government of Madhya Pradesh, Bhopal, Maharashtra, Bhopal-462016
54. Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Parivarayan Parisar, E-5, Arera Colony, Bhopal-462016
55. Divisional Forest Officer, District - Saggar (M.P.)
56. I.A. Division, Monitoring Cell, MoF&CC, Gol, Indira Parivarayan Bhawan, Jor Bagh Road, New Delhi- 110 003.
57. Director (S), Regional office of the MoEF, Western Region, Kendriya Parivarayan Bhawan, Link Road No. 3 Ravi Shankar Nagar, Bhopal-462016.
58. Director, Geology & Mining, Madhya Pradesh, 29-A, Khanji Bhawan, Arera Hills, Bhopal - 462002.
59. District Mining Officer, District - Saggar (M.P.)
60. DEO, SEIAA, for update on website.
61. Guard file.

Shriman Shukla
Member Secretary

Dated: 30.6.21

Encl No. 1314 / SEIAA/2021

Copy to:-

30/06/21

Al