



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)

Environmental Planning Coordination Organization
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

Visit us <http://www.mpseiaa.nic.in>
Tel:0755-2466970, 2466859

Fax : 0755-2462136
No: 2062 /SEIAA/2021

Date: 29/9/21

Reminder Letter

To,
Dr. Hemant Mittal, Proprietor
M/s BMW Solutions,
Kamla Devi Hospital Building 61,
Thana Road Shahjahanabad Bhopal-462001

Sub:- Case No. – 5424/2016: Prior Environment Clearance for "Common Bio Medical Waste Treatment Facility" at Khasra No. 218/1/2/1 & 218/2/1, Village . - Ratua Ratanpur, Tehsil. Berasia , District. - Bhopal, (M.P) Total land area- 4740 sq.m. Proposed Capacity-Treatment of 250 kg/hr rotary Klin based bio-medical incineration by Dr. Hemant Mittal, Proprietor M/s BMW Solutions, Village. - Ratua Ratanpur, Tehsil. - Berasia, Dist. - Bhopal, (M.P.) email:mittaldrhemant @ yahho.com or bmw_solutions@yahoo.com Mob:9303137509- **Non-submission of compliance report regarding**


Ref: 1. EC letter No. 932/SEIAA/2017 dtd. 29/06/17
2. Your letter dtd. 19.08.19 received in SEIAA office on 24.08.19

With reference to above mentioned subject and letters under reference. As per the records available, it is noted that six monthly compliance reports are not being regularly submitted by you in due course since the grant of EC vide letter dtd.29.06.2017. However, you have submitted only one compliance report vide above referred letter without mentioning the period .After examined the report it was found that the information submitted is only indicative and is not substantiated with the necessary documents such as Test reports, Statutory NOCs, Plans and Maps and also CER Plans are not provided.

Further, as per MoEF & CC, GoI Notification dtd. 26.11.2018 soft copy of compliance report will now be uploaded by PP on Ministry's website instead of submitting hard and soft copy.

In light of above, you are requested to kindly submit all the backlog Compliance reports along with related annexure and photographs including CER/CSR activities on MoEF & CC, GoI website by informing to concerned regulatory authority i.e. SEIAA/ Regional Office, MoEF & CC, GoI, Bhopal positively up to 29.10.2021.

If you have submitted any compliance report in the Regional office of the MOEF on regular basis kindly submit the receipt for the same otherwise the case will be considered for revocation of EC as per MPSEIAA office memorandum 30.05.2019.


(Shriman Shukla)
Member Secretary

Endt No. / SEIAA/ 2021 Dated

Copy to:-

(1). Regional Officer, Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan,
Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016

Member Secretary