Minutes of the 532nd Meeting of SEIAA dated. 02.04.2019

The 532nd meeting of the State Level Environment Impact Assessment Authority was convened on 02.04.2019 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Rakesh K. Shrivastava, Chairman, SEIAA. The following members attended the meeting:-

1	Shri R.K. Sharma	Member
2.	Shri Jitendra Singh Raje	Member Secretary

A. Following other than mining cases and mining cases have been considered:-

S.No.	Case No.	Category	No. & date of latest SEAC & SEIAA meeting
1.	5798/2018	8 (a)	349th SEAC meeting dtd. 05.03.2019
2.	5799/2019	8 (a)	349th SEAC meeting dtd. 05.03.2019
3.	5770/2019	3 (a)	346th SEAC meeting dtd. 26.02.2019
4.	2492/2015 1666/2013	3 (a)	Amalgamation of EC
5.	5889/2019	1 (a)	349th SEAC meeting dtd. 05.03.2019
6.	5824/2019	1 (a)	339th SEAC meeting dtd. 29.01.2019
7.	5900/2019	1 (a)	349th SEAC meeting dtd. 05.03.2019
8.	5901/2019	1 (a)	348th SEAC meeting dtd. 01.03.2019
9.	5902/2019	1 (a)	348th SEAC meeting dtd. 01.03.2019
10.	4858/2015	1 (a)	EC Transfer
11.	3210/2015	1 (a)	Extention of ToR validity

B. Corrigendum :-

S.No.	Case No.	Category	No. & date of latest SEAC & SEIAA meeting
12.	5881/2019	1 (a)	531st SEIAA meeting dated 18.03.2019

1. **Case No. 5798/2018:** Prior Environment Clearance for proposed Construction of (48+192) High-Rise Qtrs.,GRP Land at 71 Bicholi Hapsi, Indore, MP. Total Plot area : 56220 sq.m. Development Plot area: 46225.37sq.m. Total built up area: 23924. by M.P. Police Housing & Infrastructure Development Corporation Ltd G-13, First Floor, M.I.G. Colony, Behind Christian Eminent School, Indore (M.P.) 452001, E-mail: srp_indoremppolice. gov. in, sprailindoremp @ gmail.com mpphidclindore2 @ gmail.com Ph -0731-2550472 Envt. Consultant: Ind Tech House Consult, Delhi

   1. Proposed Construction of (48+192) High-Rise Qtrs. at GRP Land, BicholiHapsi, Indore, Madhya Pradesh. Total project will be developed on plot area of 46225.37 sq. m. Which is part of existing police housing complex on total plot area 56220 sq. m., It comprises total of 3 number of building blocks (2 constable blocks and 1 NGO block) along with adequate parking facilities. Total dwelling units (DUs) 240. Maximum No. of proposed floors for residential block is S+12/B+S+6.
   2. As per the T & CP Indore (vide let no. 918/INDLP-5025/18/NAGRNI/2019, dtd. 02.02.2019) the total land area is1.230ha. The total built up area proposed by PP is 23924.83 sq.m. The project is also recommended by high-rise committee meeting dtd. 11.01.19. The project comes under 8 (a) category of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.m. & 1, 50,000 sq.m and plot area is less than 50 ha.
   3. It is noted that the distance of this project site from the Ralamandal Wildlife Sanctuary is <10 km for which PP has applied online for wild life clearance with

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

proposal no. FP/MP/Others/3772/2019 dtd. 04/01/2019PP as per OM No. J-11013/41/2006-IA.II (I) Dated 02/12/2009.

4. The case was discussed in 343rd SEAC mtg. dtd. 19.02.19 and 349th SEAC dtd.05.03.19 & recommended for grant of prior EC subject to special conditions.

5. After the recommendation of SEAC the case was discussed in 531st SEIAA meeting dtd. 18.03.19 and decided to PP may call for presentation.

6. After the deliberation the case was discussed in detail and recorded that :-

   i. Regarding land documents PP has submitted Khasra Panchsal 2018-19. As per the Khasra Panchsala the land is Govt. land and under possession of Madhya Pradesh Police Housing Infrastructure & Development Corporation.

   ii. Total water demand of the project is 128 KLD out of which the fresh water demand will be 71 KLD and sourced by Nagar Palika Nigam, Indore. Treated water will be met through on site STP.**PP has submitted letter dtd. 29.10.18 issued by Indore Municipal Corporation for Water Supply.**

   iii. Total waste water generated from the project is 82 KLD, which will be treated on site STP having capacity of 100 KLD. 57 KLD recycled waste water will be used for flushing, DG cooling and green belt development and rest 8 KLD treated water will be discharged into public sewer. **PP has submitted letter dtd.27.10.18 issued by Indore Municipal Corporation for disposal of treated waste water.**

   iv. Solid Waste Management: 0.61 TPD solid wastes will be generated including approx. 0.40 TPD biodegradable wastes. The segregated biodegradable waste will be composted in Organic Waste Converter and will be used as manure for field application.Non biodegradable wastes disposed through Nagar Palika Nigam, Indore. **PP has submitted letter dtd. 06.11.18 issued by Indore Municipal Corporation for disposal of solid waste.**

   Hazardous Waste Management: Nominal amount of hazardous waste will be generated from the DG operation and will be disposed through authorized vendor.

   Total e-waste generated per day is 3.9 Kg/day.E-waste will be collected and stored in separate storage area and will be handed over to authorized vendor of MPPCB/MOEF as per E-waste management & handling rules 2016.

   v. PP has proposed to provide roof top rain water harvesting system with 03 nos. of recharging pits.

   vi. PP has proposed the maximum height of the building is 36.50m. PP has provided Rd wdth 45m, Front MOS 15 m and side/rear 7.5 m.

   vii. For fire fighting, PP has proposed that the entire building shall be provided with a fire suppression system comprising over head water storage tanks, dedicated fire pumps on terrace, hose reels, wet riser, yard hydrants and sprinkler system as per National Building code (NBC). Each Floor will have fire hydrant station and each lobby shall be provided with one set

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

extinguisher. In the proposed project Alarm system shall be provided. An independent fire hydrant ring main is proposed to run around the buildings.

viii. The total power requirement is 720 KVA. For backup source PP has proposed 1 Nos. D.G. Set (160KVA).

ix. For energy conservation PP has proposed use of local building material to reduce pollution & transportation energy. All the pumps shall have efficiency as per ECBC norms. Energy efficient lighting fixture LED lamps to be provided in common areas through solar panel etc.

x. Total proposed parking is 300 ECS(Surface & Stilt Parking-263 and basement-37 ECS)

xi. PP has proposed proposed an area of 8884 sq.m. (19.22 % of Plot Area) for Green belt development by planting 578 numbers of trees.

xii. The total estimated cost of project is Rs. 36 Crores.

xiii. As per MoEF&CC office memorandum No. 22-65/2017-IA.III dated 01.05.2018, Rs. 72 Lakhs i.e. 2 % of total cost of the project will be allocated for CER activities.

The submissions made by the PP were found to be satisfactory and acceptable hence it is decided to accept the recommendations of 349th SEAC meeting dtd.05.03.19 with special conditions and accord Prior Environnemental Clearance for the proposed Construction of (48+192) High-Rise Qtrs.,GRP Land at 71 Bicholi Hapsi, Indore, MP. Total Plot area : 56220 sq.m. Development Plot area: 46225.37sq.m. Total built up area: 23924. by M.P. Police Housing & Infrastructure Development Corporation Ltd G-13, First Floor, M.I.G. Colony, Behind Christian Eminent School, Indore (M.P.) 452001,subject to following specific conditions imposed by SEIAA:-

1. The fresh water supply arrangement should be met through Municipal Corporation and there should no extraction of ground water.
2. The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
3. **Disposal of waste water.**
   a. PP should ensure disposal of waste water arrangement should be done in such a manner that water supply sources are not impaired.
   b. PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.
4. **Solid Waste Management:**
   a. Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
   b. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
   c. Ensure linkage with Municipal Corporation for final disposal of MSW.
   d. The proponent should ensure that the project fulfills all the provisions of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 including collection and transportation design etc.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

5. PP should ensure building height, road width, front MOS and side / rear as per approved layout of T & CP.
6. **For firefighting:-**
   a. PP should ensure distance of fire station approachable from the project site.
   b. As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
7. **For Rain Water Harvesting, and Ground water recharge:-**
   a. PP should ensure the rain water harvesting with 03 nos. of recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
   b. The storm water from roof – top, paved surfaces and landscaped surfaces should be properly channelized to the rain water harvesting sumps through efficient storm water network as proposed. The budget should be included in EMP plan for storm water management.
   c. Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.
8. **PP should ensure to provide car parking** 300 ECS (Surface & Stilt Parking-263 and basement-37 ECS) as propsed.
9. **For Energy Conservation PP should Ensure :-**
   a. Use of LED lights in the common areas, landscape areas, signage's, entry gates and boundary compound walls etc.
   b. Solar lights provide for common amenities like Street lighting & Garden lighting.
   c. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient equipments.
10. **Air Quality and Noise:-**
    a. Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
11. **Green belt :-**
    a. PP should ensure plantation in an area of 8884 sq.m. two rows in periphery, besides, this along the road, around open space area, parking area and other amenities. Trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar, Saltree, Gulmohar etc.should be planted.
    b. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

2. **Case No. - 5799/2018** Prior Environment Clearance for Construction of (12 + 480) High-Rise Quarters at 1st Battalion, S.A.F., at Khasra No. – 36, Village - Kashwa, Tehsil - Malharganj & Indore, (M.P.) Total Plot Area - 227790 sqm., Total Built-up Area - 43474.34 sq.m by M/s Madhya Pradesh Police Housing Infrastructure & Development Corporation, G-13, First Floor, MIG Colony, Behind Christian Eminent School, Indore, (M.P.) – 474001 Ph: 0731-2422422, 7049100801 E-mail: cofirstbn@gmail.com

1. The proposed project is construction of (12+480) High-Rise Qtrs. at 1st Battalion, Sadar Bazar, Indore, MP. Total project will be developed on plot area of 224667 sq. m which is part of existing police housing complex on total plot area 227790 sq. m. It comprises total of 6 number (5 constable blocks and 1 NGO block) of blocks with total dwelling units (DUs) 492. Maximum no. of proposed floors for residential block is G+2/S+12
2. PP has proposed existing D 18 and D19 building block will be demolished.
3. As per the T & CP Indore (vide let no. 927/INDLP-5025/18/NAGRNI/2019, dtd. 02.02.2019) the total land area is 4.601ha. The total built up area proposed by PP is 43474.34 sq.m. The project is also recommended by high-rise committee meeting dtd. 11.01.19. The project comes under 8 (a) category of schedule of EIA Notification, 2006 because total construction is between 20,000 sq.m. & 1, 50,000 sq.m and plot area is less than 50 ha.
4. It is noted that the distance of this project site from the Ralamandal Wildlife Sanctuary is <10 km for which PP has applied online for wild life clearance with proposal no. FP/MP/Others/3772/2019 dtd. 04/01/2019PP as per OM No. J-11013/41/2006-IA.II (I) Dated 02/12/2009.
5. The case was discussed in 343rd SEAC mtg. dtd. 19.02.19 and 349th SEAC dtd.05.03.19 & recommended for grant of prior EC subject to special conditions.
6. After the recommendation of SEAC the case was discussed in 531st SEIAA meeting dtd. 18.03.19 and decided to PP may call for presentation.
7. After the deliberation the case was discussed in detail and recorded that :-
   i. Regarding land documents PP has submitted Khasra Panchsala 2012-13. As per the Khasra Panchsala the land is Govt. land and under possession of Madhya Pradesh Police Housing Infrastructure & Development Corporation.
   ii. Total water demand of the project is 282 KLD out of which the fresh water demand will be 151 KLD and sourced by Nagar Palika Nigam, Indore. Treated water will be met through on site STP. **PP has submitted letter dtd. 16.11.18 issued by Indore Municipal Corporation for Water Supply.**
   iii. Total waste water generated from the project is 164 KLD, which will be treated on site STP having capacity of 200 KLD.131 KLD recycled waste water will be used for flushing, DG cooling and green belt development. **PP has submitted letter dtd. 27.10.18 issued by Indore Municipal Corporation for disposal of treated waste water.**
   iv. Solid Waste Management: 1.23 TPD solid wastes will be generated including approx. 0.7 TPD biodegradable wastes. The segregated biodegradable waste will be composted in Organic Waste Converter and

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

will be used as manure for field application.Non biodegradable wastes disposed through Nagar Palika Nigam, Indore.. **PP has submitted letter dtd. 06.11.18 issued by Indore Municipal Corporation for disposal of solid waste.**

Hazardous Waste Management: Nominal amount of hazardous waste will be generated from the DG operation and will be disposed through authorized vendor.

Total e-waste generated per day is 8.0 Kg/day. E-waste will be collected and stored in separate storage area and will be handed over to authorized vendor of MPPCB/MOEF as per E-waste management & handling rules 2016.

v. PP has proposed to provide roof top rain water harvesting system with **06** nos. of recharging pits.

vi. PP has proposed the maximum height of the building is 36.50m. PP has provided Rd wdth 45m, Front MOS 15 m and side/rear 7.5 m.

vii. For fire fighting, PP has proposed that the entire building shall be provided with a fire suppression system comprising over head water storage tanks, dedicated fire pumps on terrace, hose reels, wet riser, yard hydrants and sprinkler system as per National Building code (NBC). Each Floor will have fire hydrant station and each lobby shall be provided with one set extinguisher. In the proposed project Alarm system shall be provided. An independent fire hydrant ring main is proposed to run around the buildings.

viii. The total power requirement is 1476 KVA .The Source of Power Supply is : Madhya Pradesh Vidyut Vitran Nigam Limited. For backup source PP has proposed 1 Nos. D.G. Set (320 KVA).For energy conservation Solar energy will be used for Street and parks lighting.

ix. For energy conservation PP has proposed use of local building material to reduce pollution & transportation energy. All the pumps shall have efficiency as per ECBC norms. Energy efficient lighting fixture LED lamps to be provided in common areas through solar panel etc.

x. Total proposed parking is 995 ECS(Surface- 933 ECS & Stilt Parking-62 ECS)

xi. PP has proposed Proposed an area of 24648 sq.m. (10.97% of Plot Area) for Green belt development by planting 318 nos of trees.

xii. The total estimated cost of project is Rs. 65 Crores.

xiii. As per MoEF&CC office memorandum No. 22-65/2017-IA.III dated 01.05.2018, Rs. 1.3 crore i.e. 2 % of total cost of the project will be allocated for CER activities.

The submissions made by the PP were found to be satisfactory and acceptable hence it is decided to accept the recommendations of 349th SEAC meeting dtd.05.03.19 with special conditions and accord Prior Environnemental Clearance for the proposed Construction of (12 + 480) High-Rise Quarters at 1st Battalion, S.A.F., at Khasra No. – 36, Village - Kashwa, Tehsil - Malharganj & Indore, (M.P.) Total Plot Area - 227790 sqm., Total Built-up Area - 43474.34 sq.m by M/s Madhya Pradesh Police Housing Infrastructure & Development Corporation, G-13, First Floor, MIG Colony, Behind Christian Eminent School,

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

Indore, (M.P.) – 474001,subject to following specific conditions imposed by SEIAA:-

1. The fresh water supply arrangement should be met through Municipal Corporation and there should no extraction of ground water.
2. The inlet and outlet point of natural drain system should be maintained with adequate size of channel for ensuring unrestricted flow of water.
3. **Disposal of waste water.**
   a. PP should ensure disposal of waste water arrangement should be done in such a manner that water supply sources are not impaired.
   b. PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.
4. **Solid Waste Management:**
   a. Separate wet and dry bins must be provided at the ground level for facilitating segregation of waste.
   b. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
   c. Ensure linkage with Municipal Corporation for final disposal of MSW.
   d. The proponent should ensure that the project fulfills all the provisions of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 including collection and transportation design etc
5. PP should ensure building height, road width, front MOS and side / rear as per approved layout of T & CP.
6. **For firefighting:-**
   a. PP should ensure distance of fire station approachable from the project site.
   b. As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Indore) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
7. **For Rain Water Harvesting, and Ground water recharge:-**
   a. PP should ensure the rain water harvesting with **06 nos**. of recharging pits and these pits should be connected laterally to consume the surplus runoff. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.
   b. The storm water from roof – top, paved surfaces and landscaped surfaces should be properly channelized to the rain water harvesting sumps through efficient storm water network as proposed. The budget should be included in EMP plan for storm water management.
   c. Rain water harvesting for roof run- off and surface run- off, as plan submitted should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease.

(Jitendra Singh Raje)	(R.K. Sharma)	(Rakesh K. Shrivastava)
Member Secretary	Member	Chairman

8. **PP should ensure to provide car parking** 995 ECS(Surface- 933 ECS & Stilt Parking-62 ECS)
9. **For Energy Conservation PP should Ensure :-**
   a. Use of LED lights in the common areas, landscape areas, signage's, entry gates and boundary compound walls etc.
   b. Solar lights provide for common amenities like Street lighting & Garden lighting.
   c. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient equipments.
10. **Air Quality and Noise:-**

    Dust, smoke & debris prevention measures such as wheel washing, screens, barricading & debris chute shall be installed at the site during construction including plastic/tarpaulin sheet covers for trucks bringing in sand & material at the site.
11. **Green belt :-**
    a. PP should ensure plantation in an area of 24648 sq.m. two rows in periphery, besides, this along the road, around open space area, parking area and other amenities. Trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar, Saltree, Gulmohar etc.should be planted.
    b. The green belt of the adequate width and density preferably with local species along the periphery of the plot shall be raised so as to provide protection against particulates and noise.

3. **Case No.5770/2018:** Prior Environment Clearance for proposed expansion in Production Capacity of Mini Steel Plant from for the products MS Billets from 84000 MTPA to 150000 MTPA, Mill Skull from 2100 MTPA to 3800 MTPA, Miss Roll from 2100 MTPA to 3800 MTPA and TMT Bars from 77700 MTPA to 142000 MTPA.by VENUS ALLOYS PVT. LTD. through Director Sagarmal Jain 67 Industrial area, Mandsaur, Madhya Pradesh - 458001 Email: venusalloys@gmail.com Phone No. 07422- 255602, 255604

(1). The proposed project is expansion of the existing industry. The Industry is in operation since May 2017, with valid Water & Air Consent from M. P. Pollution Control Board. The company is proposed to enhance the production capacity of MS Billets from 84000 MTPA to 150000 MTPA, Mill Skull from 2100 MTPA to 3800 MTPA, Miss Roll from 2100 MTPA to 3800 MTPA and TMT Bars from 77700 MTPA to 142000 MTPA.

(2). Earlier prior Environmental Clearance was granted by MPSEIAA vide letter No. 4419/SEIAA/2015 dtd. 05/08/2015for the case no. **1807/2014**. PP has submitted compliance report of earlier prior EC certified by MoEF & CC Regional Office, Bhopal (dtd. 31.01.2019).As per the compliance report out of total 48 environmental conditions 15 are being complied,03 complied,24 agreed to comply,02 partly complied and 05 not complied and some compliance needs improvements which are in progress.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

(3). The unit has started production from 03/05/2017 with Consents from M.P. Pollution Control Board under section Water & Air Act, valid up to 31/10/2019.

(4). This is a rolling mill project. All non –toxic secondary metallurgical processing industries manufacturing >5000 tones/annum metal components are covered under 3 (a) category B of the MoEF, GoI EIA Notification 2006 and its amendment dtd 01.12.2009.

(5). There is no inter-state boundary within 05 km (EE, PWD letter dtd.10.01.14) and no Wildlife Sanctuaries, National Parks, and Tiger Reserves within 05 km of the boundary (DFO letter dtd. 10.01.14), hence, general conditions not attracted.

(6). The ToR was issued to PP by SEAC (dtd 22.12.2018) and EIA was submitted by PP on 20.02.2019.

(7). The case was discussed in 334th SEAC mtg. dtd. 30.11.18 and 346th SEAC dtd.26.02.19 & recommended for grant of prior EC subject to special conditions.

(8). After the recommendation of SEAC the case was discussed in 530th SEIAA meeting dtd. 15.03.19 and decided to PP may call for presentation.

(9). After the deliberation the case was discussed in detail and recorded that :-

i. PP has submitted copy lease deed dated 05.12.2013 between the Governor of MP through General Manegar District Trade and Industries Centre, Mandsaur, and M/s Venus Alloys, (P) Ltd. (unit-II) 67 through Director Shri S.M. Jain, 67, Industrial Area, Mandsaur for the period of 30 years (w.e.f. 05.12.1913 to 04.12.2043) for an area of 5000 sq.m. PP has submitted Khasra Panchsala 2014-15 for the khasra no. 612/1/1 for area 5.668.As per Khasra Panchsala land is the Govt land and allocated to Department of Industries GoMP.

ii. Public Hearing was conducted at Village- Fatehgarh, Tehsil- Dalauda, District-Mandsaur on 28th February, 2015 under Chairmanship of Additional Collector District Mandsaur . No adverse comments were observed in the Public hearing.

Regarding Public hearing the matter was discussed in 346th SEAC dtd.26.02.19 and "*SEAC Committee after deliberations recommends that being expansion project the EIA should be carried out however; public consultation can be exempted since no new machinery is being installed and no new construction activities are proposed for this expansion".*

PP further stated that there are no changes in location, products, capacity of furnaces and also no additional plant & machinery & building, power load for increase in production is proposed. For protecting against air pollutants towards Fatehgarh village which is situated in the north direction of the unit 15 feet vertical wall is erected. Committee recommended that for arresting air pollutants triple rows of plantation in "U" shape shall also be carried out towards highway and village area.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

iii. The major raw material is ferrous contains of iron; and does not cause any negative impact on the environment during storage. The raw materials requirement are as follows:

S. No.	Raw Material	Existing capacity per year (Ton)	Proposed Capacity per year (Ton)	Source
1	MS Scrap & Sponge iron	94,000	165000	MS Scrap: Ship Breaking yard Alang & Sosiya, Bhavnagar, Gujrat and open Market from MP and Gujarat. In case if need, will import from Europe, Dubai & African Country. Sponge Iron: OM agency Hazira Surat and others
2.	Ferro Alloys	600	1000	Indore

iv. Water requirement would be 140KLD, industrial purpose only for Cooling and domestic water requirement will be 15 Kld. The water supply source is Ground water.

v. Trade effluent will be nil and waste water from domestic use shall be 8 kld, which will be treated in STP of 10 kld capacity. The STP will comprise of equalization tank, Primary Clarifier, Aeration, Secondary Clarifiers, and will work on activated sludge process. The entire treated water will be used for plantation and gardening purpose. The waste water from Softener will be reused for slag quenching.

vi. For control of air pollution PP has proposed as follows:-

Sources	Control Measures
Induction Furnace – 15T x 2 Nos	Type of hood to capture fumes – Canopy Type Outlet Stack emission < 50 mg/Nm^3 Type of filter Used – Reverse Pulse Jet cleaning Stack of 35m Installed 2nd stage Fume extraction system, on the top of the shed.
D.G. Set Capacity - 340 KVA	Equipped with Acoustic Enclosure
Fugitive Emission	All the internal Road HAS BEEN pucca and regular water sprinkling shall be carried out on Roads

vii. Main solid waste will be generated in form of Iron Slag of 1000 MTPA, which will be used for road making and filling low line area after iron recovery.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

viii. The Hazardous waste will be spent oil and lubrication oil of 2.0 KLD will be given to the recyclers as per the provision of Hazardous Waste Management Rules.

ix. Total Electrical Power 9900 KVA shall be meet by Madhya Pradesh Vidyut Vitran Company Limited. The company shall also install one D.G. set of 500 KVA, for power back up for Office use, and company will install solar panel for lightening the street light in premises.

x. PP has proposed 75% run off may be allowed to be drained through natural drainage system. For its sustenance and remaining 25% may be harvested and stored suitably. Around 0.012 mcm (i.e 12000 cu.m) of water therefore can be conserved within the plant.

xi. For firefighting PP has proposed dry fire extinguishing system covering the entire Power station including all important auxiliaries,Suitable fire extinguishing system for all the transformers located in transformer yard, turbine generator, lube oil, equipment rooms, lube oil systems, diesel engine driven fire pump, etc. Portable extinguisher such as pressurized water type, carbon dioxide type and foam type has been located at strategic locations throughout the Plant.

xii. The Occupational Health and Safety Management System is a key part in Industry. In this, Management Health and Safety are taken into consideration. The purpose of the Occupational Health and Safety Management System is as follows:

- Minimize risk to employees and others
- Improve business performance
- Assist the organization to establish a responsible image for health and safety.

xiii. Adequate parking arrangement shall be provided as the 5000 sq.m land is left open.

xiv. Greenbelt will be developed in 15510 sq.m area (Existing 12150 sq.m + Proposed 3360 sq.m) Lawn area – 990 sq.m PP has made Budgetary provision for plantation is Rs. 9.0 Lakhs.

xv. Under CSR activities PP has proposed as follows:-

S.No.	CSR Field	Fund allocated	Fund allocated proposed
1.	Infrastructure development through Fatehgarh panchayat, for need based activity as per the demand of Panchayat.	200000/- annual	200000/-annual
2.	Health Check up Camps in Fatehgarh including eye camps.	25000/- annual	25000/- annual

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

	Maintenance of Primary School Fatehgarh	25000/-	25000/-
4.	Other need based activities	150000/-	150000/-
	Total	400000/-	400000/-

xvi. **Benefit of the Project:** Investment/Cost of the project is Rs. 47.00 Crores Employment potential 100 Nos direct and 50 Nos indirect employment to 100 Nos of project and revenue / taxes to Govt. in form of excise duties

Hence, It is decided to accept the recommendations of 346th SEAC dtd.26.02.19 with special conditions and accord prior Environmental Clearance to proposed expansion in Production Capacity of Mini Steel Plant from for the products MS Billets from 84000 MTPA to 150000 MTPA, Mill Skull from 2100 MTPA to 3800 MTPA, Miss Roll from 2100 MTPA to 3800 MTPA and TMT Bars from 77700 MTPA to 142000 MTPA.by VENUS ALLOYS PVT. LTD. through Director Sagarmal Jain 67 Industrial area, Mandsaur, Madhya Pradesh - 458001 subject to all specific conditions imposed by SEIAA in its meetings.

1. The requirement of water exceeding 100 KLD PP should ensure to obtain NOC from the CGWA/Competent authority for withdrawal of ground water.
2. PP should ensure zero waste water discharge from the process.
3. PP should ensure air pollution control measure as proposed in EMP and should conduct regular monitoring of stack emissions and ambient air as per MPPCB / CPCB norms. For regular monitoring of air emission PP should installed ambient air monitoring stations.
4. PP should ensure the disposal of hazardous waste through authorized agencies and obtained consents from competent Authorities.
5. Raw material should be unloaded from raw material yard only to avoid traffic congestion and accident.
6. PP should ensure entire roof top area of plant should be used for rain water harvesting for ground water recharge with construction of recharging pit.
7. PP should obtain NOC for fire and approval for onsite offsite emergency plan, health and safety plan from the Competent Authorities.
8. Under green area development PP should ensure : -
   (a) Plantation in three rows all along the periphery of the project area, and along the roads, subject to minimum of 33% of the total area of the project.
   (b) Plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karnj, Kachnaar etc.
   (c) Periphery Plantation should be completed within one year within the plant premises.
   (d) Every effort should be made to protect the existing trees on the plot.
9. PP should ensure implementation of CSR activities as committed during presentation such as Infrastructure development through Fatehgarh panchayat, for need based activity as per the demand of Panchayat, Health Check up

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

Camps in Fatehgarh including eye camps, Maintenance of Primary School Fatehgarh etc. with budgetary provision of Rs. 9.0 lakh.

10. PP should ensure proper road width and turning radius for the trucks and movement of vehicles. PP should ensure Pucca Parking bay for raw material and finished goods for at least 30 trucks.

AMALGAMATION OF TWO UNITS AT INDUSTRIAL AREA PITHAMPUR, TEHSIL & DISTRICT DHAR (M.P).

4. **Case No. 1666/2013:** M/s Rathi Iron & Steel Industries Limited, at Plot No. 808-A,808-B & 808-C, Sector–III, Industrial Area – Pithampur, Distt. Dhar (M.P.) Proposed Capacity – M S Ingots /Billets–2,50,000 TPA, Rolling Mill – 2,25,000 TPA, (Existing Capacity - Rolling Mill – 50,000 TPA for production of CTD BARS, TMT, RE BARS, WIRE RODS) Land Area – 75,000 sqm allotted by M.P.A.K.V.N. by M/s Rathi Iron & Steel Industries Limited through Managing Director Mr. Pawan Singhania 103, Laxmi Tower, I[st] Floor, 576, M.G. Road, Indore (MP) 452003 Email: info@moirasariya.com

and

Case No. 2492/2015: Jaideep Ispat & Alloys Pvt. Ltd.-unit-II) at Plot No. 808 E, Sector -3 Village Pithampur, Tehsil & District Dhar (M.P). Land area- 36000 sq.m. Existing Capacity - TMT Bar (By Rolling Mill) 1,00,000 TPA Ingots/Billets (By Induction Furnace) - 75,000 TPA Proposed capacity - TMT Bar (By Rolling Mill)-2,50,000 TPA, Ingots/Billets (By Induction Furnace)- 2,25,000 TPA by Jaideep Ispat & Alloys (P) Ltd. (-Unit-II) through Shri Pawan Singhania (Managing Director) 103, Laxmi Tower fist floor, 576 MG Road Indore (M.P) 452003, email: info@moirasariya.com Mob: 08889114200

The Prior Environmental Clearance under EIA Notification, 2006 has been issued (vide letter no. 3669 dtd 24.02.2015) for expansion of existing Rathi Iron & Steel Industries Limited at Plot No. 808A & 808B (area- 75000sq.m.) in Sec-3 I/A Pithampur Dist. Dhar for case no. **1666/2013** and Prior Environmental Clearance has been issued vide letter no. 10721 dtd 23.01.2016 for case no. **2492/2015** to Jaideep Ispat & Alloys Pvt. Ltd.-unit-II) at Plot No. 808 E, Sector -3 Village Pithampur, Tehsil & District Dhar (M.P).

Both the Projects have been obtained EC from the MP SEIAA for the following products and capacities:

Case No.	Project	Products	Capacity
2492	M/s Jaideep Ispat & Alloys Pvt Ltd. (unit-II) Address - plot No. 808E Sector-3, Industrial area Pithampur	Ingots / Billets & TMT Bars	225000 TPA 250000 TPA
1666	M/s Rathi Iron & Steel Industries Ltd. Address - plot No. 808A, 808B & 808C Sector-3, Industrial area Pithampur	Ingots / Billets & TMT Bars	250000 TPA 225000 TPA

The proponent (vide letter dtd. 21.02.19 received in SEIAA office 01.03.19) has informed that M/s Rathi Iron & Steel Industries Ltd has been amalgamated with M/s

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

Jaideep Ispat & Alloys Pvt Ltd. by order dtd. 15.06. 2017 of the Hon'ble Nation Company Law Tribbunal Ahmedabad Bench.

PP further requested for amalgamation of both the Environmental clearance and issue an amalgamated EC under the name of M/s Jaideep ispat & Alloys Pvt. Ltd for the following products and capacities.

Project Name	Products	Capacity
Jaideep Ispat & Alloys Pvt. Ltd.	Ingots/ Billets	475000 TPA
	TMT Bars	475000 TPA

PP has submitted the supporting documents as follows:-

i. Copy of the order dtd. 15/06/2017 of the NATIONAL COMPANY LAW TRIBUNAL AHMEDABAD BENCH the subjected industries / companies are merged.

ii. Affidavit regarding complying the EC conditions by both companies.

After examine the documents it was observed by the committee that since the unit M/s Rathi Iron & Steel Industries Ltd. is having separate EC and the unit is located adjacent to M/s Jaideep Ispat & Alloys Pvt. Ltd. and there is no any change in product and production capacity for which the earlier EC was issued. Process of amalgamation of M/s Rathi Iron & Steel Industries Ltd. with M/s Jaideep Ispat & Alloys Pvt. Ltd. is already completed accordingly the order dtd.15/06/2017 of the NATIONAL COMPANY LAW TRIBUNAL AHMEDABAD BENCH

In view of above It has been decided that issue an amalgamated Environmental clearance to Jaideep Ispat & Alloys Pvt. Ltd.-unit-II) at Plot No. 808A, 808B, 808C & 808 E, Sector -3 Village Pithampur, Tehsil & District Dhar (M.P). with amalgated capacity Ingots/ Billets - 475000 TPA and TMT Bars- 475000 TPA by Jaideep Ispat & Alloys (P) Ltd. (-Unit-II) through Shri Pawan Singhania (Managing Director) 103, Laxmi Tower fist floor, 576 MG Road Indore (M.P) 452003, by including in prior EC with following additional conditions:-

1. The amalgamated EC letter should be read along with the original EC issued vide letter dtd 23.01.16, 24.02.2015 and its amendments 20.06.17. All the conditions mentioned in the prior EC shall remain the same. PP should submit the six-monthly Compliance report accordingly on regular basis.
2. After amalgamation, all assets and liabilities of M/s Rathi Iron & Steel Industries Ltd. including the manufacturing site of the Industrial area Pithampur, shall be fully owned and managed by M/s Jaideep Ispat & Alloys Pvt. Ltd.
3. No change in mining technology and scope of working shall be made without prior approval of the SEIAA.
4. This Environmental Clearance is valid for five years from the date of prior EC issued for the case no. 2492. (dtd. 23.01.16)

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

5. **Case No. 5889/2019** - Prior Environmental Clearance for Sand Mine (Open cast manual method) in an area of 1.333 ha. for production capacity of 25573 cum / year at Khasra No. 331/1/1 at Village- Rampurghat, Tehsil - Gaurihar, District - Chhatarpur (MP) by Shri Bhanu Gupta S/o Shri Ashok Gupta, Geeta Colony, Dal Bajar, Dist. Gwalior, MP - 474009

This case was recommended in 349th SEAC meeting dated 05.03.2019 and it was recorded that.....

> *".....PP has submitted the response of above quarries same date vide letter dated 05.03.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee after deliberation found that The EMS and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'C' "*

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 349th SEAC meeting dated 05.03.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions**:-

(i). The production capacity shall be limited to the quantity approved by SEAC.

(ii). Opencast manual mining will be restricted to maximum depth of 3.0 m or flowing water level whichever is less.

(iii). No in-stream mining shall be allowed. No ramp will be allowed within the river basin to transport sand to the other bank. Transportation will be allowed on the bank side where the mineral is being excavated.

(iv). PP shall ensure to construct and maintain packka approach road for transportation.

(v). The entire lease area should be properly fenced and boundary stones marked at the site.

(vi). Before commencing the mining activity, site demarcation should be done by the Revenue Officials in the presence of Mining Officer, Chhatarpur.

(vii). Total 175 saplings / year shall be planted by PP under plantation programme but Plantation of Neem, Peepal, Bargad, Drumstick, Amla, Mahua etc. on priority shall be ensured by PP.

(viii). Over loading will be strictly prohibited.

(ix). PP shall ensure implementation of need based CSR activities in consultation with the District Collector and Gram Panchayat as committed by PP.

(x). PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA

Hence, Prior Environmental Clearance is granted for Sand Mine (Open cast manual method) in an area of 1.333 ha. for production capacity of 25573 cum / year at Khasra No. 331/1/1 at Village- Rampurghat, Tehsil - Gaurihar, District - Chhatarpur (MP) for TP period to Shri Bhanu Gupta S/o Shri Ashok Gupta, Geeta Colony, Dal Bajar, Dist. Gwalior, MP – 474009.

(Jitendra Singh Raje)	(R.K. Sharma)	(Rakesh K. Shrivastava)
Member Secretary	Member	Chairman

6. **Case No.5824 /2019 -** Prior Environmental Clearance for Flag Stone (Farshi Patthar) Quarry (Open cast manual method) in an area of 1.0 ha. for production capacity of 2690 cum / year at Khasra No. 13 (Part) at Village- Sagra, Tehsil - Jabera, Dist. Damoh (MP) by Shri Ramakant Rai S/o Shri Narmada Prasad Rai, Bamhori Mala, Tehsil - Jabera, Dist. Damoh, MP – 470661.

This case was recommended in 339th SEAC dtd. 29.01.2019 and it was recorded that.....

---------- PP vide letter dated 29/01/2019 has submitted the reply of above queries which was placed before the committee. The reply submitted by PP found satisfactory and acceptable hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 339th SEAC dated 29.01.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions**:-

I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.

II. PP shall not start mining activity before execution of lease agreement.

III. The depth of the pit shall be as per the Approved Mining Plan.

IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.

V. PP shall ensure that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.

VI. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.

VII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.

VIII. Total 250 saplings shall be planted by PP at the end of conceptual period under plantation programme but PP should ensure to plant 3 years old 50 Nos of saplings of suitable indigenous tree species Lease boundary & approach road. Plantation of Neem, Peepal, Bargad, Drumstick, Amla, Mahua etc. on priority shall be ensured by PP.

IX. PP shall ensure implementation of the following activities with budget provision under CSR.

(a) Promotion of sanitation facilities & construction of community toilet in nearby villages.

(b) Provide need based furniture to nearby school & Anganwadi centers.

(c) Donation of 100 blankets at nearby villages.

(d) Shelter for local bus stop.

(Jitendra Singh Raje)	(R.K. Sharma)	(Rakesh K. Shrivastava)
Member Secretary	Member	Chairman

(e) Maintenance of village drainage system.

PP should ensure that need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Grampanchayat.

X. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA.

Hence, Prior Environmental Clearance is granted for Flag Stone (Farshi Patthar) Quarry (Open cast manual method) in an area of 1.0 ha. for production capacity of 2690 cum / year at Khasra No. 13 (Part) at Village- Sagra, Tehsil - Jabera, Dist. Damoh (MP) for the lease period to Shri Ramakant Rai S/o Shri Narmada Prasad Rai, Bamhori Mala, Tehsil - Jabera, Dist. Damoh, MP – 470661.

7. **Case No.5900/2019** - Prior Environmental Clearance for Crusher Stone Quarry (Open cast semi mechanized method) in an area of 1.40 Ha. for production capacity of 9034 cum / year at Khasra No. 852 Part & 856 at Village- Banki, Tehsil - Seoni, Dist. Seoni (MP) by Shri Jaykumar Sanodiya S/o Shri Ramansinh Sanodiya, Prathviraj Chouhan Ward, Bhairavganj, Tehsil & Dist. Seoni, MP - 480661.

This case was recommended in 349th SEAC dtd. 05.03.2019 and it was recorded that.....

---------- The PP has submitted the response of above quarries same date vide letter dated 05.03.2019, which was placed before the committee and the same found satisfactory. The EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'A':

PP/Consultant made a presentation on all aspects of the project and all concerned issues were discussed in detail. **After detailed discussions and perusal of recommendations of 349th SEAC dated 05.03.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions**:-

I. Before commencing any mining activity fencing shall be carried out all around the lease area. Proper watch and ward arrangements should be made with installation of signage at 4 corners of lease area to avoid any untoward incident involving public and animals by the PP.

II. PP shall not start mining activity before execution of lease agreement.

III. The depth of the pit shall be as per the Approved Mining Plan.

IV. The entire area shall be fenced and three rows of plantation should be done on the periphery of the boundary.

V. PP ensures that the proper water supply arrangements for dust suppression, regular sprinkling, plantation and drinking purposes especially in summer season.

VI. PP shall ensure to construct and maintained the approach road. Plantation will be carried out on both side of approach road.

VII. PP shall ensure proper implementation of plantation, dust suppression, construction of approach road and maintenance of existing pakka road as part of Environmental Management Plan. Additional budget provision shall be made as part of EMP.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

VIII. Total 1400 saplings shall be planted by PP at the end of conceptual period under plantation programme but PP should ensure to plant 3 years old 280 Nos of saplings of suitable indigenous tree species Lease boundary & approach road. Plantation of Neem, Peepal, Bargad, Drumstick, Amla, Mahua etc. on priority shall be ensured by PP.

IX. PP shall ensure implementation of the following activities with budget provision under CSR.

(a) Books and Stationeries for school and Anganwadi centers.

(b) Potable Drinking water supply during summer season for nearby villagers.

CSR activities village Nandni (in 1st year) , village Banki (in 2nd year), village Gangeruwa (in 3rd year), , village Kothiya (in 4th year) & , village Bihriya (in 5th year).

PP should ensure that need based activity for the development of nearby villages shall be implemented by PP in consultation with the District Collector and Grampanchayat.

X. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA.

Hence, Prior Environmental Clearance is granted for Crusher Stone Quarry (Open cast semi mechanized method) in an area of 1.40 Ha. for production capacity of 9034 cum / year at Khasra No. 852 Part & 856 at Village- Banki, Tehsil - Seoni, Dist. Seoni (MP) for the lease period to Shri Jaykumar Sanodiya S/o Shri Ramansinh Sanodiya, Prathviraj Chouhan Ward, Bhairavganj, Tehsil & Dist. Seoni, MP - 480661.

8. **Case No. - 5901/2019** Prior Environment Clearance for **Sand Mine** (opencast manual method) in an area of 4.80 ha. for production capacity of 72,270 cum per annum at Khasra No. 91 at Village- Bhatgawan Khurd, Tehsil - Jaisingh Nagar, Dist. Shahdol (MP) by Sarpanch/Sachiv, Gram Panchayat, Village - Bhatgawan Khurd, Tehsil - Jaisingh Nagar, Dist. Shahdol, MP

This case was recommended in 348th SEAC meeting dtd. 01.03.2019 and it was recorded that.....

Vide letter dated 01.03.2019, PP has submitted the desired information, which was placed before the committee. After deliberations, the EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the casefor grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':

After detailed discussions and perusal of recommendations of 348thSEAC meeting dated 01.03.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

i. The production capacity shall be limited to the quantity approved by SEAC.

ii. The depth of the pit shall be as per Approved Mining Plan.

iii. The entire lease area should be properly fenced and boundary stones marked at the site.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

iv. PP shall ensure to maintain 150 m. approach road. Plantation will be carried out on both side of approach road.

v. Total 2500 saplings shall be planted by PP under plantation programme (barrier zone, nearby village and approach road) and Plantation of Neem, Peepal, Bargad, Sheesham, Jamun, Karanj, Mango etc. on priority shall be ensured by PP.

vi. Transportation from the dense populated area will be avoided

vii. Over loading will be strictly prohibited.

viii. Water sprinkling will be done on the approach road on the regular basis.

ix. PP shall ensure implementation of need based CSR activities in consultation with the District Collector and Gram Panchayat.

x. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA

Hence Prior Environment Clearance is granted for Sand Mine (opencast manual method) in an area of 4.80 ha. for production capacity of 72,270 cum per annum at Khasra No. 91 at Village- Bhatgawan Khurd, Tehsil - Jaisingh Nagar, Dist. Shahdol (MP) for the lease period to Sarpanch/Sachiv, Gram Panchayat, Village - Bhatgawan Khurd, Tehsil - Jaisingh Nagar, Dist. Shahdol, MP.

9. **Case No. - 5902/2019** Prior Environment Clearance for **Sand Mine** (opencast manual method) in an area of 4.80 ha. for production capacity of 1,00,125 cum per annum at Khasra No. 899/982, Village- Son Tola, Tehsil - Gohparu, Dist. Shahdol (MP) by Sarpanch/Sachiv, Gram Panchayat, Village - Harraha Tola, Tehsil - Gohparu, Dist. Shahdol, MP

This case was recommended in 348th SEAC meeting dtd. 01.03.2019 and it was recorded that.....

Vide letter dated 01.03.2019, PP has submitted the desired information, which was placed before the committee. After deliberations, the EMP and other submissions made by the PP were found to be satisfactory and acceptable, hence committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':

After detailed discussions and perusal of recommendations of 348thSEAC meeting dated 01.03.2019, presentation made by the PP in SEIAA, it was decided to accept the recommendation of SEAC for grant of prior EC to the project subject to the following specific conditions:-

i. The production capacity shall be limited to the quantity approved by SEAC.

ii. The depth of the pit shall be as per Approved Mining Plan.

iii. The entire lease area should be properly fenced and boundary stones marked at the site.

iv. PP shall ensure to maintain approach road. Plantation will be carried out on both side of approach road.

v. Total 2500 saplings shall be planted by PP under plantation programme (barrier zone, nearby village and approach road) and Plantation of Neem, Peepal, Bargad, Sheesham, Jamun, Karanj, Mango etc. on priority shall be ensured by PP.

vi. Transportation from the dense populated area will be avoided

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

vii. Over loading will be strictly prohibited.

viii. Water sprinkling will be done on the approach road on the regular basis.

ix. PP shall ensure implementation of need based CSR activities in consultation with the District Collector and Gram Panchayat.

x. PP should ensure to submit half yearly compliance report and CSR activity report with photographs of plantation in MP-SEIAA

Hence Prior Environment Clearance is granted for Sand Mine (opencast manual method) in an area of 4.80 ha. for production capacity of 1,00,125 cum per annum at Khasra No. 899/982, Village- Son Tola, Tehsil - Gohparu, Dist. Shahdol (MP) for the lease period to Sarpanch/Sachiv, Gram Panchayat, Village - Harraha Tola, Tehsil - Gohparu, Dist. Shahdol, MP

10. **Case No. 4858/2015**: Prior Environmental Clearance for **Sand Quarry (opencast manual method)** in an area of 24.00 ha. for production capacity of 3,60,000 cum/year at khasra no. 1/1 at Village-Pawarkheda, Tehsil-Babai, District-Hoshangabad (MP) by Shri Atul Gondal , M/s Sainik Foods Pvt. Ltd., Sub Lessee, M.P. State Mining Corporation Ltd., H.I.G.G.D-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP)-487221. **Regarding transfer of EC in the name of Sarpanch, Gram Panchayat, Pawarkheda, Hoshangabad.**

The prior EC was issued to Shri Atul Gondal , M/s Sainik Foods Pvt. Ltd., Sub Lessee, M.P. State Mining Corporation Ltd., H.I.G.G.D-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP). vide Letter No.4576/ SEIAA/16 dtd.02.12.2016 for an area of 24.00 ha. at Village - Pawarkheda, Tehsil-Babai, District-Hoshangabad (MP).

As per New Sand Mine Policy 2017, Mineral Resources Department, Govt. of M.P. has allotted/transferred non-operational sand mines to gram panchayat/ local body vide letter No. F-19-26/2017/12/1 dated 11.01.2018 and modification letter No. F-19-26/2017/12/1 dated 9.2.18. PP (Gram Panchayat, Pawarkheda, Hoshangabad) has requested Collector, Hoshangabad to make amendment in the Prior EC letter by changing the name of PP of the mining project in the name of Gram Panchayat, Pawarkheda, Hoshangabad. The above application has been forwarded by PP to SEIAA for transfer of prior EC in the name of Gram Panchayat, Pawarkheda, Hoshangabad vide letter no nil dtd. 08.03.2019.

PP (Gram Panchayat, Pawarkheda, Hoshangabad) has submitted the following documents in support of his request:

1. Application of Sarpanch, Gram Panchayat Pawarkheda, Hoshangabad for transfer of Prior EC in favour of the Gram Panchayat Pawarkheda, Hoshangabad.
2. No objection letter of previous Project Proponent (to whom prior EC was granted) for transfer of prior EC in the name of Gram Panchayat Pawarkheda, Hoshangabad.
3. Notarised affidavit of Sarpanch/Secretary, Gram Panchayat Pawarkheda, Hoshangabad mentioning that no legal action/ credible action has been initiated against the mine till date and commitment to comply all the standard and specific conditions stipulated in the prior EC issued.
4. Lease transfer order issued by Office of Collector (Mining Division) to Gram Panchayat, Pawarkheda, Hoshangabad vide letter No. 875/रेत नीति 2017/18 dated11.9.2018.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

5. Copy of Prior EC issued by MPSEIAA vide letter no. No. 4576/ SEIAA/16 dtd.02.12.2016.
6. NOC of State Mining Corporation for transfer of EC in the name of Gram Panchayat, Pawarkheda, Hoshangabad vide letter no. रेत /2017–18 /1069 dated 13.2.2018.

As per the notification issued by MoEF&CC on 14.09.2006, the policy on transferability of EC is as follows:-

11. Transferability of Environmental Clearance (EC):

A prior environmental clearance granted for a specific project or activity to an applicant may be transferred during its validity to another legal person entitled to undertake the project or activity on application by the transferor, or by the transferee with a written "no objection" by the transferor, to, and by the regulatory authority concerned, on the same terms and conditions under which the prior environmental clearance was initially granted, and for the same validity period. No reference to the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned is necessary in such cases

After detailed discussions on the MoEF&CC Notification regarding transferability and perusal of the above information, **it has been decided to transfer the Prior EC issued on 02.12.2016 in favour of Sarpanch Gram Panchayat, Pawarkheda, Hoshangabad in the place of Shri Atul Gondal , M/s Sainik Foods Pvt. Ltd., Sub Lessee, M.P. State Mining Corporation Ltd., H.I.G.G.D-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP)-487221.for Sand Quarry in (Opencast Manual Method) in an area of 24.00 ha. for production capacity of 3,60,000 cum/year at Khasra No. 1/1 at Village- Pawarkheda, Tehsil-Babai, District-Hoshangabad (MP) on the same terms & conditions and validity period** under which the prior environmental clearance was initially granted. Copy to PP and all concerned.

11. **Case No.3210/2015** Prior Environmental Clearance for B**auxite, Laterite & Fire Clay Mine** in an area of 7.46 ha. for production capacity of 1,76,131 TPA at khasra no. 1568 at Village-Padwa, Tehsil-Bahoriband, District-Katni (MP) by M/s Shiv Shakti Trading Co., Shri Rajesh Shukla (Nominated Owner), Near Piyush School, Basant Vihar Colony, Barhi Road, Katni (MP)-483501

ToR was granted for Bauxite, Laterite & Fire Clay Mine in 264th meeting of SEAC held on 12.01.2016. PP could not sumit EIA/EMP report in time due to some unforeseen circumstances as ToR validity for this mine is expired at 11.01.2019. After the lapse of TOR validity, PP has requested vide letter dated 15.03.2019 to extend ToR validity for one year by submitting Form -1, Pre Feasibility Report and Proposed ToR, such extension will need EAC/ SEAC consideration.**The authority after perusal of the documents and considering request of PP, in accordance with the MoEF&CC OM dated 29/08/2017.** The above letter alongwith Form -1, Pre Feasibility Report and Proposed ToR received from PP be sent to SEAC for consideration of the case. Copy to PP

Accordingly, application of PP alongwith Form -1, Pre Feasibility Report and Proposed ToR be sent to SEAC for appraisal and considering extention of validity.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman

B. Corrigendum

12. **Case No. – 5881/2019,** Prior Environmental Clearance for **Bhudkud Sand Quarry (Mayar River)** (Opencast Manual Method) in an area of 4.00 ha., for production Capacity- 91500 cum/year at Khasra No. 1536 (P) at Vill.-Bhudkud, Th.--Mada, Dist-Singrauli (M.P.) by Sarpanch/Sachiv Gram Panchayat Bhudkud, Tehsil – Mada, Distt. – Singrauli (M.P.) – 486886.

The prior EC has been granted in 531st SEIAA Meeting dtd. 18.03.2019. However, a condition related with the case of Shahdol was mentioned at point No. xi of the minutes of the meeting due to typographical mistake.

As this a case of Prior EC of Singrauli district and the condition mentioned is of Shadol district, therefore **the special condition mentioned at point No. xi** *"PP has committed that utilization of the sand shall be used only for the purpose (construction of school building) mention in temporary permit issued by Collector Office (Mining Division) Shahdol."* **of the** 531st SEIAA Meeting dtd. 18.03.2019 is hereby **deleted.** The other special conditions mentioned in the minutes shall remain same. Copy to PP and all concerned.

Meeting ended with a vote of thanks to the Chair.

(Jitendra Singh Raje)
Member Secretary

(R.K. Sharma)
Member

(Rakesh K. Shrivastava)
Chairman