



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)

Environmental Planning Coordination Organization
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

Visit us <http://www.mpseiaa.nic.in>

Tel: 0755-2466970, 2466859

Fax : 0755-2462136

No: 3333 /SEIAA/2022

Date: 15/3/22

To,
Vista Organics Pvt. Ltd.
Plot No. 06 New Industrial area,
Phase II Mandideep, Raisen
M.P- 462046

Sub: Case No 2805/2015 Application for Prior EC for proposed Manufacturing of bulk drugs Vitamins and intermediate) expansion of Existing Unit named Vista Organics Pvt. Ltd. located at Plot No. 06 New industrial area Phase II Mandideep Dist Raisen. Land area : 5.51 Acre Existing Production Capacity : 2.3 Lutidine - 15 MT/ Y ; 2.6 Di Picolinic acid 25/MT/ Y ; 3.5 Lutidine 15 MT/Y ; Alpha Picolinic acid ; 25 MT/Year Chromium Picolinic acid ; 5 MT /Y Chromium Poly Nicotinate ; 5 MT/Y Iso Nicotinic acid ; 150 MT/Y Isoniazid, Niacin ; 150 MT/Y Mythyl Nicotiate ; 10 Mt/Y Niacinamide ; 150 MT/Y Pyrazinamide ; 90 MT/Y Zinc Picolinate ; 25 MT/Y ; by Shri S.C.Mathur (Vice President), Plot No. 06 New Industrial area, Phase II Mandideep, Raisen M.P- 462046 E-mail ushma@resonancesl.in Telephone No. 07480-424001

Ref: your letter dated 16.12.21 received in SEIAA office on 31.12.2021

With reference to above, the compliance report submitted by you for June 21 to November 2021 were examined. After examined the compliance reports the attachment of analysis report is attached here with for required information.

Therefore, you are requested to kindly submit the compliances reports regularly to this office and Regional office, MoEF & CC, Bhopal. You can also submit the compliance report through parivesh portal on regular basis i.e. on 1st June and 1st December of each calendar year.

Further, as per MoEF & CC office memorandum dated 04.08.21 and 07.09.21 kindly upload the desired information along with copy of EC letters (PDF format) in the given format so that the progress on the same shall be reviewed by the Ministry.

(Alok Nayak)
Officer-In-Charge

Endt No. 3334 /SEIAA/ 2022
Copy to:-

Dated 15/3/22

1. Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
2. Member Secretary, M.P. Pollution Control Board Paryavaran Parisar, E-5 Arera Colony, Bhopal-M.P. – 462016- for related monitoring as per EC condition.

(Alok Nayak)
Officer-In-Charge

Analysis of EC Compliance

EC Letter	1420/SEIAA/2017 Dt. 22/12/17
Name of Project	Application for Prior EC for proposed Manufacturing of bulk drugs Vitamins and intermediate) expansion of Existing Unit named Vista Organics Pvt. Ltd. located at Plot No. 06 New industrial area Phase II Mandideep Dist Raisen. Land area : 5.51 Acre Existing Production Capacity : 2.3 Lutidine - 15 MT/ Y ; 2.6 Di Picolinic acid 25/MT/ Y ; 3.5 Lutidine 15 MT/Y ; Alpha Picolinic acid ; 25 MT/Year Chromium Picolinic acid ; 5 MT /Y Chromium Poly Nicotinate ; 5 MT/Y Iso Nicotinic acid ; 150 MT/Y Isoniazid, Niacin ; 150 MT/Y Mythyl Nicotiate ; 10 MT/Y Niacinamide ; 150 MT/Y Pyrazinamide ; 90 MT/Y Zinc Picolinate ; 25 MT/Y ; by Shri S.C.Mathur (Vice President), Plot No. 06 New Industrial area, Phase II Mandideep, Raisen, M.P. 462046 E-mail
Case No.	Case No 2805/2015

Condition No and Condition Description	Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
A. Specific Conditions as recommended by SEIAA			
1. The entire demand of fresh water should be met through MPAKVN water supply and existing bore well no additional bore well be allowed for withdrawal of ground water.	Complied Entire Demand of fresh water through MPAKVN water supply	Complied No Comments	
2. Waste water:			
(a) PP should maintain zero discharge from the Industry as proposed.	Agreed and Zero liquid discharge condition is maintained by Treating the effluent up to prescribed standards.	Please provide Photographs of provisions.	Please provide Photographs of provisions.
(b) Separation of High & Low COD values effluent for better management of process effluent.	Treated / Recovered water being reused in utility and cooling tower. Waste water treatment flow diagram attached , and report of water analysis	Please provide Status.	Please provide Photographs of provisions.
(c) RO treated water will be recycle for the process and High COD effluent generation shall be completely evaporated with help of MEE so as to achieve zero discharge.		Please provide Photographs of MEE provisions.	Please enclose the photograph
(d) There shall be no industrial effluent discharge from the unit.			Please ensure the Zero effluent discharge
3. For Air Pollution:			
(a) PP should ensure air pollution control measures and stack height as proposed in the EIA/ EMP.	Complying	Being comply	Photograph of APCM(Air Pre Heater & dust Cyclone separator) is enclosed
(b) The performance of air pollution control system should be regularly monitored and maintained.	Complying	Being comply	Report already enclosed.
(c) PP should ensure regular stack monitoring & ambient air quality monitoring and should be carried out as per the guidelines/norms of	Complying	Being comply	Report already enclosed.
(d) In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator/bag filters and water sprinkling system.	We have closed handling system for chemicals i.e. Storage tank, pumps and pipeline with storage tank	Being comply	Please enclose the photograph of closed storage, multi cyclone separator/bag filters and water sprinkling system.
(e) Dust suppression system including water sprinkler system/foaming arrangement shall be provided at loading and unloading areas to control dust emission.	All our raw materials are coming in closed containers and hence there is no dust emission at loading/Unloading area of ware houses.	Being comply Please ensure the compliance as per given condition if required.	
(f) Fugitive emission in the work zone environment, product, raw material storage areas etc. shall be regularly monitored.	Complying	Being comply	

Condition No and Condition Description	Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
(g) High efficient four stage acid/alkali scrubber should be provided.	Complying Suitable Scrubbers available	Being comply	Please send the photograph of scrubber.
(h) Transportation of raw material and finished goods should be carried out in covered trucks.	Complying	Being comply	
(i) For control of fugitive emission and VOCs following steps should			
• Chilled brine circulation system shall be provided and it should be ensured that the solvent recovery efficiency is not be less than 98%.	Complying	Complying	Please provide Photographs of provisions.
• Reactor and solvent handling pump shall be provided with mechanical seal to prevent leakage.	Yes it is available in each reactor	Complying	Please provide Photographs of provisions.
• Closed handling system should be provided for chemicals.	Yes, we have closed handling system for chemicals i.e. storage tank pumps and pipelines with day storage.	Complying	Please provide Photographs of provisions.
• System of leak detection and repair of pump/pipeline should be based on preventive maintenance.	We have preventive maintenance schedule for all equipment's installed at site for addressing the issues of leakages & repairs.	Complying	
• Solvent shall be taken from underground storage tank to reactor through closed pipeline. Storage tank shall be vented through trap	It was done at the time of installation of tanks.	No comments	
4. Hazardous Waste:			
(a) PP should ensure disposal of hazardous waste regularly and there should be no dumping of these materials in the premises/outside.	Complying	No comments	Please explain the hazardous waste handling method adopted by you.
(b) PP should ensure handling, disposal and management of hazardous waste as per the related prescribed rules.	Complying	No comments	
(c) PP should obtain renewal of authorization regularly from MPPCB for collection storage and disposal of hazardous waste (Management, Handling & Trans Boundary Movement) Rules 2008 and its amendments. Membership of the TSDF should be obtained for	Complying	No comments	Please submit the copy of the Authorization from MPPCB
(d) Hazardous chemicals should be stored in sealed tanks, drums etc. Flame arrestors shall be provided on tanks. To avoid the spillage from processing unit, Industry shall provide fully mechanized filling	Complying	No comments	Please ensure provision of flame arrestors
(e) PP should provide RCC layer and double layered HDPE lining for primary and secondary leachate collection.	Complying	No comments	Please submit photograph
(f) PP should obtain NOC /approval from competent authority for health & safety measure, Onsite & Offsite disaster management, and Risk management plan before commencing the operation of the unit.	In progress	No comments	Please submit the NOC for health and safety measure, Onsite & Offsite disaster management, and Risk management plan
5. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient	Noted and complying	Agree to Comply	Please ensure compliance
6. Green Belt:			
(a) PP should ensure to maintain the developed trees existing in the site and it will be not to allow cutting.		Being complied	Photograph of Green belt already attached
(b) Plantation in the project area of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc.	Being complied. There are continual efforts for increasing the green belt	No comments	Ensure plantation as per condition.
(c) Every effort should be made to protect the existing trees on the plot.		No comments	
(d) Pollution control trees should be planted in the green belt area PP should avoid to plant fruity trees in the project area.		No comments	Ensure plantation as per condition.
7. PP should ensure the implementation of CSR activities on regular basis in consultation with the Gram Panchayat of the respective villages & also adopt nearby villages for construction of toilets and installation of 05 hand pumps to fulfill the requirement of drinking water for villagers as committed.	Complied	No details provide by PP	Please submit the photographs of work and expenditure details duly certified by CA

Condition No and Condition Description		Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
B. Specific Conditions as recommended by SEAC				
8. The EC shall be valid for production of following products:				
Pyridine derivatives eg. salt, esters ,Amide	Production capacity	Complying	Production under Limit	
Alpha Picolinic Acid	1200 MT/A	157.84 MTA		
Zinc Picolinate				
Chromium Picolinate				
Iron picolinate				
Copper picolinate				
Niacin (Nicotinic acid)				
Niacinamide				
Chromium Polynicotinate				
Methyl/Ethyl/Butyl/benzyl Nicotinate				
Iso Nicotinic acid				
Isoniazide & Isoamide				
Isonipecotic acid				
Azacyclonol				
Methyl/Ethyl/hexyl/Benzyl Iso nicotinate				
2,3 Pyridine Di carboxylic acid				
2,4 Pyridine Di carboxylic acid				
2,5 Pyridine Di carboxylic acid				
2,6 Pyridine Di carboxylic acid				
3 Amino pyridine				
4 Amino Pyridine				
2 Amino 5 Methyl pyridine				
2 Amino 4 Methyl pyridine				
2/3/4 Methyl Pyridine N oxide				
Beta Picoline N oxide				
Pyridine N oxide				
Pyridine 2 Aldehyde				
Pyridine 3 Aldehyde				
Pyridine 4 Aldehyde				
Pyrazineamide acids & its salt				
Pyrazinamide	200 MT/A	3.4 MTA		
Pyrazonic acid				
Propionic acid and its derivatives	200 MT/A	0		
Chromium propionate				
Zinc propionate				
Iron Propionate	200 MT/A	0		
Methionate derivatives				
L- Selenomethinine				
Chromium methionate	1800MT/A	161.24 MT		
Tertiary Butyl copper chloride				
9. All vents from the exhausts of the processes shall be connected to a scrubbing system and the scrubbing media shall be treated through the effluent treatment plant. Solvent stripper should be provided with the ETP.		Complied. Water caustic scrubber is provided to process vents to control Ammonia suitable	Complied	Photograph is already attached
10. RO,MEE and ATFD should be provided for treatment of high COD waste streams and only in case of emergency/breakdown high COD wastes should be disposed off through CTSDF, Pithampur, Dhar.		Agreed and ZLD condition is maintained by treating the effluent up to prescribed standards.	Partly complied	Please send the photograph RO,MEE and ATFD
11. Zero liquid discharge shall be observed and no treated waste water should be discharged outside the plant premises. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.		Complied.agreed web camera with PTZ, Zoom,Night Vision capability and working well IP Address Shared to MPPCB	Complied	
12. Noise levels emanating from turbines shall be so controlled that the noise in the work zone shall be limited to 85 dB(A) from source. For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. shall be provided. Workers engaged in noisy areas such as turbine area, air compressors etc shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including shifting to non noisy/less noisy areas.		Complied, Noted & Being followed. Ambient Noise Monitoring Report is attached	Complied	Report is already attached

Condition No and Condition Description		Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
13. Two on-line monitoring systems for ambient air quality on suitable locations should be provided and data connectivity must be provided to the MPPCB's server for remote operations. Regular monitoring of ambient air ground level concentration of SO ₂ , NO _x , PM2.5 & PM10 shall be carried out in the impact zone and records maintained. The location of the monitoring stations shall be decided in consultation with M.P. Pollution Control Board. Periodic reports shall be submitted to the Regional Office of this Ministry and M.P. Pollution Control Board.		Complied	Being Comply	
14. Well designed acoustic enclosures for the DG sets and noise emitting equipments to achieve the desirable insertion loss viz. 25 dB(A) should be provided.		Complied	Complied	
15. Ultrasonic/Magnetic flow/Digital meters shall be provided at the inlet and outlet of the proposed ETP & all water abstraction points and records for the same shall be maintained regularly.		Complied	Complied	
16. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.		Complied	Complied	
17. Bag filters should be provided in the boiler stack.		Complied, Bag Filter is Installed	Complied	Photograph is already attached
18. Ash handling system should be provided.		Complied	Complied	Please send the Photograph of provisions.
19. Fly ash generated shall be provided to farmers to be used as manure or disposed of as per Fly Ash Utilization Notification, 1999 and as amended subsequently.		Complied	Complied	
20. Green Belt consisting of 3 tiers of plantations of native species around the plant boundary comprising of at least 10,000 sq. meter. PP will also maintain and make casualty replacement of the plantation.		Complied	Complied	Please specify Area of green belt.
21. Water intensive green area including thick green-belt as proposed shall be developed to mitigate the effect of fugitive emissions all around the plant in consultation with the forest department and as per the guidelines of CPCB.		Complied	Complied	Please ensure Plantation as per Condition.
22. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.		Complied, DG set Provided	Complied	
23. The project authorities should comply with the provisions made in the Hazardous Waste (management, handling & Trans-boundary Movement) Rules 2016, Manufacture, Storage and Import of Hazardous Chemicals Rules 1989, as amended and the Public Liability Insurance Act for handling of hazardous chemicals etc.		Complying	Complying	
24. VOCs shall be regularly monitored in the work zone in the plant along with the other parameters and data shall be submitted to MPPCB and R.O of MoEF&CC.		Complied		Please submit the letter recivings from MPPCB, Moef
25. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.		Complied		
26. No manual handling of material is allowed.		Complied		
27. Permission of CGWB (if ground water is abstracted) should be obtained.		Complied, not avilable we are taking the water connection from MPIDC	NA	
28. Hands on job trainings should be organized for the persons involved in the handling of hazardous materials.		Complied	Complied	
29. Leak detection and fire hydrant systems should be installed to control fire.		Complied		Please provide photograph
30. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.		Noted		

Condition No and Condition Description		Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
31. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.		Complied	Complied	Consent Attached Valid up to March 22
32. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed unit shall require a fresh Environment Clearance.		Complied	Complied	
Standard Conditions				
1. The company shall install an effluent treatment plant to treat the effluent generated due to proposed activity. The treated water shall be utilized within the premises to achieve zero discharge.		No Comments received By PP		Please Submit the Compliance
2. The hazardous wastes and Incineration from the process and treatment should be disposed off as per Hazardous Wastes (Management & Handling) Rules, 1989 and subsequent amendments.		No Comments received By PP		Please Submit the Compliance
3. The project authority shall obtain the membership of CTSDf (Common Treatment Storage & Disposal Facility) for disposal of solid and hazardous waste (if applicable) and copy of the same shall be submitted to the Regional Office of MoEF, Gol at Bhopal. The company shall maintain the valid membership of CTSDf.		No Comments received By PP		Please Submit the Compliance
4. The process emissions, VOCs and particulate matter from various units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission level shall go beyond the stipulated standards.		No Comments received By PP		Please Submit the Compliance
5. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by MPPCB.		No Comments received By PP		Please Submit the Compliance
6. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, Gol at Bhopal.		No Comments received By PP		Please Submit the Compliance
7. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.		No Comments received By PP		Please Submit the Compliance
8. The company shall develop greenbelt in the project area as per the guidelines of CPCB to mitigate the effect of fugitive emission.		No Comments received By PP		Please Submit the Compliance
9. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.		No Comments received By PP		Please Submit the Compliance
10. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.		No Comments received By PP		Please Submit the Compliance
11. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.		No Comments received By PP		Please Submit the Compliance
12. The DG set will be provided with acoustic arrangements to attenuate the noise pollution. The emission from DG set shall be dispersed as per the CPCB/MPPCB standards.		No Comments received By PP		Please Submit the Compliance
13. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.		No Comments received By PP		Please Submit the Compliance
14. Any enhancement of capacity, change in technology, modernization and scope of working shall again require prior environmental clearance as per EIA notification, 2006.		No Comments received By PP		Please Submit the Compliance
15. All activities / mitigative measures proposed by PP in Environmental Impact Assessment must be ensured.		No Comments received By PP		Please Submit the Compliance
16. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.		No Comments received By PP		Please Submit the Compliance
17. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.		No Comments received By PP		Please Submit the Compliance

Condition No and Condition Description	Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
18. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of raw material and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. No overloading of raw material for transportation shall be committed.	No Comments received By PP		Please Submit the Compliance
19. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.	No Comments received By PP		Please Submit the Compliance
20. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	No Comments received By PP		Please Submit the Compliance
21. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.	No Comments received By PP		Please Submit the Compliance
22. Commitment towards CSR have to be followed strictly.	No Comments received By PP		Please Submit the Compliance
23. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.	No Comments received By PP		Please Submit the Compliance
24. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.	No Comments received By PP		Please Submit the Compliance
25. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1 st June and 1 st December of each calendar year.	No Comments received By PP		Please Submit the Compliance
26. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.	No Comments received By PP		Please Submit the Compliance
27. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.	No Comments received By PP		Please Submit the Compliance
28. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.	No Comments received By PP		Please Submit the Compliance
29. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	No Comments received By PP		Please Submit the Compliance
30. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	No Comments received By PP		Please Submit the Compliance
31. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, Gol, Bhopal, MP PCB within six months.	No Comments received By PP		Please Submit the Compliance

Condition No and Condition Description		Compliance Submitted to SEIAA By PP on 31/12/21	Remarks from Authority	Verifiable Documents required
32. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.		No Comments received By PP		Please Submit the Compliance
33. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.		No Comments received By PP		Please Submit the Compliance
34. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.		No Comments received By PP		Please Submit the Compliance
35. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.		No Comments received By PP		Please Submit the Compliance
36. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.		No Comments received By PP		Please Submit the Compliance
37. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.		No Comments received By PP		Please Submit the Compliance
38. The environmental statement for each financial year ending 31 st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.		No Comments received By PP		Please Submit the Compliance