



राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.
(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)



पर्यावरण नियोजन एवं समन्वय संगठन
पर्यावरण परिसर, ई-5, अरेरा कॉलोनी
भोपाल-462016 (म.प्र.)

वेबसाइट-<http://www.mpseiaa.nic.in>

दूरभाषनं. - 0755-2466970, 2466859

फैक्सनं. - 0755-2462136

No: 462 / SEIAA/2025

Date: 24/05/2025

प्रति,

M/s A T S Alloys Private Limited,
Shri Tarun Agarwal, Director, A-1, 2, 3, 4,
Sundaram Vihar, District-Mandsaur (MP)-458001
E-mail - ta286693@gmail.com

विषय :- Proposal No. SIA/MP/IND1/520652/2025- Case No 10664/2023 Prior Environment Clearance for Proposed Mini Steel Plant in an area of 4.04 ha. (Billets 1,00,000 TPA, TMT Bars-90,000 TPA) (Khasra No. Plot 19 & 20), Village Saryakhera, Tehsil-Sitamau, District-Mandsaur (MP) by M/s A T S Alloys Private Limited, Shri Tarun Agarwal, Director, A-1, 2, 3, 4, Sundaram Vihar, District-Mandsaur (MP)-458001. Cat. 3(a)

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 770वीं बैठक दिनांक 11.02.2025 में विशिष्ट शर्तों एवं MoEF&CC की स्टैंडर्ड शर्तों सहित पर्यावरण अनुमति प्रदान किये जाने की अनुशंसा कर प्रकरण दिनांक 18.02.2025 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अवधि समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - "In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in sub-paragraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned."

अतः ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 770वीं बैठक दिनांक 11.02.2025 में विशिष्ट शर्तों एवं MoEF&CC की स्टैंडर्ड शर्तों सहित पर्यावरण स्वीकृति हेतु की गई अनुशंसा को अंतिम निर्णय मानते हुए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमति दी जाती है। तदनुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेतु आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

(श्रीमन् शुक्ला)

कार्यपालन संचालक, एफको
एवं सदस्य सचिव, SEIAA

प्रतिलिपि:-

1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
2. संयुक्त सचिव, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोड, नई दिल्ली - 110003।
3. उप सचिव, मुख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
7. प्रबंध संचालक, म.प्र. औद्योगिक विकास निगम, अरेरा हिल्स भोपाल (म.प्र.)।
8. कलेक्टर, जिला मंदसौर (म.प्र.)।
9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड नं. 03, रवि शंकर नगर, भोपाल।
10. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को
एवं सदस्य सचिव, SEIAA

STATE EXPERT APPRAISAL COMMITTEE MINUTES OF 11th February, 2025 770th MEETING

The 770th meeting of the State Expert Appraisal Committee (SEAC) was held on 11th February, 2025 under the Chairmanship of Shri Rakesh Kumar Shrivastava for the projects which are scheduled in the agenda. Following members attended the meeting in person or through video conferencing -

1. Shri Vijay Kumar Ahirwar, Member.
2. Dr. Rakesh Kumar Pandey, Member.
3. Dr. Pallavee Bhatnagar, Member.
4. Dr. Sunita Singh, Member.
5. Dr. Sushil Manderia, Member.
6. Shri A.A. Mishra, Member Secretary.

The Chairman welcomed all the members of the State Expert Appraisal Committee. After that agenda items- wise cases taken up for deliberations.

- 1. Case No 10664/2023 Shri Tarun Agarwal, Director, M/s A T S Alloys Private Limited, A-1, 2, 3, 4, Sundaram Vihar, District-Mandsaur (MP)-458001, Prior Environment Clearance for Proposed Mini Steel Plant in an area of 4.04 ha. (Billets-1,00,000 TPA, TMT Bars-90,000 TPA) (Khasra No. Plot 19 & 20), Village-Saryakhera, Tehsil-Sitamau, District-Mandsaur (MP) Cat. 3(a) Metallurgical industries (ferrous & non-ferrous). SIA/MP/IND1/520652/2023., FoR- EIA Presentation.**

This is a rolling mill project. All non –toxic secondary metallurgical processing industries manufacturing >5000 tones/annum metal components are covered under the EIA Notification 2006 as amended 2009 and are mentioned at SN 3(a), B. Hence these projects are required to obtain prior EC before establishment.

Earlier this case was discussed in the ToR Recommended 695th SEAC Meeting Dated 21/12/2023 PP submitted following details on Praivesh portal 2.0.

SN	Projects Details		Remarks
1.	Online Proposal No	SIA/MP/IND1/520652/2023	
2.	Proposal /Activity Name	Shri Tarun Agarwal, Director, M/s A T S ys Private Limited, A-1, 2, 3, 4, Sundaram Vihar, District-Mandsaur (MP)-458001,	
3.	Location of Project	Prior Environment Clearance for Proposed Mini Steel Plant in an area of 4.04 ha. (Billets-1,00,000 TPA, TMT Bars-90,000 TPA)	

STATE EXPERT APPRAISAL COMMITTEE MINUTES OF 11th February, 2025 770th MEETING

		(Khasra No. Plot 19 & 20), Village-Saryakhera, Tehsil-Sitamau, District-Mandsaur (MP) [446102] Cat. 3(a) Metallurgical industries (ferrous & non-ferrous).SIA/MP/IND1/520652/2023.
4.	EC Status (Fresh or Exp.)	New
5.	ToR Status	ToR Recommended 695 th SEAC Meeting Dated 21/12/2023. ToR letter issued vide letter No. 2258 dated 13 / 12 /2023 .
6.	Public Hearing Date	26/07/2024.
7.	Description of Project	Proposed Mini Steel Plant, Capacity - Billets 100000 Metric Ton per annum and - TMT Bars 90000 Metric Ton per annum
8.	Project Cost Rs.	4948 Lakhs.
9.	Plot Area	Plot 19 & 20), Village-Saryakhera, Tehsil-Sitamau, District-Mandsaur (MP)
10.	Area in ha.	4.04 ha
11.	Production Qty. in M ³ /Y	<ul style="list-style-type: none"> Billets - 1,00,000 TPA, TMT Bars - 90,000 TPA
12.	Gram Sabha NOC	Gram Panchayat Galiyara dated 21/07/2023.
Documentary Details		
13.	DIC Registration	1003 date 19/07/2023.
14.	Google image status	24° 3'19.00"N to 75°20'41.53"E 24° 3'10.23"N to 75°20'45.87"E
15.	Gram Panchayat / Gram Sabha NOC	Gram Panchayat Galiyara dated 21/07/2023.
16.	Env. Con.	Shri Mukesh Kaore M/s Creative Enviro Services, Bhopal(M.P.)Valid up to 22/03/2026.

The case is presented by the Shri Mukesh Kaore , M/s. Creative Enviro Services, Bhopal (M.P.) along with PP Shri Indra Mohan , Director with the following details of the project is submitted :

1. Induction Furnace (Dog House type) is proposed to mitigate air pollution.
2. We will establish Balwadi in premises for the Children of workers below 5 years of age, and we will provide them milk, dal-daliya, biscuit, fruits and toys.
3. We will dilute the bleed water of 1.5 kld generated from cooling towers and softener and use for plantation.
4. We will make plantation in an area of 13500 sqm in premises and make thick plantation towards Sariyakhedi village.
5. We will explore the possibility of giving the slag to nearby cement plants.
6. We will make rain water harvesting structure for factory shed.

The committee suggested that looking to prominent wind direction towards east plantation towards villages in east, SE, and at 1.5 km sariyakheda may be undertaken

and Cooling tower ,DM, Softner waste water must be diluted before use for sprinkling on slag. After deliberations and the submissions and presentation made by the PP were found to be satisfactory and acceptable hence, **The case is recommended for grant of Prior Environment Clearance Prior Environment Clearance for Proposed Mini Steel Plant in an area of 4.04 ha. (Billets-1,00,000 TPA, TMT Bars-90,000 TPA) (Khasra No. Plot 19 & 20), Village-Saryakhera, Tehsil-Sitamau, District-Mandsaur (MP) Cat.3(a) Metallurgical industries (ferrous & non-ferrous), with MoEF&CC Standard and following specific conditions:**

1. Cooling tower, DM, Softner WW must be diluted before use for sprinkling on slag.
2. As proposed 3000 additional trees will be planted in an area of 13,500m², The green belt of 5-10 m width shall be developed near the total project area, mainly along the plant periphery, in downward wind direction and along road sides etc. Selection of plant species shall be as per the CPCB guide lines .
3. Moreover, Plantation towards villages in east, SE, and at 1.5 km siriyakheda .
4. The proposed EMP cost is Rs. 243.0 lakhs capital and Rs. 50.0 lakhs/year as recurring cost .
5. PP shall obtained Energy Star Certification of furnace.
6. Under CER activity, capital cost is Rs. 2.50 lakhs/year as recurring cost and are proposed for different activities.

S. No.	CSR Field	Fund allocated (Proposed)
1	Activities such as solar panels in nearby school after consultation with DEO	1,00,000/- annual
2	Establish Balwadi in premises for the Children of workers below 5 years of age, and we will provide them milk, dal-daliya, biscuit, fruits and toys.	1,50,000/- annual
	Total	2,50,000/-

(A) Statutory compliance:

1. The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the Madhya Pradesh Pollution Control Board (MPPCB).
2. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
3. The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.

(B) Air quality monitoring and preservation

1. The project proponent shall install 24x7 continuous emission monitoring system at major process stacks to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and connected to MPPCB and CPCB online servers and calibrate these system from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
2. To control source and the fugitive emissions, suitable pollution control devices shall be installed to meet the prescribed norms and/or the NAAQS. DG set shall be dispersed through stack of adequate height as per CPCB/SPCB guidelines.
3. Storage of raw materials, coal etc shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
4. The DG sets shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
5. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended from time to time shall be followed.
6. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with.

(C) Water quality monitoring and preservation

1. As already committed by the project proponent Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises.
2. Domestic effluent shall be treated in septic tank and soak pit system.

3. The effluent discharge (if any) shall conform to the standards prescribed under the Environment (Protection) Rules, 1986, or as specified by the Madhya Pradesh Control Board while granting Consent under the Air/Water Act, whichever is more stringent.
4. Total fresh water requirement shall not exceed as proposed by PP . In case ground water is used, the permission from CGWA shall be obtained.
5. Any wastewater shall not be allowed to mix with storm water. The storm water from the premises shall be collected and discharged through a separate conveyance system.
6. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.
7. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.

(D) Noise monitoring and prevention

1. Acoustic enclosure shall be provided to DG set for controlling the noise pollution.
2. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
3. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

(A) Energy Conservation measures

1. PP shall obtain Energy Star Certification of furnace.
2. The energy sources for lighting purposes shall preferably be LED based.

(B) Waste management

1. Hazardous wastes such as used oil, used resin from cooling tower etc from the manufacturing plants shall be directly sent to CTSDf, Dhar.
2. The Fly ash shall be transported through bulkers / closed containers and should comply with Fly Ash Utilization Notification, 1999 and as amended subsequently.
3. In order to have appropriate measures to prevent percolation of spills, leaks etc. to the soil and ground water, the storage area should be provided with concrete floor of inert material or steel sheet depending on the characteristics of waste handled and the floor must be structurally sound and chemically compatible with wastes.
4. Measures should be taken to prevent entry of runoff into the storage area. The Storage area shall be designed in such a way that the floor level is at least 150 mm above the maximum flood level.

5. The storage area floor should be provided with secondary containment such as proper slopes as well as collection pit so as to collect wash water and the leakages/spills etc.
6. Storage areas should be provided with adequate number of spill kits at suitable locations. The spill kits should be provided with compatible sorbent material in adequate quantity.
7. Proper fire fighting arrangements in consultation with the fire department should be provided against fire incident.
8. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.

(C) Green Belt

1. Selection of plant species shall be as per the CPCB guide lines in consultation with the State Forest Department.
2. Peripheral plantation all around the project boundary shall be carried out using tall saplings of minimum 2 meters height of species which are fast growing with thick canopy cover preferably of perennial green nature. As proposed 2000 no of plants shall be distributed to villagers. PP will also make necessary arrangements for the causality replacement and maintenance of the plants.

(D) Safety, Public hearing and Human health issues

1. Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
2. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
3. The PP shall provide Personal Protection Equipment (PPE) as per the norms of Factory Act.
4. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
5. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

6. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
7. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products, and no parking to be allowed outside on public places.

(E) EMP & Corporate Environment Responsibility

1. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
2. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
3. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
4. Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

X. Miscellaneous

1. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
2. The project authorities must strictly adhere to the stipulations made by the MP Pollution Control Board and the State Government.

3. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing (if applicable) and also that during their presentation to the Expert Appraisal Committee.
4. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
5. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

2. Case No P2/1029/2024 Shri Shailesh Verma, Director, Plot No. 22-C, Scheme No. 151, Super Corridor, Indore (M.P.) (M.P.)– 452001. Prior Environment Clearance for Proposed Construction of Concord Business Park Project(Ocean Hotels & Entertainment Private Limited) at Plot no. 22-C, scheme no. 151, super corridor, Indore (M.P.), Total Plot Area 12457 m2 (1.2457 Ha.), Built-up area (FAR + NonFAR) - 37371+39824.21 = 77195.21 m2 sq mt.,Cat.-8(a). Building and Construction projects. SIA/MP/INFRA2/520212/2025. B-2.

PP submitted following details on Praivesh portal .

SN	Information Required	Details
1.	Project	SIA/MP/INFRA2/520212/2025.
2.	Project Name/Activity	Shri Shailesh Verma, Director, Plot No. 22-C, Scheme No. 151, Super Corridor, Indore (M.P.) (M.P.)– 452001.Prior Environment Clearance for Proposed Construction of Concord Business Park Project at Plot no. 22-C, scheme no. 151, super corridor, Indore (M.P.), Total Plot Area – 12457 m2 (1.2457 Ha.), Built-up area (FAR + NonFAR) - 37371+39824.21 = 77195.21 m2 sq mt., Cat. - 8(a). Building and Construction projects. SIA/MP/INFRA2/520212/2025.
3.	Project Proposal For	New.
	Project Cost.	9322 Lakhs.
4.	Previous EC details (IDA Project)	MPSEIAA Case No. 5516/2016, EC letter issued vide letter No. 770 dated 20/06/2017. (All NOC Case No. 5516/2016 PP Submit letter dated 27/01/2025 Supporting Papers uploaded on Parivesh Portal).