



राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण, म.प्र.
(पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार)



पर्यावरण नियोजन एवं समन्वय संगठन
पर्यावरण परिसर, ई-5, अरेरा कॉलोनी
भोपाल-462016 (म.प्र.)

वेबसाइट-<http://www.mpseiaa.nic.in>

दूरभाषनं. - 0755-2466970, 2466859

फैक्सनं. - 0755-2462136

No: 484/SEIAA/2025

Date: 25/05/2025

प्रति,

Shri Pankaj Ingle,
R/o Village- Baljhiri, Tehsil- Pansemal,
District-Barwani, M.P.
E-mail - pankajingle397@gmail.com

विषय :- Proposal No. SIA/MP/MIN/467084/2024- Case No. P2/799/24 Prior Environment Clearance for Stone Quarry (Opencast semi mechanized method), in an area of 1.420 ha. for Production Capacity of 8000 m3/Year, Khasra No. 261/1, Village - Dondwada, Tehsil- Pansemal, District-Barwani (M.P.) by Shri Pankaj Ingle, R/o Village- Baljhiri, Tehsil- Pansemal, District-Barwani, M.P.

विषयान्तर्गत प्रकरण में राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति (SEAC) द्वारा 755वीं बैठक दिनांक 21.05.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण अनुमति प्रदान किये जाने की अनुशंसा कर प्रकरण दिनांक 27.05.2024 को राज्य स्तरीय पर्यावरण समाघात निर्धारण प्राधिकरण (SEIAA) को अग्रेषित किया गया। प्रश्नाधीन प्रकरण SEIAA की बैठक में विचारण नहीं होने के कारण 45 दिवस से अधिक की अवधि समाप्त हो गई है।

पर्यावरण वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की ईआईए अधिसूचना दिनांक 14.09.2006 के पैरा 8 की कंडिका (iii) इस प्रकार है - "In the event that the decision of the regulatory authority is not communicated to the applicant within the period specified in subparagraphs (i) or (ii) above, as applicable, the applicant may proceed as if the environment clearance sought for has been granted or denied by the regulatory authority in terms of the final recommendations of the Expert Appraisal Committee or State Level Expert Appraisal Committee concerned."

अतः ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार उक्त प्रकरण में SEAC की 755वीं बैठक दिनांक 21.05.2024 में विशिष्ट शर्तों एवं स्टैण्डर्ड शर्तों (संलग्नक-ए) सहित पर्यावरण स्वीकृति हेतु की गई अनुशंसा को अंतिम निर्णय मानते हुए राज्य स्तरीय समाघात निर्धारण प्राधिकरण (SEIAA) द्वारा "Deemed Approval" माना जाकर पर्यावरण अनुमति दी जाती है। तदनुसार प्रकरण में ईआईए अधिसूचना के पैरा 8 की कंडिका (iii) के अनुसार आगामी आवश्यक वैधानिक कार्यवाही करने हेतु आप स्वतंत्र हैं।

(प्रमुख सचिव, पर्यावरण विभाग द्वारा अनुमोदित)

(श्रीमन् शुक्ला)

कार्यपालन संचालक, एम्को
एवं सदस्य सचिव, SEIAA

प्रतिलिपि:-

1. प्रमुख सचिव, म.प्र. शासन, पर्यावरण विभाग, मंत्रालय, भोपाल।
2. संयुक्त सचिव, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, इंदिरा पर्यावरण भवन, जोर बाग रोड, नई दिल्ली - 110003।
3. उप सचिव, मुख्य सचिव कार्यालय म.प्र. शासन, मंत्रालय भोपाल (म.प्र.)।
4. अध्यक्ष, SEIAA, एप्को पर्यावरण परिसर भोपाल (म.प्र.)।
5. अध्यक्ष SEAC, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल (म.प्र.)।
6. सदस्य सचिव, SEAC एवं सदस्य सचिव, म.प्र. प्रदूषण नियंत्रण बोर्ड, पर्यावरण परिसर, ई-5 अरेरा कॉलोनी भोपाल।
7. कलेक्टर, जिला बडवानी (म.प्र.)।
8. वन मंडलाधिकारी, जिला बडवानी (म.प्र.)।
9. निदेशक, क्षेत्रीय कार्यालय, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, केन्द्रीय पर्यावरण भवन, लिंक रोड नं. 03, रवि शंकर नगर, भोपाल।
10. संचालक, भौमिकी तथा खनिकर्म मध्यप्रदेश, 29-ए, खनिज भवन, अरेरा हिल्स, भोपाल - 462002।
11. खनिज अधिकारी, जिला बडवानी (म.प्र.)।
12. संबंधित फाईल।

की ओर सूचनार्थ।

कार्यपालन संचालक, एप्को
एवं सदस्य सचिव, SEIAA

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक
दिनांक 21 मई 2024

7. Copy of compliance report of environment clearance submitted by M/s Satguru Cement Pvt Limited.

After deliberation committee decided to recommend the case for **transfer of environment clearance from previous project proponent Satguru Cements Pvt Ltd .Khasara No 4/2, 5/1, 5/2 And 6. Village Ghursal, Jeerabad Tehsil Gandhawani Dist Dhar (MP) To M/s Pioneer Industries, Khasara No 4/2, 5/1, 5/2 And 6, Village Ghursal, Jeerabad Tehsil Gandhawani Dist Dhar (MP)**subject to the following special conditions:

1. All the terms and condition as mentioned in the environment clearance issued by SEIAA vide no 290/EPCO-SEIAA/2010 dated 09.08.2010 shall remain same and validity of EC shall be as per the EIA notification 2006 and as amended further.

2. The compliance of conditions of environment clearance shall be ensured by the project proponent and six monthly compliance report shall be uploaded at Parivesh portal and submitted at Regional office of MoEF&CC as per provision of EIA notification 2006 and office memorandum 14.06.2022 of MoEF&CC Govt of India.

3. The Photographs of plantation and CER etc shall be submitted to the M.P. SEIAA on six monthly basis by the New Project Proponent. In case of fail to do above and non submission of continuous two six monthly report, the issued environment clearance shall be revoked.

12. Case No. P2/799/24 PANKAJ INGLE, Lessee, Village- Baljhiri, Tehsil- Pansemal, District-Barwani, M.P. Prior Environment Clearance for Stone in an area of 1.420 ha. (Stone – 8000 m3/Year and Murrum – 5040 m2/Year) (Khasra No. 261/1), Village - Dondwada, Tehsil- Pansemal, District- Barwani (M.P.) [MIN/467084/2024] (B2)

प्रस्तावित खदान बी-2 श्रेणी के अंतर्गत नवीन पर्यावरणीय स्वीकृति का है, जिसमें आज दिनांक 20.05.2024 को परियोजना प्रस्तावक श्री पंकज इंगले पिता श्री अर्जुन इंगले ऑनलाईन जुड़े एवं उनके पर्यावरणीय सलाहकार श्रीराम राघव, मेसर्स ग्रीन सर्कल आईएनसी, बडौदा, गुजरात उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज
परियोजना प्रस्तावक	श्री पंकज इंगले पिता श्री अर्जुन इंगले ,

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक
दिनांक 21 मई 2024

का नाम व पता	निवासी : बालझिरी तहसील पानसेमल जिला बडवानी(म0प्र0)	
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	(शासकीय भूमि-नॉन फॉरेस्ट लैंड) खसरा नं. 261/1	1.42 Hectare.
स्थल	Village - Dondwada, Tehsil- Pansemal, District-Badwani (M.P.).	
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला बडवानी के पत्र क्रमांक 4153/खनिज/2024 दिनांक 01/03/2024 के द्वारा स्वीकृत ।	
ब्लास्टिंग/रॉक ब्रेकर	अनुमोदित खनन योजना अनुसार ब्लास्टिंग नहीं प्रस्तावित है,	
प्रकरण की स्थिति	नया प्रोजेक्ट बी-2 श्रेणी ।	
डिया ई.सी. का विवरण (यदि लागू हो)	लागू नहीं है ।	
टॉर	लागू नहीं है ।	
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा पत्थर-8,000 घनमीटर/वर्ष एवं मुरुम-5040 घनमीटर/वर्ष हेतु आवेदन किया गया है और अनुमोदित खनन योजना अनुसार पत्थर-8,000 घनमीटर/वर्ष एवं मुरुम-5040घनमीटर/वर्ष घनमीटर/वर्ष है ।	
500 मीटर की परिधि में अन्य खदानें	कार्यालय कलेक्टर (खनिज शाखा) जिला बडवानी के एकल प्रमाण-पत्र क्रमांक 4225/खनिज/2024 दिनांक 11/03/2024 बडवानी अनुसार 500 मीटर की परिधि में 00 अन्य खदानें संचालित/स्वीकृत है, इस प्रकार कुल रकबा 1.42 हे. होता है, अतः प्रकरण बी-2 श्रेणी का है ।	
वन मण्डलाधिकारी की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला बडवानी के एकल प्रमाण-पत्र क्रमांक 4225/खनिज/2024 दिनांक 11/03/2024 के अनुसार 10 किलोमीटर की परिधि में नेशनल पार्क/अभ्यारण्य/ईको सेंसेटिव जोन जैव विविधता क्षेत्र स्थित नहीं है एवं 250 मीटर में वन क्षेत्र स्थित नहीं है ।	
तहसीलदार की अनापत्ति	कार्यालय कलेक्टर (खनिज शाखा) जिला बडवानी के एकल प्रमाण-पत्र क्रमांक 4225/खनिज/2024 दिनांक 11/03/2024 अनुसार आवेदित क्षेत्र से दक्षिण दिशा में 200 मीटर की दूरी पर महाराष्ट्र राज्य की सीमा है ।	
ग्राम सभा/ ग्राम पंचायत की अनापत्ति	ग्राम पंचायत दोदेवाडा जिला बडवानी के ठहराव प्रस्ताव क्रमांक 13 दिनांक 24.07.2023 अनुसार प्रस्तावित स्थल पर खनन कार्य से पंचायत को कोई आपत्ति नहीं है ।	
केशर की स्थिति	केशर लीज क्षेत्र में प्रस्तावित है ।	
प्रस्तावि स्थत पर वृक्षों की वर्तमान स्थिति	<ul style="list-style-type: none"> लीज में स्थित पेड़ों का विवरण 00 यदि पेड़ काटे जाने है तो उनका विवरण 00 	

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक
दिनांक 21 मई 2024

<p>प्रस्तावित स्थल की गूगल इमेज अनुसार वर्तमान स्थिति खदान के 500 मी. की परिधि में स्थित संवेदनशील घटकों</p>	<p>उत्तर दिशा— उत्खनिपट्टे के उत्तर दिशा में 53 मीटर व 76 मीटर की दूरी 2 कच्चे मकान(isolated huts) परिलक्षित हो रहे हैं जिसके सम्बन्ध में परियोजना प्रस्तावक द्वारा बताया गया कि यह कच्चे मकान में पशुओं का चारा भूँसा एवं कृषि सामग्री तथा मशीनरी रखने के उपयोग में लाये जाते एवं इनमें किसी भी तरह की मानव बसाहट नहीं है।</p> <p>दक्षिण दिशा—</p> <ul style="list-style-type: none"> ● उत्खनिपट्टे के दक्षिण-पूर्व दिशा में 85 मीटर पर आबादी है। जिसके सम्बन्ध में परियोजना प्रस्तावक द्वारा आबादी से 15 मीटर का सेटबैक अनुमोदित खनन योजना में छोड़ा गया है और इसे गैर खनन के रूप में विकसित किया जायेगा एवं खदान क्षेत्र में खनन कार्य रॉक ब्रेकर के माध्यम से किया जावेगा। ● उत्खनिपट्टे के दक्षिण दिशा में 40 मीटर की दूरी पर एक गड्ढा परिलक्षित हो रहा है जिसके संबंध में परियोजना प्रस्तावक द्वारा कार्यालय ग्राम पंचायत दोंदवाडा जिला बडवानी से पत्र क्रं. 205 दिनांक 20/05/2024 प्रमाण पत्र प्रस्तुत किया है जिसमें ग्राम पंचायत द्वारा यह बताया गया है कि उत्खनिपट्टे से लगभग 40 मीटर की दूरी पर जो गड्ढा स्थित है वो ग्राम पंचायत द्वारा पूर्व में शासकिय निर्माण कार्य हेतु उस जगह से निकाली गई मुरुम के कारण निर्मित हुआ है।
<p>प्रस्तावि खदान की जिला सर्वेक्षण रिपोर्ट में स्थिति</p>	<p>नया प्रकरण है।</p>

परियोजना प्रस्तावक द्वारा दिए गए प्रस्तुतीकरण, पर्यावरण प्रबंधन योजना एवं अन्य प्रस्तुत की गई जानकारी संतोषजनक एवं स्वीकार्य योग्य होने से समिति विशिष्ट शर्तों एवं स्टेण्डर्ड शर्तों संलग्नक—ए अनुसार निम्नानुसार पूर्व पर्यावरणीय स्वीकृति जारी करने की अनुशंसा करती है:—

1. अनुमोदित खनन योजना अनुसार अधिकतम उत्पादन क्षमता —Stone —8000 m³/Year & murrum 5040 m³/Year
2. खनन क्षेत्र में प्रस्तावित केशर प्लांट हेतु मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड से नियमानुसार स्थापना एवं संचालन सम्मति प्राप्त करना होगी।

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 21 मई 2024

3. मध्य प्रदेश प्रदूषण नियंत्रण बोर्ड की दिशा में दिशा निर्देशों के अनुसार प्रस्तावित क्लेशर में वायु प्रदूषण रोधी उपकरणों की स्थापना सुनिश्चित की जावेगी।
4. In case of change in ultimate pit block (Surface plan) due to setback imposed in accordance with order of NGT/CPC/M.P. MMR 1996 or any environmental sensitivity. "The PP should obtain Modified Mining Plan / Scheme of mining before opening of the mine of capacity approved in EC. The Environment Management Plan Geological Plan & Section, Development plan, Conceptual Plan should be accordingly revised in the approved Mining Plan /SOM by the competent authority with respect to year-wise production."
5. पर्यावरण प्रबंधन योजना मद में कैपिटल राशि रु. 10.14 लाख एवं रिक्रिंग राशि रु. 1.83 लाख प्रति वर्ष।

S NO.	Particulars	Budget Provisions (Rs)		
A.	For environment Protection			
		Capital 1 st year	2 nd year	Recurring
1	Hiring of water tanker (3,500L) for sprinkling facility for outgoing & incoming vehicle with pipeline @Rs 100/day (PP owned tanker) for 300 days	-	---	30,000
2	Garland Drain (1.5 m Wide & 1 m Deep & 450 m Long) 1. Settling Tank is of 4 m wide, 5 m long & 2.5 m deep. 2. Settling Tank is of 4 m wide, 5 m long & 2.5 m deep. All settling tanks will be of double “S” pattern.	65,000	---	15000
3	Development of approach Road (Road length approx. 250 m, Width 5.5m. edge to edge excluding shoulder) (@Rs 500/m) with the provision of rumble strips & T junction where the approach road meets the main road.	1,25,000	---	20,000
4	Monitoring twice a year AAQM @10000/yr, Water@5000/yr, Noise@1000/yr, Soil @4000/yr	NIL	---	20,000
5	Plantation (1710 trees will be planted)			
	Within Lease Area (In Barrier Zone) @150rs./tree 1st year -up to ~520 m periphery of Mine lease boundary (~500 no's)	75000	---	20000

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक
दिनांक 21 मई 2024

	B. Outside the Lease Area (along approach road, village road and village area) (including the Cost of tree guard & manure for the plant) 1st year- 100 no's on evacuation route up to 250 (approach road) m both side (@ Rs 500/tree) 2nd year- 60 no's govt middle school @Rs 150 (as boundary wall is present these place) 2 nd year – 1050 no's for distribution by nearby villagers (@ Rs 50/tree)	50,000 52500	9000	20000
	C. Sowing of the Local seeds species, Dhatkumari slips, Prosopis seeds & Agew along the bund of proposed excavated garland drain & Settling tank .	5,000	---	1,000
	Development of the grassland at the same khasra 261/1 at an area of 1.420 ha and maintenance of it	15000		5000
6.	Fencing of lease area (~520 m long) (@Rs 500/m)	260000	---	20000
8.	PUC certification of vehicles (2 dumpers @ Rs 500 per dumper)	-	---	1000
Labour Welfare				
9.	Drinking Water Facility and rest shelter (15 x 15 ft.) with solar light	60,000	---	10,000
10.	Toilets 2 nos (Male & Female) 12500 x 2	25,000	---	5,000
11.	Occupational health checkup for 8 workers (@twice/year)@ 1000 x 2 x 8	Nil	---	16,000
12.	Provision of PPEs (helmets, safety shoes, safety glasses, gloves etc 8 x 2000)	16,000	---	4,000
Emergency Rescue Plan				
13	Fire Fighting Equipment's (1Nos) @ 20000 / fire fighting and first aid @ 2000 per kit	22,000		5,000
14	Safety signage and warning boards like red flags, cones, reflectors etc.	5,000		2,000
Solid Waste Management				
15.	a) Bins 2 Nos @ Rs 1500 each	3,000		2,000
	b) Pit and Composting	3,000		
	c) Transport of Dry Waste	4,000		

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक
दिनांक 21 मई 2024

16.	Distribution of the Led bulb to the nearby villagers for the carbon sequestration 200 nos @Rs100/bulb	20000		
17.	Cost for the crusher pollution control equipment	2,00,000		20,000
	Total	10,05,500	9000	1,83,000
		10,14,500		183000

सी.ई.आर मद में निम्नानुसार राशि :- 0.60लाख तथा सी.ई.आर. में प्रस्तावित सभी कार्य आगामी 6 माह में पूर्ण किये जाये :-

B.	सी.ई. आर. मद में प्रस्तावित गतिविधि	
1.	डोंडवाडा आयुष्मान आरोग्य मंदिर में ग्राम के स्वास्थ्य व्यवस्थाओं हेतु उल्लेखित राशि भूप्रवेश मिलने के 06 माह के भीतर जमा की जावेगी।	60,000/-
	योग	60,000/-

5. निम्नानुसार वृक्षारोपण कार्यक्रम अनुसार (सतत् सिंचाई, 5 वर्ष तक मृत पौधों का बदलाव तथा खनन अवधि तक रख-रखाव के साथ) कम से कम 1710 वृक्षों का वृक्षारोपण :-

कं.	वृक्षारोपण हेतु प्रस्तावित स्थान	पौधों की प्रजातियाँ	मात्रा (संख्या में)
1	बैरियर जोन में	स्थानीय पौधों की प्रजातियां जैस. खमेर, नीम, पीपल, सिस्सू , जंगल जलेबी, सफेदसिरिस करंज , सीताफल, चिरोल आदि	500
2	परिवहन मार्ग में (न्यूनतम ऊँचाई 1.5 मीटर ट्री-गार्ड के साथ)	स्थानीय पौधों की प्रजातियां जैस:- करंज, पीपल, बरगद, पुत्रंजीवा कदम्व आदि।	100
3	ग्रामीणों में पौधों का वितरण	स्थानीय पौधों की प्रजातियां जैसे:-संतरा, आमला, नींबू, सीताफल, आम, अनार, मुनगा, कटहल आदि फलदार पौधे।	1050

755 राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक
दिनांक 21 मई 2024

4	शासकीय माध्यमिक शाला परिसर में	स्थानीय पौधों की प्रजातियां जैसे:- कदम्ब, करंज, नीम, सिस्सू, पीपल, पाकर, पुत्रंजीवा, आदि।	60
---	--------------------------------	---	----

उपरोक्तानुसार वृक्षारोपण प्रथम वर्ष में किया जायें एवं लीज अवधि तक उन पौधों का रख-रखाव / मृत पौधों का बदलाव खनन् अवधि तक किया जाये। गारलेण्ड ड्रेन तथा सेटलिंग टैंक के बंड पर स्थानीय बीज बोबाई कर उनका संरक्षण किया जाना। परियोजना प्रस्तावक ग्रामीणों में पौधों का वितरण के समय गाँव का नाम, लाभांविता व्यक्ति का नाम एवं प्रजाति का विवरण देते हुए पर्यावरणीय स्वीकृति के पालन प्रतिवेदन में शामिल करेंगे।

अनुशंसा-प्रस्तुतीकरण एवं समीक्षा के आधार पर उपरोक्त विशिष्ट शर्तों के साथ परियोजना को पर्यावरण स्वीकृति जारी करने की अनुशंसा की जाती है।

13. Case No. 9663/23 Smt. Nisreen Pakawala, Lessee, Village-Rampuriya, Tehsil-Ratlam, District-Ratlam (MP)-457001. Prior Environment Clearance for Stone in an area of 2.00 ha. (Stone Quarry for Gitti – (Expansion from 5044 to 13,500 Cubic Meter/Year) (Khasra No. 273/16, 273/17), Village-Rampuriya, Tehsil-Ratlam, District-Ratlam (MP) [MIN/467090/2024] (EIA)

प्रस्तावित खदान B1 श्रेणी के अंतर्गत डिया द्वारा जारी पूर्व पर्यावरणीय स्वीकृति के पुनर्मूल्यांकन का है, जिसमें आज दिनांक 21.05.2024 को परियोजना प्रस्तावक निसरीन पाकावाला एवं उनके पर्यावरणीय सलाहकार अमित सक्सेना, मेसर्स एपेक्स मिनटेक कन्सलटेंट्स उपस्थित हुए और उनके द्वारा समिति के समक्ष प्रस्तुतीकरण किया गया।

परियोजना विवरण	परियोजना प्रस्तावक द्वारा प्रस्तुत दस्तावेज
परियोजना प्रस्तावक का नाम व पता	श्रीमति निसरीन पाकावाला पति भाब्वीर पाकावाला, निवासी -16, रामबाग, जिला रतलाम म.प्र.
खसरा नं./ क्षेत्रफल (सरकारी/निजी)	273/16, 273/17 (नॉन फॉरेस्ट लैंड) 2.00 हेक्टेयर भासकीय भूमि
स्थल	ग्राम रामपुरिया, तहसील एवं जिला रतलाम
लीज स्वीकृति	कार्यालय कलेक्टर (खनिज शाखा) जिला रतलाम के पत्र क्रमांक - 1422/खनिज/2016-17, दिनांक 07.02.2017 के द्वारा स्वीकृत।
ब्लास्टिंग/रॉक ब्रेकर	अनुमोदित खनन योजना अनुसार ब्लास्टिंग है।
प्रकरण की स्थिति	नया प्रोजेक्ट।
डिया ई.सी. का विवरण (यदि लागू हो)	डिया रतलाम के पत्र क्रमांक 550/DEIAA/2017-18 दिनांक 22.08.2017 के द्वारा पत्थर-5044 घनमीटर/वर्ष हेतु पर्यावरणीय अनापत्ति प्राप्त है।
उत्पादन क्षमता	परियोजना प्रस्तावक द्वारा पत्थर-13,500 एवं एम.सैण्ड 31,500 घनमीटर/वर्ष हेतु आवेदन किया गया है और अनुमोदित खनन

764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक दिनांक 05 जून 2024

Following standard conditions shall be applicable for the mining projects of minor mineral in addition to the specific conditions and cases appraised for grant of TOR:

Annexure- 'A'

Standard conditions applicable to Stone/Murram and Soil quarries:

1. Mining should be carried out as per the submitted land use plan and approved mine plan. The regulations of danger zone (500 meters) prescribed by Directorate General of Mines safety shall also be complied compulsorily and necessary measures should be taken to minimize the impact on environment.
2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars and fenced from all around the site. Necessary safety signage & caution boards shall be displayed at mine site.
3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded along with annual record of water consumed in sprinkling during Summer (February to May/June) and winter session (October to January) separately.
4. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
5. Mineral evacuation road shall be made pucca (WBM/black top) by PP.
6. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
7. Crusher with inbuilt APCD & water sprinkling system shall be installed minimum 100 meters away from the road and 500 meters away from the habitations only after the permissions of MP Pollution Control Board with atleast 04 meters high wind breaking wall of suitable material to avoid fugitive emissions.
8. Working height of the loading machines shall be compatible with bench configuration.
9. Slurry Mixed Explosive (SME) shall be used instead of solid cartridge.
10. The OB shall be reutilized for maintenance of road. PP shall bound to compliance the final closure plan as approved by the IBM.
11. Appropriate activities shall be taken up for social up-liftment of the area. Funds reserved towards the same shall be utilized through Gram Panchayat/competent authority.
12. Six monthly occupational health surveys of workers for Cardio-vascular & Pulmonary health, vital parameters as prescribed by concerned regulatory authority shall be carryout and all the workers shall be provided with necessary PPE's. Mandatory facilities such as Rest Shelters, First Aid, Proper Fire Fighting Equipments and Toilets (separate for male & female) shall also be provided for all the mine workers and other staff. Mine's site office, rest shelters etc shall be illuminated and ventilated through solar lights.
13. A separate bank account should be maintained for all the expenses made in the EMP and CER activities by PP for financial accountability and these details should be provided in Annual Environmental Statement. In case the allocated EMP budget for mitigative measures to control the pollution is not utilized fully, the reason of under utilization of budgetary provisions for EMP should be addressed in annual return.
14. To avoid vibration, no overcharging shall be carried out during blasting and muffle blasting shall be adopted. Blasting shall be carried out through certified blaster only and no explosive will be stored at mine site without permission from the competent authority.
15. Mine water should not be discharged from the lease and be used for sprinkling & plantations. For surface runoff and storm water garland drains and settling tanks (SS pattern) of suitable sizes shall be provided.
16. All garland drains shall be connected to settling tanks through settling pits and settled water shall be used for dust suppression, green belt development and beneficiation plant. Regular de-silting of drains and pits should be carried out.
17. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
18. The amount towards reclamation of the pit and land in MLA shall be carried out through the mining department. The appropriate amount as estimated for the activity by mining department has to be deposited with the Collector to take up the activity after the mine is exhausted.

764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक

दिनांक 05 जून 2024

19. NOC of Gram Panchayat should be obtained for the water requirement and forest department before uprooting any trees in the lease area. PP shall take Socio-economic activities in the region through the 'Gram Panchayat'.
20. The leases which are falling <250 meters of the forest area and PP has obtained approval for the Divisional Level Commissioner committee, all the conditions stipulated by Divisional Level Commissioner committee shall be fulfilled by the PP.
21. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed mining unit shall require a fresh Environment Clearance.
22. If it being a case of Temporary Permit (TP), the validity of EC should be only up to the validity of TP and PP has to ensure the execution of closure plan.
23. All the mines where production is > 50,000 cum/year, PP shall develop its own website to display various mining related activities proposed in EMP & CER along with budgetary allocations. All the six monthly progress report shall also be uploads on this website along with MoEF&CC & SEIAA, MP with relevant photographs of various activities such as garland drains, settling tanks, plantation, water sprinkling arrangements, transportation & haul road etc. PP or Mine Manager shall be made responsible for its maintenance & regular updation.
24. All the soil queries, the maximum permitted depth shall not exceed 02 meters below general ground level & other provisions laid down in MoEF&CC OM No. L-11011/47/2011-IA.II(M) dated 24/06/2013.
25. The mining lease holders shall after ceasing mining operation, undertake re-grassing the mining area and any other area which may have been disturbed due to their mining activities and restore the land to a condition which is fit for growth of fodder, flora , fauna etc. Moreover, a separate budget in EMP & CER shall maintained for development and maintenance of grazing land as per the latest O.M, of MoEF&CC issued vide letter F.No. 22-34/2018-IA. III, dated 16/01/2020.
26. The project proponent shall follow the mitigation measures provided in MoEF&CCs Office Memorandum No. Z-11013/57/2014-IA. II (M) dated 29th October 2014, titled "Impact of mining activities on Habitations-issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".
27. Any change in the correspondence address shall be duly intimated to all the regulatory authority within 30 days of such change.
28. Authorization (if required) under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 should be obtained by the PP if required.
29. A display board (in hindi) with following details of the project is mandatory at the entry to the mine.
 - a. Lease owner's Name, Contact details etc.
 - b. Mining Lease area of the project (in ha.) with latitude and longitude.
 - c. Length, breadth, sanctioned depth of mine and mining time.
 - d. Sanctioned Production capacity of the project as per EC and Consent of MPPCB.
 - e. Method of mining (Mannual/Semi Mechanised) and Blasting or Non-blasting.
 - f. Plantation and CER activities.
30. Dense plantation/ wood lot shall be carryout in the 7.5 meters periphery/barrier zone of the lease through concern CCF (social forestry) or concerned DFO or any other suitable agency and on mineral evacuation road & common area in the village through any suitable Govt. agency (such as Van Vikas Nigam / Van Samiti under monitoring and guidance of Forest Range officer with work permission from DFO concerned / Gram Panchayat / Agricultural department or any other suitable agency having adequate expertise as per the budgetary allocations made in the EMP.
31. Entire plantation proposed in barrier zone of lease area shall be carried out as per submitted plantation scheme and along the fencing seed sowing of Neem, Babool, Safed Castor etc shall also be carried out.
32. Top soil shall be simultaneously used for the plantation within the lease area and no OB/dump shall be stacked outside the lease area. PP should take-up entire plantation activity within initial three years of mining operations and shall maintain them for entire mine life including casualty replacement. PP should also maintain a log book containing annual details of tree plantation and causality replacement and to take adequate precautions so as not to cause any damage to the flora and fauna during mining operations. PP shall explore the possibility for plantation in adjoining forest land in consultation with concerned DFO and commensurate budget shall be transferred for plantation to DFO.
33. Local palatable mixture of annual and perennial grass and fodder tree species shall be planted for grassland/fodder development on degraded forest land through forest department or on other community land available for grassland

764वी ए राज्य स्तरीय विशेषज्ञ मूल्यांकन समिति की बैठक

दिनांक 05 जून 2024

and fodder development through Gram Panchayat in concerned village and handed over to Gram Panchayat after lease period.

34. Before onset of monsoon season as per submitted plantation scheme fruit bearing species preferably of fodder / native shall be distributed in nearby villagers to promote plantation and shall be procured from social forestry nursery/ Government Horticulture nursery. This activity shall be carried out under Govt. of Madhya Pradesh "ANKUR YOJNA" by registering individual villagers on "Vayudoot app". Where ever Aushadhi Vatika (Medicinal Garden) is proposed by PP, a minimum of 50 saplings be planted considering 80% survival with proper protection measures in School or Anganwadi premises.
35. Adequate provisions of water for irrigating plantation shall be made by PP.
36. Activities proposed under CER should be based upon outcome of public hearing in category for B-1 projects. However in case of B-2 projects, CER shall be proposed based upon local need assessment and Gram Panchayat Annual Action Plan.

Annexure- 'B'

Standard conditions applicable for the Sand Mine Quarries*

1. District Authority should annually record the deposition of sand in the lease area (at an interval of 100 meters for leases 10 ha or > 10.00 ha and at an interval of 50 meters for leases < 10 ha.) before monsoon & in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority shall allow lease holder to excavate only the replenished quantity of sand in the subsequent year.
2. The lease boundary should be clearly demarcated at site with the given co-ordinates by pillars. Necessary safety signage & caution boards shall be displayed at mine site.
3. Arrangements for overhead sprinklers with solar pumps / water tankers should be provided for dust suppression at the exit of the lease area and fixed types sprinklers on the evacuation road. PP should maintain a log book wherein daily details of water sprinkling and vehicle movement are recorded.
4. Only registered vehicles/tractor trolleys with GPS which are having the necessary registration and permission for the aforesaid purpose under the Motor Vehicle Act and also insurance coverage for the same shall alone be used for said purpose.
5. Transportation of material shall only be done in covered & PUC certified vehicles with required moisture to avoid fugitive emissions. Transportation of minerals shall not be carried out through forest area without permissions from the competent authority.
6. Mineral evacuation road shall be made Pucca (WBM/black top) by PP.
7. Sand and gravel shall not be extracted up to a distance of 1 kilometer (1Km) from major bridges and highways on both sides, or five times (5x) of the span (x) of a bridge/public civil structure (including water intake points) on up-stream side and ten times (10x) the span of such bridge on down-stream side, subjected to a minimum of 250 meters on the upstream side and 500 meters on the downstream side.
8. Mining depth should be restricted to 3 meters or water level, whichever is less and distance from the bank should be 1/4th or river width and should not be less than 7.5 meters. No in-stream mining is allowed. Established water conveyance channels should not be relocated, straightened, or modified.
9. Demarcation of mining area with pillars and geo-referencing should be done prior to the start of mining.
10. PP shall carry out independent environmental audit atleast once in a year by reputed third party entity and report of such audit be placed on public domain such audits be placed on public domain through website developed for public interface along with photographs of work done w.r.t. EMP as well as CER.
11. No Mining shall be carried out during Monsoon season.
12. The mining shall be carried out strictly as per the approved mine plan and in accordance with the Sustainable Sand Mining Management Guidelines, 2016 and Enforcement & Monitoring Guidelines for Sand Mining, 2020 issued by the MoEF&CC ensuring that the annual replenishment of sand in the mining lease area is sufficient to sustain the mining operations at levels prescribed in the mining plan.
13. If the stream is dry, the excavation must not proceed beyond the lowest undisturbed elevation of the stream bottom, which is a function of local hydraulics, hydrology, and geomorphology.
14. After mining is complete, the edge of the pit should be graded to a 2.5:1 slope in the direction of the flow.