

## State Environment Impact Assessment Authority, M.P. (Government of India, Ministry of Environment & Forests)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony

Bhopal-4620 16 visit us http://www.mpseiaa.nic.in Tel:0755-2466970, 2466859

Fax: 0755-2462136

No:2087 SEIAA/2015 Date: 121/1100

To, Shri S.K. Mishra, Executive Engineer, Bhopal Development Authority, Bhopal Pragati Bhawan, Press Complex, M.P. Nagar, Zone-1, Bhopal, (M.P)–462011

Sub:- Case No. 1829/2014 Prior Environmental Clearance proposed Project Construction of "Residential Area Development under the scheme of Sardar Ballabh Bhai Patel Aawasiya Yojna MISROD Phase II, at Villages Bawadia Kalan, Salliya & Misrod, Tehsil Huzur, Distt. Bhopal (MP) Total Plot Area- 230.27 Acres (931890 sq.m) and excluding the canal of 10.60 acres (42899.1 sqm), the net planning area is 219.67 acres (888991.4 sq.m) and Built up area of 4,76,801.04 sq.m (53.64%), by Shri S.K. Mishra, Executive Engineer, Bhopal Development Authority, Bhopal Pragati Bhawan, Press Complex, M.P. Nagar,Zone-1,Bhopal,(MP)-462011 Env.Consultant-Vitya Consultancy, Hyderabad.

Ref: Your application dtd. 26.09.2014 received in SEIAA office on 27.09.2014.

With reference to above the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14<sup>th</sup> September 2006 and its amendment, on the basis of the mandatory documents enclosed with the application viz., Form I, Form IA, Conceptual Plan, drawings and subsequently submission of EIA & the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- i. The proposed project is "Residential Area Development" under the scheme of Sardar Ballabh Bhai Patel Aawasiya Yojna MISROD Phase II, having total land area 230.27 Acres (931890 sq m) and built up area is 4,76,801.04 sq.m by virtue of the size of plot area (more than 50 hectares) and built up area is more than 1,50,000 sq.m. the project comes under 8(b) category (B) of schedule of EIA Notification, 2006.
- ii. The total land area is 93.191 ha (T & CP Bhopal letter No.1028 dtd. 16.06.14) at Villages Bawadia Kalan, Salliya and Misrod, Tehsil Huzur, Distt. Bhopal. (M.P). As per Vigyapan, office of Bhopal Development Authority, Bhopal published vide no. /02 / BDA / 09 dtd 10.09.2009 Part 3 (1) in GoMP Gazette Notification for

(Ajatshatru Shrivastava) Member Secretary

Case No. 1829/2014

Issued vide letter noc 1987 - 88 dated 1.7.1.61/5 Case No.: To be guoted in registered cases for correspondence

land area 17.771 ha in Bawadia Kalan, 33.63 ha in Misrod and 41.79 ha in Salliya village (total area 93.191 ha). The project includes total plots 3549 (commercial plots 18, shop cum residential 184 and residential 3347).

- iii. The source of water supply is Municipal Corporation; Bhopal (letter dtd. 15.09.14) The total water requirement is 2755 KLD. The waste water generation is 2203KLD and STP capacity is 2280 KLD (2 STP's of 195 KLD & 3 STP's of 630 KLD capacity each will be come in phased manner). The net treated waste water is 1982 KLD Out of this 400 KLD water will be used for horticulture and remaining 1582 KLD is proposed to be discharged in sewer line. (Municipal Corporation Bhopal dtd. 20.03.15)
- iv. The MSW (8.6 tons/day) is proposed to be segregated at source and and collected in three coloured bins and disposed off at trenching site of BMC (letter dtd. 25.02.15). The Hazardous waste used oil from DG set is proposed to be stored in HDPE drums and sold to authorized recyclers. Bio Medical waste will be generated from dispensary which is proposed to be collected as per the Bio Medical waste handling and management rules and handed over to authorized agency.
- v. PP has proposed to provide two dedicated Fire Fighting storage tanks with a total capacity of 4, 40,000 Litres capacity to meet the needs of the requirements in emergency, external fire hydrant system, wet riser system, sprinklers system in non-residential building, water curtain in stilt, fire escape staircase & portable fire extinguisher.
- vi. PP has proposed to provide 24m width Separate entry and exit roads from 30m main master plan road and internal roads of 24m, 12m, 9m, 7.5m, 7m.
- vii. PP has proposed to provide 7000 sq.m.(15%) at common areas and approx. 243 no of ECS (@ 23 sq.m) and 311 no of two wheelers (@ 4.5 sq.m) at open space and at individual plot level own parking.
- viii. The total power requirement is 18041 KVA. PP has also proposed DG Sets for power back up. The source of power supply is MPPGCL. PP has proposed roof top rain water harvesting system for ground water recharging with 80 nos. of recharging pit.
- ix. PP has proposed to provide roof top rain water harvesting system for ground water recharging with 80 nos. of recharging pit.
- x. Out of the total land (931890 sq.m.) an area of 89148.14 sq.m. (10.03%) is proposed to be developed as green area.

Based on the information submitted at Para i to ix above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 199<sup>th</sup> meeting held on 12.05.15 and decided to accept the recommendations of 182<sup>nd</sup> SEAC meeting held on dtd. 28.03.15

Hence, Environmental Clearance is accorded under the provisions of EIA notification dtd. 14<sup>th</sup> September 2006 and its amendments to the proposed Construction of "Residential Area Development under the scheme of Sardar Ballabh Bhai Patel Aawasiya Yojna MISROD Phase II, at Villages Bawadia Kalan, Salliya and Misrod, Tehsil Huzur, Distt. Bhopal. (M.P) Total Plot Area- 230.27 Acres (931890 sq.m) and

(Ajatshatru Shrivastava) Member Secretary

Case No. 1829/2014
Issued vide letter no 2.087 .8.9. dated ./.3:6:// Case No.: To be quoted in registered cases for correspondence

excluding the canal of 10.60 acres (42899.1 sq.m), the net planning area is 219.67 acres (888991.4 sq.m) and Built up area of 4,76,801.04 sq.m (53.64%), by Shri S.K. Mishra, Executive Engineer, Bhopal Development Authority, Bhopal Pragati Bhawan, Press Complex, M.P. Nagar, Zone-1, Bhopal, (M.P) subject to the compliance of the Standard Conditions enclosed at Annex-I and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

#### A. Specific Conditions as recommended by SEIAA

- 1. PP should ensure that the entire water demand is met through Municipal Corporation, Bhopal and there is no extraction of ground water.
- 2. PP should ensure that the discharge of extra treated waste water (1582 KLD) is linked with municipal sewer line.
- 3. PP should provide compactors for MSW and ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.
- 4. PP should obtain authorization from MPPCB regarding hazardous waste disposal.
- 5. Bio Medical Waste (Handling and management) rules should be followed strictly for the disposal of bio medical waste.
- 6. PP should ensure:
  - a) To provide fire fighting provision as per National Building Code (2005) and MPBVR, 2012 and ensure that all the fire fighting measures are physically in place.
  - To earmark the space for fire station arrangement in future.
- 7. PP should ensure road width; MOS and Open spaces as per MPBVR 2012.
- 8. PP should ensure rain water harvesting.
- 9. PP should ensure installation of photovoltaic cells (solar panels) for lighting in common areas, LED light fixtures and energy efficient equipments.
- PP should ensure car parking as per norms in MPBVR 2012.
- 11. Green belt:
  - PP should ensure plantation in 20% of the total plot area.
  - ii. Plantation should be done in two rows all along the periphery of the project area, along, avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc along with ornamental varieties
  - iii. PP should provide protection and buffer zone with double row plantation on both the sides of the Kalisote canal passing through the site.
  - iv. Every effort should be made to protect the existing trees on the plot.
- 12. PP should ensure to increase the area of community hall along with adequate parking facility.

(Ajatshatru Shrivastava) Member Secretary

Case No. 1829/2014

Issued vide letter no 2097 - QQ. dated 19:4:10 Case No.: To be guoted in registered cases for correspondence

13. PP should ensure Regular water quality monitoring of the canal so as to ascertain the water quality as per CPCB norms for irrigation.

#### B. Specific Conditions as recommended by SEAC

- 14. Project proponent i.e. BDA shall explore the possibility of providing infrastructure needed for dual plumbing in individual houses. Suitable 'PPP' model can also be worked out in this matter.
- 15. Necessary consents and authorization under the provisions of respective Acts shall be obtained from MPPCB.
- 16. Fresh water requirement for the project shall not exceed 2754 KLD. The same shall be ensured from the Municipal Corporation water supply.
- 17. Locations of the MSW bins and collection center for MSW shall be ear-marked before launching the operation of the project.
- 18. Press-filter dried STP sludge and the MSW shall not be stored at site for more than 48 hours; accordingly space of appropriate size shall be developed at suitable location within the project premises.
- Appropriate play spaces shall be developed in the project.

20. All the directions issued by Hon'ble Supreme Court of India/National Green Tribunal/Ministry of Environment, Forest & Climate Change, New Delhi from time to time shall be applicable.

Encl: Standard Conditions (Annex-I)

Endt No. Dated 17.6.15 (Ajatshatru Shrivastava)

Copy to:-

- (1).Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3).Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, Distt-Bhopal -M.P.
- (5). The Commissioner, Municipal Corporation, Bhopal, MP
- (6). The Jt. Director, Town & Country Planning, Paryavaran Parisar, E-5, Arera Colony, Bhopal (M.P.)
- (7). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 110 003
- (8). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.

(9). Guard file.

Encl: Standard Conditions (Annex-I)

O (Ajatshátru Shrivastava) Member Secretary

Case No. 1829/2014

Issued vide letter nex2284 788. dated 14:61.15 Case No.: To be quoted in registered cases for correspondence

4 of 4

(Government of India, Ministry of Environment & Forests) Research and Development Wing, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

Annex-I

Standard Conditions related to under item 8 (a) & 8 (b) of the schedule of EIA notification, 2006 (Building/ construction projects / area development projects & township)

#### A. Construction Phase

- The construction site shall be provided with adequately barricades of at least 3 m height on its periphery with adequate signage.
- 2. All required sanitary and hygienic measures should be in place before starting any construction work and are to be maintained throughout the project phase.
- 3. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile foilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 4. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to dust etc. shall be carried out. Periodic monitoring for exposure to respirable dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of dust on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically.
- 5. A First Aid Room will be provided in the project both during construction and operation of the project.
- 6. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- 7. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- 8. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.

Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control

Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge (Dr Sadhna Tiwari) Officer-in-Charge

lof 6

. SEIAA/EPCO Issued Vide No 87 - 894EIAA/EPCO

(Government of India, Ministry of Environment & Forests) Research and Development Wing, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

- 11. The diesel generator sets (if any) to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for
- 12. The diesel required (if any) for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- 13. Wastewater generated from temporary leabour tents will be diverted to the sewer network
- 14. No water logging should take place at any point during construction phase.
- 15. If the project site is located within the 100 km of Thermal Power Stations, then fly ash should be used as building material in the construction as per the provisions of Fly ash Notification of September, 1999 and amended as on 27th August, 2003.
- 16. As far as possible ready mixed concrete should be used in construction work.
- 17. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 18. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated
- 19. Storm water control and its use should be as per CGWB and BIS standards for various
- 20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- Care shall be taken during the wet drilling activities.
- 22. Spread of contaminated water should be prevented by installing temporary barriers of
- 23. To prevent surface and ground water contamination by oil/grease, leak proof containers shall be used for storage and transportation of oil/grease. The floors of oil/grease handling area will be kept effectively impervious.
- 24. On-site burning of waste material will not be permitted.
- 25. Ground water should not be used during construction phase. Private tanker water suppliers may be asked to supply water during construction phase.
- 26. Commitment towards CSR have to be followed strictly.

27. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

(DrRPSingh 3.4.12 Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge

(Dr Sadhna Tiwari)

2 of 6

Officer-in-Charge SEIAA/EPCO

Issued Vide No. 9081 BRELAA/EPCO

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- 28. Wherever possible, the area around the STP / ETP should be surrounded with dense green belt.
- To reduce the electricity consumption and load on air conditioning, high quality double glass with special reflective coating in windows should be promoted.
- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- 31. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- 32. Approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.

#### B. Operation Phase

- 1. The installation of the Sewage Treatment Plant (STP) as submitted by PP in the office of SEIAA should be certified by an independent expert and a report in this regard should be submitted to the Regional office of the Ministry of Environment & Forest, Gol before the project is commissioned for operation. Treated effluent discharge from STP shall be recycled/reused to the maximum extent possible. Treated effluent shall conform to the norms and standards of the M.P. Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
- 2. Treated waste water should not be used for air conditioning.
- Treatment of 100% grey water by decentralized treatment should be done.
- The bio-medical waste (if applicable) generated should be disposed off as per the provisions of Bio-medical waste (Management and Handling) Rules 1988 as amended till date.
- Provision of separate entrance / exit gate should be made for collection of segregated bio-medical waste (if applicable) from the storage area.
- The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material as per CPCB norms.
- 7. Diesel power generating sets if proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and confirm to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Low sulphur diesel must be used. The location of the DG sets may be decided with in consultation with Madhya Pradesh Pollution Control Board.

(Dr R P Singh) Officer-in-Charge (Dr Vinita Vipat) Officer-in-Charge

(Dr Sadhna Tiwari) Officer-in-Charge

3 of 6

Idented Vide No 2022-88 IA NEECO

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- No water logging should take place at any point during operation phase.
- The Project Proponent shall explore the possibility of using solar energy wherever possible.
- 10. Provision for plantation has to be made as per Madhya Pradesh Bhumi Vikas Niyam,
- 11. Any hazardous waste generated during operation phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.
- Noise should be controlled to ensure that it does not exceed the prescribed standards of CPCB.
- 13. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
- 14. Rain water harvesting for roof run- off and surface run- off, should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
- The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- 16. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- 17. A Report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Regional office of Ministry of Environment & Forest, Gol in three months time.
- 18. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
- The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
- Ozone Depleting Substances (Regulation & Control) Rules shall be followed while designing the air conditioning system (if any) of the project.

(Dr R P Singh) Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge (Dr Sadhna Tiwari) Officer-in-Charge

4 of 6

(Government of India, Ministry of Environment & Forests) Research and Development Wing, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

#### Others

- 1. All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.
- 2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
- 3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
- 4. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.
- 5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, Gol, and its Regional Office located at Bhopal.
- 6. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
- 7. The Environmental Clearance shall be valid for a period of five years from the date of
- 8. The project proponent shall also submit six monthly reports on 1st June and 1st December of each calendar year on the status of compliance of the stipulated EC conditions including results of monitored data to the regulatory Authority in hard and soft copies.
- 9. The Regional Office, MoEF, Gol, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, Gol at Bhopai and MPPCB.
- 10. The Project Proponent shall inform to the Regional Office, MoEF, Gol, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- 11. In the case of expansion or any change(s) in the scope of the project, the project shall again require prior Environmental Clearance as per EIA notification, 2006.
- 12. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 13. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.

Officer-in-Charge

(Dr Vinita Vipat)

Officer-in-Charge

(Dr Sadhna Tiwari)

5 of 6

Officer-in-Charge

Issued Vide N Isqued Vide N. 20

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- 14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1,991 and EIA Notification, 2006.
- 15. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO<sub>2</sub>, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and in the public domain.
- 16. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
- 17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
- 19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the State Level Environment Impact Assessment Authority (SEIAA) at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.

 Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

(Dr R P Singh)

Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge (Dr Sadhna Tiwari) Officer-in-Charge

6 of 6

Issued Vide No. 69 - 8 SEIAA/EPCO