

State Environment Impact Assessment Authority, M.P. (Government of India, Ministry of Environment & Forests)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16
Visit us http://www.mpseiaa.nic.in
Tel:0755-2466970, 2466859
Fax: 0755-2462136

No: 5692 /SEIAA/2015 Date: 21.9.11

To,
Shri N.D. Ahirwar,
Executive Engineer,
M.P. Housing & Infrastructure Development Board
Division No. 3, Amrapali Arcade, Bagmugalia Extension
Bhopal M.P.-462043

Sub:- Case No 2550/2015 Application for Prior Environmental Clearance for proposed Project Phase "Construction of 536 Multi Storied Flats & 168 Duplex" at Katara Hills, Bhopal, MP; Total plot area 5.8026 ha (58,027.43 sqm) out of 18.66 ha and built-up area- 1,14,611.14 sq.m by Executive Engineer M.P. Housing & Infrastructure Development Board through Shri N.D. Ahirwar, Dn.-3, Amrapali Arcade, Bagmugalia Extension Bhopal M.P.-462043 E-mail dn3bhopal@mphousing.in Telephone No. 0755- 2481648

Ref: Your application dtd. 04.03.15 received in SEIAA office on 05.03.2015

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, Form IA, Conceptual Plan, ppt. drawings & the additional clarifications furnished in response to the observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i). The proposed project is high-rise building construction & township area development project "construction of 536 Multi Storied Flats (G+20) & 168 Duplex" in Phase-1 having total built up area 1,14,611.14 sq.m. The project comes under 8(a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sqm & 1,50,000 sqm and plot area is less than 50 ha.
- (ii). As per the approval of T & CP, Bhopal (vide letter 982 dtd 04.05.14) total land area is 18.660 ha. Out of this 5.802 ha is allocated for the project at village Katara, Tehsil – Huzur, District Bhopal (M.P.) As per Khasara Panchsala 2011-12 the land (18.660 ha) is in the name of Madhya Pradesh Griha Nirman Mandal S.No.-3 Bhopal.

(Ajatshatru Shrivastava) Member Secretary

Case No. 2550/2015

Issued vide letter no. 5682-83 dated \$1.9115

Case No.: To be quoted in registered cases for correspondence

1 of 4

- (iii). The source of water supply is Municipal Corporation, Bhopal (letter dtd. 07.11.14). The total water requirement is 522 KLD (fresh water 243 KLD). The waste water generation is 414 KLD and STP 600 KLD (04 STP with 150 KLD capacities). Three STP will be working and one will be standby in case of failure. The net treated waste water is 330 KLD, out of which 279 KLD shall be recycled & 51.0 KLD will be used for MP housing & Infrastructure Development Board construction sites (PP commitment letter dtd. 25.08.15) PP has also proposed 1000 KLD underground tank for storage of excess treated waste water.
- The MSW 2565.44 kg/day (MSW-1936 kg/day, Horticulture waste 277.4 (iv). kg/day, street sweeping-352 kg/day) is proposed to be segregated through two coloured bins system with a secondary processing unit within the site. During the operation of STP approx. 4.0 kg of sludge will be produced which is proposed to be compressed and used as manure in the project site. Final disposal shall be through Municipal Corporation Bhopal (BMC letter dtd. 27.08.15)
- The maximum height of the building is ranging from 30 m to 60 m for different towers (Stilt + upto 20 floors). PP has submitted high-rise permission from T & CP dtd 21.01.2014. The 60 m wide master plan road is proposed adjoining the site. PP has provided width of main access road of 18 m & 24 m; front MOS 18.0 m and rear 9.0 m/6.0 m.
- PP has proposed to provide water sprinklers, fire fighting extinguishers, fire hydrant pipe, underground storage tank, 4 way fire brigade inlet connection etc. as per NBC 2005.
- PP has submitted roof top rain water harvesting system with 5 nos of recharging pits. PP has also submitted storm water drainage plan.
- The total power requirement is 2929 KVA the source is Madhya Pradesh (viii). Power Corporation Limited and one DG set of 250 KVA has been proposed for the project. For energy conservation PP has proposed LED in common areas to reduce the load on conventional lighting system, solar lighting for streets, photo electric sensors etc.
 - PP has proposed to provide parking for 793 ECS (open 1547.0 sqm / 25= 62 ECS; Stilt-4254.01sq.m/30=142ECS; Basement-1(Podium) = sq.m./35= 367 ECS, Basement- 2 = 7792.97 sqm / 35 = 222 ECS).
 - (x). PP has proposed 10,648 sq.m.(18.35 % of the net Phase-1 area) to be developed as green area. PP has proposed to plant 1044 trees.
- Under CSR activities PP has proposed to provide amenities for re-(xi). densification of Jhagriya Khurd Jhuggis and has proposed to develop Community Centre, Waterline system, Sewer line septic tank, Over head tank, Sump well, Approach road, Internal roads, Park in this area. In addition PP has proposed to develop Sewage system, Drainage system in the adjoining villages Katara, Laharpur, Rapadiya and Barrai. PP has also proposed a skill development centre for Mason, Carpenter, Plumber, Electrician at Rapadiya

(Ajatshatru Shrivastava) Member Secretary

village which after construction shall be handed over to Gram Panchayat. A budget provision of Rs. 612 Lakh has been made for CSR activities.

Based on the information submitted at Para i to x above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 230th meeting held on 27.08.15 and decided to accept the recommendations of **SEAC** 208th meetings dtd. 23.07.15

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14.09.2006 to the proposed building construction for proposed Project (Phase-1) "Construction of 536 Multi Storied Flats & 168 Duplex" at Katara Hills, Bhopal, MP Total plot area- 5.8026 ha (58,027.43 sqm) and built-up area-1,14,611.14 sq.m by Executive Engineer M.P. Housing & Infrastructure Development Board through Shri N.D. Ahirwar, Dn.-3, Amrapali Arcade, Bagmugalia Extension Bhopal M.P.-462043 subject to the compliance of the Standard Conditions enclosed at **Annex-I** and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

 The entire demand of fresh water should be met from municipal supply and there should be no extraction of ground water.

2. PP should ensure:

a. PP should ensure the use of extra treated waste water in their construction site and there should be zero discharge of waste water from the project site.

b. PP should obtain clear NOC from Nagar Nigam Bhopal and ensure linkage with municipal sewer line for disposal of waste water whenever municipal sewer line is laid in the project area.

c. PP should construct a sump well / underground tank for storage of extra treated waste water.

3. PP should ensure:

- a. Compactors for MSW.
- Three bin system for segregated collection of waste.
- c. Linkage with Bhopal Municipal Corporation for final disposal of MSW.
- PP should ensure road width; MOS and Open spaces as per MPBVR 2012 Rule 42 (2); table 5 for buildings height upto 60 m.
- 5. As per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.
- PP should ensure the rain water harvesting. In addition, PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.

Power & Energy:

a. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures, and other energy efficient equipments.

> (Ajatshatru Shrivastava) Member Secretary

07

Case No. 2550/2015

Issued vide letter no. 5682-83 dated 21:9:1(

Case No.: To be quoted in registered cases for correspondence

- b. PP should provide at least two DG sets.
- PP should provide car parking as per Rule no. 84 Table 1.3 of MPBVR 2012.
 - a. PP should ensure plantation in 10,648 sq.m.(18.35 % of the net Phase-1 area) and plant 1044 tree saplings at least 3 years old.
 - b. Plantation should be done in two rows all along the periphery of the project area, along, avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties.
 - c. Every effort should be made to protect the existing trees on the plot.
- 9. PP should ensure CSR activities as proposed.

B. Specific Conditions as recommended by SEAC

- 10. Fresh water requirement for the project shall not exceed 240 KLD.
- 11. Modular type of STP shall be planned in phased manner.
- The excess treated water shall be stored appropriately and efforts shall be made to supply this water to the construction sites for use in the construction works.
- STP sludge shall be filter-pressed and the de-watered sludge shall be disposed off with the MSW.

14. Power back-up for un-interrupted operations of STP shall be ensured

Standard Conditions - Encl: Annex-I

(Ajatshatru Shrivastava) Member Secretary

OIL

Endt No.

/ SEIAA/ 15

Dated 21 '9'15

Copy to:-

- Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- Member Secretary, MPPCB, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- The Collector, Distt- Bhopal -M.P.
- (5). The Commissioner, Municipal Corporation, Bhopal, MP
- (6). The Jt. Director, Town & Country Planning, Bhopal, MP
- Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.

(9). Guard file.

Encl: Standard Conditions (Annex-I)

(Ajatshatru Shrivastava) Member Secretary

Case No. 2550/2015

Issued vide letter no. 5682-83 dated 21.911

Case No.: To be quoted in registered cases for correspondence

210

4 of 4

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

Annex-I

Standard Conditions related to under item 8 (a) & 8 (b) of the schedule of EIA notification, 2006 (Building/ construction projects / area development projects & township)

A. Construction Phase

- The construction site shall be provided with adequately barricades of at least 3 m height on its periphery with adequate signage.
- 2. All required sanitary and hygienic measures should be in place before starting any construction work and are to be maintained throughout the project phase.
- 3. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile foilets, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- 4. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to dust etc. shall be carried out. Periodic monitoring for exposure to respirable dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of dust on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically.
- A First Aid Room will be provided in the project both during construction and operation of the project.
- 6. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
- 7. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.

 Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.

(Dr R P Singh) Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge (Dr Sadhna Tiwari) Officer-in-Charge 1 of 6

ISSIRED 21-915

(Government of India, Ministry of Environment & Forests) Research and Development Wing, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- 11. The diesel generator sets (if any) to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for
- 12. The diesel required (if any) for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- 13. Wastewater generated from temporary leabour tents will be diverted to the sewer network
- 14. No water logging should take place at any point during construction phase.
- 15. If the project site is located within the 100 km of Thermal Power Stations, then fly ash should be used as building material in the construction as per the provisions of Fly ash Notification of September, 1999 and amended as on 27th August, 2003.
- As far as possible ready mixed concrete should be used in construction work.
- 17. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 18. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated
- 19. Storm water control and its use should be as per CGWB and BIS standards for various
- 20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- Care shall be taken during the wet drilling activities.
- 22. Spread of contaminated water should be prevented by installing temporary barriers of
- 23. To prevent surface and ground water contamination by oil/grease, leak proof containers shall be used for storage and transportation of oil/grease. The floors of oil/grease handling area will be kept effectively impervious.
- On-site burning of waste material will not be permitted.
- 25. Ground water should not be used during construction phase. Private tanker water suppliers may be asked to supply water during construction phase.
- 26. Commitment towards CSR have to be followed strictly.

27. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

(Dr R P Singh 4.4) Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge

(Dr Sadhna Tiwari) Officer-in-Charge

2 of 6

VIGO 5682-83 ELAA/EPCO ISSUET VICE MUST ALLOSEIA AVERCO

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- 28. Wherever possible, the area around the STP / ETP should be surrounded with dense green belt.
- To reduce the electricity consumption and load on air conditioning, high quality double glass with special reflective coating in windows should be promoted.
- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- 31. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- 32. Approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.

B. Operation Phase

- 1. The installation of the Sewage Treatment Plant (STP) as submitted by PP in the office of SEIAA should be certified by an independent expert and a report in this regard should be submitted to the Regional office of the Ministry of Environment & Forest, Gol before the project is commissioned for operation. Treated effluent discharge from STP shall be recycled/reused to the maximum extent possible. Treated effluent shall conform to the norms and standards of the M.P. Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
- 2. Treated waste water should not be used for air conditioning.
- Treatment of 100% grey water by decentralized treatment should be done.
- The bio-medical waste (if applicable) generated should be disposed off as per the provisions of Bio-medical waste (Management and Handling) Rules 1988 as amended till date.
- Provision of separate entrance / exit gate should be made for collection of segregated bio-medical waste (if applicable) from the storage area.
- The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material as per CPCB norms.
- 7. Diesel power generating sets if proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and confirm to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Low sulphur diesel must be used. The location of the DG sets may be decided with in consultation with Madhya Pradesty Pollution Control Board.

(Dr R P Singh)
Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge

(Dr Sadhna Tiwari) Officer-in-Charge

3 of 6

Died Vide N 5682-83 LANEPCO

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- No water logging should take place at any point during operation phase.
- The Project Proponent shall explore the possibility of using solar energy wherever possible.
- 10. Provision for plantation has to be made as per Madhya Pradesh Bhumi Vikas Niyam, 1984.
 - 11. Any hazardous waste generated during operation phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.
 - Noise should be controlled to ensure that it does not exceed the prescribed standards of CPCB.
 - 13. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
 - 14. Rain water harvesting for roof run- off and surface run- off, should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
- The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- 16. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- 17. A Report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Regional office of Ministry of Environment & Forest, Gol in three months time.
- 18. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
- 19. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
- Ozone Depleting Substances (Regulation & Control) Rules shall be followed while designing the air conditioning system (if any) of the project.

(Dr R P Singh) Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge (Dr Sadhna Tiwari) Officer-in-Charge 4 of 6

Assued Vide Nos 882-83 AA EPCO

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

C. Others

- All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.
- All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
- All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
- Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.
- The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, GoI, and its Regional Office located at Bhopal.
- The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
- The Environmental Clearance shall be valid for a period of five years from the date of issue of this letter.
- The project proponent shall also submit six monthly reports on 1st June and 1st December
 of each calendar year on the status of compliance of the stipulated EC conditions
 including results of monitored data to the regulatory Authority in hard and soft copies.
- The Regional Office, MoEF, Gol, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report. Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, Gol at Bhopal and MPPCB.
- 10. The Project Proponent shall inform to the Regional Office, MoEF, Gol, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
- In the case of expansion or any change(s) in the scope of the project, the project shall again require prior Environmental Clearance as per EIA notification, 2006.
- 12. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- 13. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.

(Dr.R.P.Singh) Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge

(Dr Sadhna Tiwari) Officer-in-Charge

5 of 6

Iksned Vide No. 5682-8 Frencheror

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5. Arera Colony, Bhopal-4620 16

- 14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
- 15. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and in the public domain.
- 16. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
- 17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- 18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
- 19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the State Level Environment Impact Assessment Authority (SEIAA) at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal.

 Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

(Dr R P Singh)

Officer-in-Charge

(Dr Vinita Vipat) Officer-in-Charge

(Dr Sadhna Tiwari) Officer-in-Charge 6 of 6

Issued Vid. 682.23... SEIAA/EPCO