



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>

Tel: 0755-2466970, 2466859

Fax : 0755-2462136

No: 1420 /SEIAA/2017

Date: 22.12.12

To,
Shri S.C.Mathur, (Vice President)
Plot No. 06 New Industrial area
Phase II Mandideep
Raisen M.P- 462046

Sub:- Case No 2805/2015 Application for Prior EC for proposed Manufacturing of bulk drugs Vitamins and intermediate) expansion of Existing Unit named Vista Organics Pvt. Ltd. located at Plot No. 06 New industrial area Phase II Mandideep Dist Raisen. Land area : 5.51 Acre Existing Production Capacity : 2.3 Lutidine - 15 MT/ Y ; 2.6 Di Picolinic acid 25/MT/ Y ; 3.5 Lutidine 15 MT/Y ; Alpha Picolinic acid ; 25 MT/Year Chromium Picolinic acid ; 5 MT /Y Chromium Poly Nicotinate ; 5 MT/Y Iso Nicotinic acid ; 150 MT/Y Isoniazid, Niacin ; 150 MT/Y Mythyl Nicotiate ; 10 Mt/Y Niacinamide ; 150 MT/Y Pyrazinamide ; 90 MT/Y Zinc Picolinate ; 25 MT/Y ; by Shri S.C.Mathur (Vice President), Plot No. 06 New Industrial area, Phase II Mandideep, Raisen M.P- 462046 E-mail ushma@resonancesl.in Telephone No. 07480-424001

Ref: Your application received in SEIAA office on 23.04.2015

With reference to above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O.1533(E), dtd. 14.09.06 & its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, PPT and additional clarifications furnished in response observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) This is a case of expansion of existing Manufacturing of bulk drugs, Vitamins and Intermediate. The proposed site is located at Plot No. 06, New Industrial Area Phase-II Mandideep, District- Raisen (M.P.). Air & water consents have been granted to the project by MPPCB and renewed vide letter dtd 02.05.2017 and validity upto 31.03.2019.
- (ii) The project is production of bulk drugs Vitamins and Intermediates hence covered under 5 (f) category B of the Schedule of EIA Notification issued by the Ministry of Environment & Forests vice S.O.1533 (E) dtd.14.09.06 & its amendments.
- (iii) PP has now applied for Prior Environmental Clearance for expansion of production capacity from 481 to 1800 TPA and accordingly expansion of equipments are as follows:-

Product Groups	Facilities available	Initial 481 TPA	Expansion 1800 TPA
1. Pyridine derivatives	SS Reactor	10	20
	SS Condenser	10	20
	SS Centrifuge,	9	18
	Press Filter	4	8
	Azeotropic distillation setup,	2	5
	Nitric Absorption System (Scrubber)	1	1
2. Pyrazine amide acids & its salt	Glass line Reactor, LEAD lining condenser, Sparkler filter, Agitated Nutch Filter	5	7
3. Propionic acid and its derivatives		5	7
		1	2
4. Methionate derivatives		1	2

S.No.	List of Equipments	Details	
		Initial 481 TPA	Expansion 1800 TPA
1	Cooling Tower	3	5
2	Storage Tanks	12	30
3	Boiler	1 TPH	3TPH
4	Air Handling Unit (AHU)	21,000CFM	41,000 CFM

- (iv) There is no interstate boundary within 10 km and no National Park / Sanctuary within the 5 km of the project area hence the general conditions are not attracted.
- (v) The project is located in notified Industrial area Mandideep Dist Raisen, hence as per GoI, MoEF OM dtd 10.12.14 Public hearing is exempted.
- (vi) PP has submitted copy of registered lease deed dated 07.01.1987 between MD, Audyogik Kendria Vikas Nigam (Bhopal) LTD and M/s Vista Organics Pvt. Ltd.. through the Director Mrs Usha Gupta d/o Mr. D.D. Modi an area of 5.51 acre for the period of 99 years.
- (vii) The raw materials will be procured from indigenous and overseas Markets.
- (viii) The source of water supply for the project is MPAKVN (permission letter dtd. 15.12.2016). The total water requirement for the proposed project is 50 KLD (domestic 2.0 KLD, process 30 KLD, Cooling water 1.0 KLD & gardening (07 KLD) which will be met from the existing source. Remaining 10 KLD to makeup cooling tower and boiler recycled water.
- (ix) The total waste water generation for the proposed project is 48.0 KLD. Out of 48 KLD High COD Value water along with RO reject is proposed to be sent to TSDF site for disposal, If TSDF refuses to take this effluent the same shall be disposed through in-house MEE and remaining will be disposed through ETP. Thus the production process is zero discharge.
- (x) The solvent will be generated from manufacturing process of all the products shall be collected & sold off to authorized re-processor for distillation of mixed solvent or shall be distilled in the proposed solvent distillation system.

- (xi) The main sources of air emission expected from to use of Nitric Acid and subsequently development of Nox.. For which PP has installed and commissioned NOx scrubbing system for Nitric Acid. Recovery which is working 100% perfect due to which there is nil imitation of NOx
- (xii) The Solid waste mainly generated as ETP sludge, Inorganic salts and spent carbon. These wastes are hazardous in nature as they emanate from the chemical reaction or un-reacted chemical waste. The ETP Sludge and spent carbon will be transfer to Madhya Pradesh Waste management agency RMKE as per authorization of hazardous waste management consent issued by MPPCB.
- (xiii) PP has proposed roof top rain water harvesting for recharging of ground water.
- (xiv) PP has included disaster management plan, fire fighting plan on-site, off-site emergency plan in the EIA report.
- (xv) PP has submitted 10000 sq.m. area shall be developed as green belt by planting 500 nos of trees including roads, Govt. building, School dispensary etc.
- (xvi) Under CSR activities PP has proposed medical camps, drinking water facility, Adoption of surrounding villages and constructed 2 toilets, public welfare under Swach Bharat Abhiyan, with budgetary provision of Rs. 15.0 lakh

Based on the information submitted at Para i to xvi above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 459th meeting held on 05.12.2017 and decided to accept the recommendations of 293rd dtd SEAC meeting held on dtd 17.06.2017.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its ammendments to the Proposed " Manufacturing of bulk drugs Vitamins and intermediate) expansion of Existing Unit named Vista Organics Pvt. Ltd. located at Plot No. 06 New industrial area Phase II Mandideep Dist Raisen. Land area : 5.51 Acre Existing Production Capacity : 2.3 Lutidine - 15 MT/ Y ; 2.6 Di Picolinic acid 25/MT/ Y ; 3.5 Lutidine 15 MT/Y ; Alpha Picolinic acid ; 25 MT/Year Chromium Picolinic acid ; 5 MT /Y Chromium Poly Nicotinate ; 5 MT/Y Iso Nicotinic acid ; 150 MT/Y Isoniazid, Niacin ; 150 MT/Y Mythyl Nicotiate ; 10 Mt/Y Niacinamide ; 150 MT/Y Pyrazinamide ; 90 MT/Y Zinc Picolinate ; 25 MT/Y ; by Shri S.C.Mathur (Vice President), Plot No. 06 New Industrial area, Phase II Mandideep, Raisen M.P- 462046, subject to the compliance of the Standard Conditions enclosed at Annex-I and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

1. The entire demand of fresh water should be met through MPAKVN water supply and existing bore well no additional bore well be allowed for withdrawal of ground water.
2. **Waste water:**
 - (a) PP should maintain zero discharge from the Industry as proposed.
 - (b) Separation of High & Low COD values effluent for better management of process effluent.
 - (c) RO treated water will be recycle for the process and High COD effluent generation shall be completely evaporated with help of MEE so as to achieve zero discharge.

(d) There shall be no industrial effluent discharge from the unit.

3. For Air Pollution:

- (a) PP should ensure air pollution control measures and stack height as proposed in the EIA/ EMP.
- (b) The performance of air pollution control system should be regularly monitored and maintained.
- (c) PP should ensure regular stack monitoring & ambient air quality monitoring and should be carried out as per the guidelines/norms of MPPCB/CPCB.
- (d) In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator/bag filters and water sprinkling system.
- (e) Dust suppression system including water sprinkler system/ foaming arrangement shall be provided at loading and unloading areas to control dust emission.
- (f) Fugitive emission in the work zone environment, product, raw material storage areas etc. shall be regularly monitored.
- (g) High efficient four stage acid/alkali scrubber should be provided.
- (h) Transportation of raw material and finished goods should be carried out in covered trucks.
- (i) For control of fugitive emission and VOCs following steps should be followed:-
 - Chilled brine circulation system shall be provided and it should be ensured that the solvent recovery efficiency is not be less than 98%.
 - Reactor and solvent handling pump shall be provided with mechanical seal to prevent leakage.
 - Closed handling system should be provided for chemicals.
 - System of leak detection and repair of pump/pipeline should be based on preventive maintenance.
 - Solvent shall be taken from underground storage tank to reactor through closed pipeline. Storage tank shall be vented through trap receiver and condenser operated on chilled water.

4. Hazardous Waste:

- (a) PP should ensure disposal of hazardous waste regularly and there should be no dumping of these materials in the premises/outside.
- (b) PP should ensure handling, disposal and management of hazardous waste as per the related prescribed rules.
- (c) PP should obtain renewal of authorization regularly from MPPCB for collection storage and disposal of hazardous waste (Management, Handling & Trans Boundary Movement) Rules 2008 and its amendments. Membership of the TSDF should be obtained for hazardous waste disposal.
- (d) Hazardous chemicals should be stored in sealed tanks, drums etc. Flame arrestors shall be provided on tanks. To avoid the spillage from

processing unit, Industry shall provide fully mechanized filling and packaging operation unit.

- (e) PP should provide RCC layer and double layered HDPE lining for primary and secondary leachate collection.
 - (f) PP should obtain NOC /approval from competent authority for health & safety measure, Onsite & Offsite disaster management, and Risk management plan before commencing the operation of the unit.
5. PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.
6. **Green Belt:**
- (a) PP should ensure to maintain the developed trees existing in the site and it will be not to allow cutting.
 - (b) Plantation in the project area of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc.
 - (c) Every effort should be made to protect the existing trees on the plot.
 - (d) Pollution control trees should be planted in the green belt area PP should avoid to plant fruity trees in the project area.
7. PP should ensure the implementation of CSR activities on regular basis in consultation with the Gram Panchayat of the respective villages & also adopt nearby villages for construction of toilets and installation of 05 hand pumps to fulfill the requirement of drinking water for villagers as committed.

B. Specific Conditions as recommended by SEAC

8. The EC shall be valid for production of following products:

Pyridine derivatives eg. salt, esters ,Amide	Production capacity
Alpha Picolinic Acid	
Zinc Picolinate	
Chromium Picolinate	
Iron picolinate	
Copper picolinate	
Niacin (Nicotinic acid)	
Niacinamide	
Chromium Polynicotinate	
Methyl/Ethyl/Butyl/benzyl Nicotinate	
Iso Nicotinic acid	
Isoniazide & Isoamide	
Isonipectic acid	
Azacyclonol	
Methyl/Ethyl/hexyl/Benzyl Iso nicotinate	
2,3 Pyridine Di carboxylic acid	
2,4 Pyridine Di carboxylic acid	
2,5 Pyridine Di carboxylic acid	
2,6 Pyridine Di carboxylic acid	
3 Amino pyridine	
4 Amino Pyridine	
2 Amino 5 Methyl pyridine	
2 Amino 4 Methyl pyridine	
2/3/4 Methyl Pyridine N oxide	
Beta Picoline N oxide	
	1200 MT/A

Pyridine N oxide	
Pyridine 2 Aldehyde	
Pyridine 3 Aldehyde	
Pyridine 4 Aldehyde	
Pyrazineamide acids & its salt	
Pyrazinamide	200 MT/A
Pyrazonic acid	
Propionic acid and its derivatives	
Chromium propionate	200 MT/A
Zinc propionate	
Iron Propionate	
Methionate derivatives	
L- Selenomethinine	200 MT/A
Chromium methionate	
Tertiary Butyl copper chloride	
	1800MT/A

9. All vents from the exhausts of the processes shall be connected to a scrubbing system and the scrubbing media shall be treated through the effluent treatment plant. Solvent stripper should be provided with the ETP.
10. RO, MEE and ATFD should be provided for treatment of high COD waste streams and only in case of emergency/breakdown high COD wastes should be disposed off through CTSD, Pithampur, Dhar.
11. Zero liquid discharge shall be observed and no treated waste water should be discharged outside the plant premises. PP should also install Internet Protocol PTZ camera with night vision facility along with minimum 05X zoom and data connectivity must be provided to the MPPCB's server for remote operations.
12. Noise levels emanating from turbines shall be so controlled that the noise in the work zone shall be limited to 85 dB(A) from source. For people working in the high noise area, requisite personal protective equipment like earplugs/ear muffs etc. shall be provided. Workers engaged in noisy areas such as turbine area, air compressors etc shall be periodically examined to maintain audiometric record and for treatment for any hearing loss including shifting to non noisy/less noisy areas.
13. Two on-line monitoring systems for ambient air quality on suitable locations should be provided and data connectivity must be provided to the MPPCB's server for remote operations. Regular monitoring of ambient air ground level concentration of SO₂, NO_x, PM_{2.5} & PM₁₀ shall be carried out in the impact zone and records maintained. The location of the monitoring stations shall be decided in consultation with M.P. Pollution Control Board. Periodic reports shall be submitted to the Regional Office of this Ministry and M.P. Pollution Control Board.
14. Well designed acoustic enclosures for the DG sets and noise emitting equipments to achieve the desirable insertion loss viz. 25 dB(A) should be provided.
15. Ultrasonic/Magnetic flow/Digital meters shall be provided at the inlet and outlet of the proposed ETP & all water abstraction points and records for the same shall be maintained regularly.
16. Log-books shall be maintained for disposal of all types hazardous wastes and shall be submitted with the compliance report.

17. Bag filters should be provided in the boiler stack.
18. Ash handling system should be provided.
19. Fly ash generated shall be provided to farmers to be used as manure or disposed of as per Fly Ash Utilization Notification, 1999 and as amended subsequently.
20. Green Belt consisting of 3 tiers of plantations of native species around the plant boundary comprising of at least 10,000 sq. meter. PP will also maintain and make casualty replacement of the plantation.
21. Water intensive green area including thick green-belt as proposed shall be developed to mitigate the effect of fugitive emissions all around the plant in consultation with the forest department and as per the guidelines of CPCB.
22. Dedicated power supply shall be ensured for uninterrupted operations of treatment systems.
23. The project authorities should comply with the provisions made in the Hazardous Waste (management, handling & Trans-boundary Movement) Rules 2016, Manufacture, Storage and Import of Hazardous Chemicals Rules 1989, as amended and the Public Liability Insurance Act for handling of hazardous chemicals etc.
24. VOCs shall be regularly monitored in the work zone in the plant along with the other parameters and data shall be submitted to MPPCB and R.O of MoEF&CC.
25. All the storage tanks of raw materials/products shall be fitted with appropriate controls to avoid any spillage / leakage. Bund/dyke walls of suitable height shall be provided to the storage tanks. Closed handling system of chemicals shall be provided.
26. No manual handling of material is allowed.
27. Permission of CGWB (if ground water is abstracted) should be obtained.
28. Hands on job trainings should be organized for the persons involved in the handling of hazardous materials.
29. Leak detection and fire hydrant systems should be installed to control fire.
30. PP shall be responsible for discrepancy (if any) in the submissions made by the PP to SEAC & SEIAA.
31. Necessary consents shall be obtained from MPPCB and the air/water pollution control measures have to be installed as per the recommendation of MPPCB.
32. The validity of the EC shall be as per the provisions of EIA Notification subject to the following: Expansion or modernization in the project, entailing capacity addition with change in process and or technology and any change in product - mix in proposed unit shall require a fresh Environment Clearance.

(P Narahari)
Member Secretary

1421
Endt No. / SEIAA/ 2017


Dated

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.

- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, MPPCB, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, Distt- Raisen -M.P.
- (5). M.D.MPAKVN (B), 1st Floor, Tawa Complex, Bittan Market, E-5, Arera Colony, Bhopal - 462 016, M.P.
- (6). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (7). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (8). Guard file.

Encl: Standard Conditions (Annex-I)


(Dr. Sanjeev Sachdev)
Officer-in-Charge

State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

27


Annex-I


Standard Conditions related to item 5 (f) of the schedule of EIA notification, 2006

(Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates))

1. The company shall install an effluent treatment plant to treat the effluent generated due to proposed activity. The treated water shall be utilized within the premises to achieve zero discharge.
2. The hazardous wastes and Incineration from the process and treatment should be disposed off as per Hazardous Wastes ^{with} (Management & Handling) Rules, 1989 and subsequent amendments.
3. The project authority shall obtain the membership of CTSDf (Common Treatment Storage & Disposal Facility) for disposal of solid and hazardous waste (if applicable) and copy of the same shall be submitted to the Regional Office of MoEF, GoI at Bhopal. The company shall maintain the valid membership of CTSDf.
4. The process emissions, VOCs and particulate matter from various units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission level shall go beyond the stipulated standards.
5. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by MPPCB.
6. The company shall carry out the HAZOP study and the report shall be submitted to Regional Office of MoEF, GoI at Bhopal.
7. The company shall comply with the CREP guidelines prepared by MPPCB for Bulk Drug Plants.
8. The company shall develop greenbelt in the project area as per the guidelines of CPCB to mitigate the effect of fugitive emission.
9. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixings of accidental spillages with domestic waste and storm drains.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

1 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No. 2484/11-12
Dated 23/5/2012

Issued Vide No. 1420-21
Dated 22/12/12


28


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

10. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
11. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
12. The DG set will be provided with acoustic arrangements to attenuate the noise pollution. The emission from DG set shall be dispersed as per the CPCB/MPPCB standards.
13. Industry should get the Emergency Disaster Management Plan approved by DTHS and should also comply with the provisions made in Public Liability Insurance Act, 1991.
14. Any enhancement of capacity, change in technology, modernization and scope of working shall again require prior environmental clearance as per EIA notification, 2006.
15. All activities / mitigative measures proposed by PP in Environmental Impact Assessment must be ensured.
16. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
17. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
18. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of raw material and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments. No overloading of raw material for transportation shall be committed.
19. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water.
20. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
21. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MP PCB.
22. Commitment towards CSR have to be followed strictly.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

2 of 4

5 (i) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No. 243-VN/NEPCO
Dated 23/5/2012

Issued Vide No. 1420-21/NEPCO
Dated 22-12-12


29


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

23. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.
24. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan, should be given to Regional Office, MoEF, Gol, Bhopal and MP PCB.
25. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year.
26. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in addition to the concerned Government Departments / organization responsible for controlling the proposed projects who in turn has to display the same for 30 days from the date of receipt.
27. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
28. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
29. The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
30. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.


(Dr R.P. Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

3 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No. 243-1012/SEIAA/EPCO
Dated 22/12/2022


Issued Vide No. 1420-21/SEIAA/EPCO
Dated 22-12-22


(30)


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

31. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation shall be submitted to the Regional Office, MoEF, GoI, Bhopal, MP PCB within six months.
32. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
33. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
34. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
35. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
36. The prior Environmental Clearance granted for the project is valid for a period of five years as per EIA notification dtd. 14.09.2006.
37. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
38. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

4 of 4

5 (f) Synthetic Organic Chemicals Industry (dyes & dye intermediates; bulk drugs and intermediates excluding drug formulations; synthetic rubbers; basic organic chemicals, other synthetic organic chemicals and chemical intermediates)

Issued Vide No. 243-1/2012-SEIAA/EPCCO
Dated: 23/5/2012

Issued Vide No. 1420-21/2012-SEIAA/EPCCO
Dated: 22.12.12