

**State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment & Forests)**

Research and Development Wing
Madhya Pradesh Pollution Control Board
Paryavaran Parisar, E-5, Arera Colony
Bhopal-4620 16
visit us <http://www.mpseiaa.nic.in>
Tel: 0755-2466970, 2466859
Fax : 0755-2462136

No: 1829 / SEIAA/12
Date: 27-12-12

To,
M/S Mahavir Institute of Medical Science & Research, Bhopal
Dr. Rajesh Kumar Jain
30, Mangalwara, Jain Mandir Road,
Bhopal-MP.

Sub: - Case No. 547/2010, Prior Environmental Clearance for Mahavir Institute of Medical Science & Research at Khasra No. 373/1/1/1/2, Near RGPV Campus, Village Badwai, Bhopal-M.P. total area 10.117 ha by M/S Mahavir Institute of Medical Science & Research, Bhopal Dr. Rajesh Kumar Jain 30, Mangalwara, Jain Mandir Road, Bhopal-MP.

This has reference to your application No. nil, dated 07.03.2010 received in SEIAA office on 09.04.2010 for seeking Prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 and on the basis of the mandatory documents enclosed with the application viz., form I, form IA, Conceptual Plan, drawings & the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- ii. It has been noted that the proposal is for Mahavir Institute of Medical Science & Research at Khasra No. 373/1/1/1/2, proposed in an area 10.117 ha and has a built up area of 111375 sqmt. (Proposed by PP) and 100935.00 sqmt. (T & CP approval) at Village Badwai, Bhopal-M.P. The height of residential blocks proposed in the project is 18 m. The proposed total water requirement is 500 KLD out of which 230 KLD is fresh water and 270 KLD is recycled water. Total waste water generation is 288 KLD. A sewage treatment plant of capacity 345 KLD will be provided by the Project Proponent at site to treat the waste water generated. The Solid Waste is about 1.5 TPD & Bio-Medical solid waste 200 kg / day, liquid 5 KLD. The total power requirement would be around 1500 KW and will be supplied by MPSEB and backup is also proposed by using DG sets of 1010 KVA capacity. An area of 33718.23 sqmt. (25%) of the total space shall be covered under plantation.
- iii. The project has been considered in accordance with the provisions of the EIA

1 of 5

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence



notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006.

- iv. Since it is a case of violation of EPA 1986, PP on instruction of SEIAA submitted vide letter no. nil dtd 25.10.12 a copy of resolution passed by its Board of Directors within 90 days as per the requirement of office Memo J-11013/41/2006-IA II dtd 16.11.2010. As per decision of SEIAA in its 114th meeting dtd 06.12.12 the copy of resolution is to be uploaded on the website of MPSEIAA.
- v. Based on the information submitted at Para ii above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 114th meeting held on 06.12.2012 and decided to accept the recommendations with 49th conditions of 82nd SEAC meeting held on 13.10.2011.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 subject to the conditions mentioned in sub Para iii & vi of 103rd SEIAA meeting dtd 17.08.12 to the proposed Mahavir Institute of Medical Science & Research at Khasra No. 373/1/1/1/2, Near RGPV Campus, Village Badwai, Bhopal-M.P. total area 10.117 ha (ownership Shri Digambar Jain Sarvoday Vidhya Gyanpeeth Samiti through Secretary Dr. Rajesh Jain) by M/S Mahavir Institute of Medical Science & Research, Bhopal Dr. Rajesh Kumar Jain 30, Mangalwara, Jain Mandir Road, Bhopal-MP subject to the compliance of the Standard Conditions enclosed at Annex-I and the following additional Specific Conditions as recommended by SEIAA & SEAC:

1. The condition no. iii (third) of 103rd SEIAA meeting dtd 17.08.12 "*...the proponent will fulfill the demand of 230 KLD fresh water requirements from the municipal water supply and the ground water extraction shall not be done.*"
2. The condition no. vi (six) of 103rd SEIAA meeting dtd 17.08.12 "*....it was decided that minimum road width of the internal front road should be 12 m and other internal roads and M.O.S. as per MP Bhumi Vikas Niyam- 2012.*"
3. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
4. Structural design aspects in accordance to the seismic zone shall be strictly adhered to.
5. The construction materials and debris shall be properly stored and handled to avoid negative impacts such as air pollution and public nuisances by blocking the roads and public passages.
6. Environment Management Cell shall be formed, which will supervise and monitor the Environment related aspects of the project during construction and operational phases in addition to observance of Madhya Pradesh Building and other Construction Workers Rules.

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence



7. The applicant shall install and operate their own sewage treatment plant (STP) as per the details submitted to the SEAC. The treated sewage shall be reused /recycled to the extent possible. Discharge of the treated sewage from the STP shall conform to the norms specified by M.P. Pollution Control Board after obtaining necessary permission.
8. Best available technology (BAT) such as Ultra violet radiation shall be used for disinfection of sewage before reuse / recycle / discharge.
9. Dual plumbing system as proposed shall be adopted for the re-use of treated waste water.
10. The green belt along the periphery of the plot shall be provided at least having three tiers of the trees of local species as per the plan submitted. The open spaces inside the plot shall be suitably landscaped and covered with vegetation of indigenous variety.
11. The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, etc. and the noise level shall be maintained as per the MoEF / CPCB guidelines / norms both during day and night time.
12. The applicant shall install the electric utilities / devises, which are energy efficient and meeting with the Bureau of Energy Efficiency norms, wherever applicable.
13. The energy audit shall be conducted at regular interval for the project and the recommendations of the Audit report shall be implemented with spirit.
14. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
15. The area earmarked as green area shall be used only for greenbelt and shall not be altered for any other purpose. Further, the applicant shall carry out tree plantation activity and shall plant and maintain 1000 trees at an appropriate area in the town in consultation with the Municipal Corporation and local authorities within a period of 5 years.
16. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Necessary signage including continuous display of status of parking availability at entry, exit and all other appropriate places shall be provided which should have appropriate size of letters and shall be visible from the at least 50 meter distance from the adjacent road. No public space shall be used or blocked for the parking and the trained staff shall be deployed to guide the visitors for parking and helping the senior citizens and physically challenged people.
17. Common utilities like drinking water facility, Toilets etc. shall be provided on each floor with adequate signage thereof. Adequate distance shall be maintained between the drinking water and toilet blocks.
18. Necessary emergency lighting system along with emergency power back up system shall be provided. In addition, emergency public address system arrangement and

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence




signage for emergency exit route shall be provided on each floor.

19. Necessary auto glow signage at all appropriate places shall be provided to guide the people towards exits and assembly points during the unforeseen emergency and eventuality conditions.
20. Training to the staff for the first aid and fire fighting along with regular mock drill shall be made an integral part of the disaster management plan of the project.
21. All the statutory clearances such as the approvals for storage of diesel from Chief controller of Explosives, Fire Department, Civil Aviation Department, if applicable, shall be obtained as applicable by the applicants from the competent authorities.
22. Use of glass shall be minimal to reduce the electricity consumption and load on air conditioning.

GENERAL CONDITIONS (SEAC):

23. The applicant shall use 5 % of its lighting requirement through Solar Energy or any other renewable sources by the fifth year of obtaining Completion Certificate.
24. The applicant submitted that they would be constructing STP and that they would be using "State of the Art" technology for such a facility.
25. The applicant shall retain the Environment Management Cell even after Completion of Project and the liabilities /responsibilities in this regard shall be transferred to the society subsequently which takes up the Maintenance/ Operation/ Ownership of this Project or a part of it.
26. The applicant shall get the third party monitoring of performance of STP done during construction and operation subsequently. After commissioning of the STP, the third party monitoring shall be done every calendar year.
27. The company shall undertake eco-developmental measures including community welfare program most useful in the project area for the overall improvement of the environment. The eco-development plan shall be submitted to MPPCB within three months of receipt of this letter.
28. The project management shall also comply with all the environment protection measures, risk mitigation measures and safeguards recommended in the EIA / EMP report as well as other proposals made by them.
29. The company shall develop rain water harvesting structures to harvest the run off water for recharge of ground water. Also harvesting of surface as well as rainwater from the rooftops of the building proposed in the project shall be undertaken and the same shall be used for the various activities of the projects to conserve fresh water.
30. No further expansion or modifications in the plant shall be carried out without prior approval of the MoEF/ SEIAA, as the case may be. In case of deviations or alterations in the project proposal from those submitted to MoEF/ SEIAA/ SEAC for

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence



clearance, a fresh reference shall be made to the SEIAA/ SEAC to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

31. The project authorities shall earmark adequate funds to implement the conditions stipulated by SEIAA as well as MPPCB along with the implementation schedule for all the conditions stipulated herein. The funds so provided shall not be diverted for any other purpose.
32. The project authorities shall also adhere to the stipulations made by the Madhya Pollution Control Board.
33. The company in a time bound manner shall implement these conditions. The SEIAA reserves the right to stipulate additional conditions, if the same is found necessary. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
34. The company shall go in for solar power wherein at least 5% of the total powers needs are met from the latter and there should be effort to increase this progressively. The applicant will give study report with a time bound programme for implementation of the same.

Encl: Annex-I (General Conditions)

(Sharad Kumar Jain)
Member Secretary

Endt No. 1830/SEIAA/ 12
Copy to:-

Dated 27.12.12

1. Principal Secretary, Housing and Environment Department, Government of Madhya Pradesh, Mantralaya, Bhopal.
2. Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
3. Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
4. The Collector, Distt- Bhopal -M.P.
5. The Commissioner, Municipal Corporation, Bhopal.
6. The Jt. Director, Town & Country Planning, Bhopal.
7. I.A. Division, Monitoring Cell, MoEF, Gol, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi- 110 003.
8. Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
9. Guard file.

Encl: Annex-I (General Conditions)

(Dr. Vinita Vipat)
Officer-in-Charge

5 of 5

- **Correspondence Address:** Member Secretary, SEIAA, Environmental Planning and Coordination Organisation (EPCO), Paryavaran Parisar, E-5, Arera Colony, Bhopal - 462016
- **Registration No.:** To be quoted in registered cases for correspondence

State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16


Annex-I


Standard Conditions related to under item 8 (a) & 8 (b) of the schedule of EIA notification, 2006


(Building/ construction projects / area development projects & township)

A. Construction Phase

1. The construction site shall be provided with adequately barricades of at least 3 m height on its periphery with adequate signage.
2. All required sanitary and hygienic measures should be in place before starting any construction work and are to be maintained throughout the project phase.
3. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
4. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV, and health effects on exposure to dust etc. shall be carried out. Periodic monitoring for exposure to respirable dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of dust on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically.
5. A First Aid Room will be provided in the project both during construction and operation of the project.
6. All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.
7. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
8. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
9. Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate water courses and the dump sites for such material must be secured so that they should not leach into the ground water.
10. Any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge


1 of 6


1829-30
27-12-12


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

11. The diesel generator sets (if any) to be used during construction phase should be low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
12. The diesel required (if any) for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
13. Wastewater generated from temporary labour tents will be diverted to the sewer network in the area.
14. No water logging should take place at any point during construction phase.
15. If the project site is located within the 100 km of Thermal Power Stations, then fly ash should be used as building material in the construction as per the provisions of Fly ash Notification of September, 1999 and amended as on 27th August, 2003.
16. As far as possible ready mixed concrete should be used in construction work.
17. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
18. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/ MPPCB.
19. Storm water control and its use should be as per CGWB and BIS standards for various applications.
20. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
21. Care shall be taken during the wet drilling activities.
22. Spread of contaminated water should be prevented by installing temporary barriers of G.I. Sheets.
23. To prevent surface and ground water contamination by oil/grease, leak proof containers shall be used for storage and transportation of oil/grease. The floors of oil/grease handling area will be kept effectively impervious.
24. On-site burning of waste material will not be permitted.
25. Ground water should not be used during construction phase. Private tanker water suppliers may be asked to supply water during construction phase.
26. Commitment towards CSR have to be followed strictly.
27. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

2 of 6

Issued Vide No. 1829-30
Dated 27-12-12
SEIAA/EPCO


State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16


28. Wherever possible, the area around the STP / ETP should be surrounded with dense green belt.
29. To reduce the electricity consumption and load on air conditioning, high quality double glass with special reflective coating in windows should be promoted.
30. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
31. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is aspirational for non-air conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
32. Approval of the competent authority shall be obtained for structural safety of the buildings due to earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.

B. Operation Phase

1. The installation of the Sewage Treatment Plant (STP) as submitted by PP in the office of SEIAA should be certified by an independent expert and a report in this regard should be submitted to the Regional office of the Ministry of Environment & Forest, GoI before the project is commissioned for operation. Treated effluent discharge from STP shall be recycled/reused to the maximum extent possible. Treated effluent shall conform to the norms and standards of the M.P. Pollution Control Board. Necessary measures should be made to mitigate the odour problem from STP.
2. Treated waste water should not be used for air conditioning
3. Treatment of 100% grey water by decentralized treatment should be done.
4. The bio-medical waste (if applicable) generated should be disposed off as per the provisions of Bio-medical waste (Management and Handling) Rules 1988 as amended till date.
5. Provision of separate entrance / exit gate should be made for collection of segregated bio-medical waste (if applicable) from the storage area.
6. The solid waste generated should be properly collected and segregated. Wet garbage should be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material as per CPCB norms.
7. Diesel power generating sets if proposed as source of back up power for elevators and common area illumination during operation phase should be of enclosed type and confirm to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Low sulphur diesel must be used. The location of the DG sets may be decided with in consultation with Madhya Pradesh Pollution Control Board.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge


3 of 6


Issued Vide No. 1829-30
Dated 27-12-12


State Environment Impact Assessment Authority, M.P.

(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

8. No water logging should take place at any point during operation phase.
9. The Project Proponent shall explore the possibility of using solar energy wherever possible.
10. Provision for plantation has to be made as per Madhya Pradesh Bhumi Vikas Niyam, 1984.
11. Any hazardous waste generated during operation phase, should be disposed off as per applicable rules and norms with necessary approvals of the M.P. Pollution Control Board.
12. Noise should be controlled to ensure that it does not exceed the prescribed standards of CPCB.
13. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
14. Rain water harvesting for roof run- off and surface run- off, should be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging should be kept at least 5 mts. above the highest ground water table.
15. The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
16. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
17. A Report on the energy conservation measures confirming to energy conservation norms finalize by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the Regional office of Ministry of Environment & Forest, Gol in three months time.
18. Energy conservation measures like installation of CFLs/TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible.
19. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
20. The area earmarked for the parking shall be used for parking only. No other activity shall be permitted in this area.
21. Ozone Depleting Substances (Regulation & Control) Rules shall be followed while designing the air conditioning system (if any) of the project.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

4 of 6

Issued Vide No. 1829-30
Dated 27-12-12


SEIAA/EPCO


State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)
Research and Development Wing, Madhya Pradesh Pollution Control Board,
Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

Others

1. All activities / mitigative measures proposed by PP in Environmental Impact Assessment (if applicable) and approved by SEAC must be ensured.
2. All activities / mitigative measures proposed by PP in Environmental Management Plan and approved by SEAC must be ensured.
3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies.
4. Project Proponent has to strictly follow the direction/guidelines issued by MoEF, CPCB and other Govt. agencies from time to time.
5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the MoEF, GoI, and its Regional Office located at Bhopal.
6. The Ministry or any other competent authority may alter/modify the conditions or stipulate any further condition in the interest of environment protection.
7. The Environmental Clearance shall be valid for a period of five years from the date of issue of this letter.
8. The project proponent shall also submit six monthly reports on 1st June and 1st December of each calendar year on the status of compliance of the stipulated EC conditions including results of monitored data to the regulatory Authority in hard and soft copies.
9. The Regional Office, MoEF, GoI, Bhopal and MPPCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, GoI at Bhopal and MPPCB.
10. The Project Proponent shall inform to the Regional Office, MoEF, GoI, Bhopal and MP PCB regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
11. In the case of expansion or any change(s) in the scope of the project, the project shall again require prior Environmental Clearance as per EIA notification, 2006.
12. The SEIAA of M.P. reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
13. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained (as and when applicable), by the project proponent from the respective competent authorities.


(Dr R.P. Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

5 of 6

Issued Vide No. 1829-30
Dated 27-12-12
SEIAA/EPCO


State Environment Impact Assessment Authority, M.P.


(Government of India, Ministry of Environment & Forests)


Research and Development Wing, Madhya Pradesh Pollution Control Board,

Paryavaran Parisar, E-5, Arera Colony, Bhopal-4620 16

14. These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.
15. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company and in the public domain.
16. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the Regional Office of MoEF.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.
18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at website of the State Level Environment Impact Assessment Authority (SEIAA) at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, GoI, Bhopal.
20. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


(Dr R P Singh)
Officer-in-Charge


(Dr Vinita Vipat)
Officer-in-Charge


(Dr Sadhna Tiwari)
Officer-in-Charge

6 of 6

Issued Under No. 1829-30
Dated 27-12-12
SEIAA/EPCO