



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)

Environmental Planning Coordination Organization (EPCO)
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

visit us <http://www.mpseiaa.nic.in>

Tel: 0755-2466970, 2466859

Fax : 0755-2462136

No: 2635 /SEIAA/2019

Date: 13.3.19

To,
M/s Bharat Petroleum Corporation Ltd,
BPCL LPG Bottling Plant,
Village - Bhitoni, NH - 12, P.O. Shahpura,
Dist. Jabalpur, MP - 4831191

Sub:- Case No. - 5613/2017 - Prior Environment Clearance for Expansion of existing plant by Construction of 3 x 1450 MT Mounded Storage Vessels at LPG Plant at Khasra no. 85, 86, 87, 88/1, 88/2, 89/1, 89/2, 89/3, 89/4, 90, 13, 14, 15/1, 15/2, 16, 17, 18, 19, 20, 21, 23, 106, 107, 108, 109, 110 Village- Pondi, Bhitoni, Bhamki, Tehsil - Jabalpur, Dist. Jabalpur (MP). Total Plot area 2600 ha by M/s Bharat Petroleum Corporation Ltd, BPCL LPG Bottling Plant, Village - Bhitoni, NH - 12, P.O. Shahpura, Dist. Jabalpur, MP - 4831191, Mobile- 9098318259 Env. Consultant: ABC Techno Labs India Private Ltd. Chennai

Ref: Your application dtd. 22.11.17 received in SEIAA office on 25.11.2017

With reference to the above, the proposal has been appraised as per prescribed procedure & provisions under the EIA notification issued by the Ministry of Environment & Forests vide S.O. 1533 (E), dated 14th September 2006 and its amendments, on the basis of the mandatory documents enclosed with the application viz., Form I, pre-feasibility report, ToR, EIA Report, ppt. and additional clarifications furnished in response to observations by the State Expert Appraisal Committee (SEAC) and State Environment Impact Assessment Authority (SEIAA) constituted by the competent Authority.

- (i) The project proposal is for Augmentation of existing BPCL POL depot Construction of 3 x 1450 MT Mounded Storage Vessels at LPG Plant Village- Pondi, Bhitoni, Bhamki, Tehsil - Jabalpur, Distt. - Jabalpur (MP).
- (ii) The plant has obtained Consent to operate vide letter no. Receipt no: 353736, Dated: 23/07/2017 (Valid till 31/05/2018) from MPPCB. Now, BPCL (Bhitoni, Jabalpur) intends to enhance storage capacity of LPG (by addition of mounded storage vessels) under the Pradhan Mantri Ujjwala Yojana (PMUY) to cater growing demand in Jabalpur District.
- (iii) The project includes isolated storage & handling of hazardous chemicals and covered under 6 (b) category of the MoEF, GoI EIA Notification, 2006 and its amendments.

Case No. 5613/2017

Issued vide letter no. dated

Case No.: To be quoted in registered cases for correspondence

- (iv) The proposal is proposed for expansion for Construction of 3 x 1450 MT Mounded Storage Vessels at LPG Plant Bhitoni, Jabalpur with following details:

S.No.	Tank	Tank Diameter	Tank/ Length (m)	Class	Tank Type	LPG Tank Capacity	Existing & Proposed Capacities	Final Capacity after expansion
Existing LPG Storage Spheres- Horton Spheres								
1	LPG	14	Nil	A	Sphere	650 MT	Existing Capacity: 2,600 MT	6950 MT
2		14	Nil	A	Sphere	650 MT		
3		14	Nil	A	Sphere	650 MT		
4		14	Nil	A	Sphere	650 MT		
Proposed LPG Storage Mounded Bullets								
5	LPG	8	65.5	A	MSV	1450 MT	Proposed Capacity: 4,350 MT	
6		8	65.5	A	MSV	1450 MT		
7		8	65.5	A	MSV	1450 MT		

- (v) There is no interstate boundary and no National Park / Sanctuary within the 10 km of the project area (DFO letter dtd. 04.01.14) hence the general conditions are not attracted.
- (vi) Public hearing was conducted on 03.08.18 within the premises of the LPG bottling plant at Village - Bhitoni, Bhamki, Tehsil - Shahpur, Dist. Jabalpur (MP) under the Charmanshio of Additional District Magistrate, Jabalpur. Some issues were raised during public hearing which were readdressed by PP.
- (vii) The BPCL Plant is located on 69 Acres area of land and is sufficient for its existing and proposed enhancement. The land use of the proposed LPG plant is given below.

S.No.	Particulars	Area (sq.m)	Total Area (Acres)	Percentage (%)
1.	Plant Storage Area	1,53,578.15	38	55
2.	Roads	8,376.99	2.05	3
3.	Green Belt	92,146.89	26.49	33
4	Area required for expansion	25,130.97	2.51	9
	Total Plant Area	2,79,233.00	69	100

- (viii) Regarding land document PP has submitted an agreement (dtd. 3rd March 1984) executed between Bharat Petroleum Corporation Limited and Governor of Madhya Pradesh through Collector, Jabalpur under section 41 of the Land Acquisition Act, 1894. PP has also submitted Khasra Panchsal 2015-16, as per the Khasra Panchsal the landownership is the name of Bharat Petroleum Corporation Limited, Jabalpur.
- (ix) There is no continuous source of air pollution from the process of existing facilities of Depot. because the entire bottling process is carried out closed circuit through piping from storage area to filling shed. There shall not be any continuous source of air emission from the proposed facilities. For release of emission from the DG sets in case of power failure and operation of fire engine PP has proposed adequate stack height as per CPCB guidelines at the above roof height for proper dispersion and

Water sprinkling at regular basis.

DG sets installed at BPCL Bhitoni (Jabapur) LPG Bottling plant are operated occasionally in case of power failure and these are not regular source of gaseous emissions. LPG Lorries and trucks have pollution under control (PUC) certificates. Regular maintenance of LPG Lorries and trucks is ensured.

- (x) Total water requirement at the existing LPG bottling plant is 14 KLD, which meet by bore well present at the site. For withdrawal of ground water PP has applied to CGWA (vide app no. 21-4/719/MP/IND/2018).
- (xi) The plant will require 4 KLD of water for domestic use and it will generate 2.5 KLD sewage which will be left to Soak pit and septic tank. The Plant will require 10 KLD of water for industrial use for cylinder washing purposes which will generate 8.5 KLD of effluent. The effluent generated from cylinder washing will be sent to OWS (oil water separator). The treated 8 KLD approx. of waste water will be used for gardening, floor washing & flushing.
- (xii) Municipal wastes (paper plastic, food wastes, etc) generated from LPG plant will be collected and segregated. Recyclable wastes like paper and plastic wastes will be sent for recycling, while biodegradable wastes like food and vegetable wastes will be disposed in compost pit. Non biodegradable and non- recyclable wastes will be sent to common landfill site.
- (xiii) The hazardous wastes generated at the LPG pant are 30 Litres/ annum (from DG sets), 50 Lit/Annum• oily sludge (from O&W separator), Oily sludge of 1,000 litres approx (in a period of 5 years from all LPG storage tanks). It will be stored in MS drums and sent to MoEF/PCB authorized recyclers.
- (xiv) The maximum contract demand for the plant is about 450 KVA which is to be obtained from MPEB (Madhya Pradesh Electricity Board). DG Sets of capacity 1 x 400 KVA, 1 x 380 KVA and 1 x 100 KVA capacities having acoustic enclosures have been provided to meet the power requirement during grid power failure & the 1 x 100 KVA capacity DG set will be used in emergency.
- (xv) For Fire Fighting PP has proposed as follows:-
a. Water storage tank: 3 Nos. (2 x 3000 KI under ground and 1600 KI above ground).
b. Fire water is obtained from Bore well water supply.
c. Fire water pumps: 5 Nos. (capacity 854 KI/hr, centrifugal type)
d. Jockey fire pump: 2 Nos. (capacity 27 KI/hr, Set pressure of 10 kg/cm²)
e. Pressurised fire hydrant system Other necessary facilities to support fire fighting during emergency are as given below:
• Internal communication : page phone, BVHF hand sets, public address system
• External communication : landline and mobile
• Warning system for fire: 1 no. electrical siren with 2 km range and 10 nos of hand siren with range 1 km.
- (xvi) PP has proposed to cut some existing trees on the site and also obtained NOC (dtd. 07.12.18) from DFO, Tehsil Shahpur, Jabalpur. PP has proposed 38% of land area will be developed for green belt by planting 400 number of trees upto year 2019-21.
- (xvii) Under CSR activities PP has propped construction of toilets, community hall, school and hospital building renovation in Bhamki & pondi village. etc with budgetary provision of **Rs. 170 lakh**.
- (xviii) **Budgets For Implementation of EMP And Monitoring Plan:** The budget for implementation of mitigation measures and environmental management plan to

mitigate the potential adverse environmental impacts during operation phase has been estimated as capacity cost Rs 48.5 Lakhs and recurring expenditure as Rs 17.3 Lakhs.

- (xix) Total cost of the project is Rs. 7,845 Lakhs.
- (xx) **Benefit:** The proposed expansion by addition/installation of 03 mounded vessels of 1,450 MT capacity each, at existing LPG bottling plant, will yield benefits that Provide continuity of LPG gas cylinder supply to the consumers. Availability of LPG will discourage deforestation and improve the quality of women engaged in household activity in cooking.

Based on the information submitted at Para i to xx above and others, the State Level Environment Impact Assessment Authority (SEIAA) considered the case in its 523rd meeting held on 15.02.2019 and decided to accept the recommendations of 340th SEAC meeting held on dtd 30.01.19.

Hence, Prior Environmental Clearance is accorded under the provisions of EIA notification dtd. 14th September 2006 & its amendments for the proposed **Expansion of existing plant by Construction of 3 x 1450 MT Mounded Storage Vessels at LPG Plant at Khasra no. 85, 86, 87, 88/1, 88/2, 89/1, 89/2, 89/3, 89/4, 90, 13, 14,15/1, 15/2, 16, 17, 18, 19, 20, 21, 23, 106, 107, 108, 109,110 Village- Pondi, Bhitoni, Bhamki, Tehsil - Jabalpur, Dist. Jabalpur (MP). Total Plot area 2600 ha by M/s Bharat Petroleum Corporation Ltd, BPCL LPG Bottling Plant, Village - Bhitoni, NH - 12, P.O. Shahpura, Dist. Jabalpur, MP - 4831191** subject to the compliance of the Standard Conditions and the following additional Specific Conditions as recommended by SEIAA & SEAC in its meetings.

A. Specific Conditions as recommended by SEIAA

- (1) The project authorities shall comply with the provision made in Manufacture, storage and Import of Hazardous Chemicals Rules 1989, as amended and the Public Liability Insurance Trans – boundary Movement) Rules 2008.
- (2) PP should obtain clear NOC from CGWA for withdrawal of ground water.
- (3) PP shall plan the CSR activities as per local villagers needs and should consult District administration for implementation of the CSR activities.
- (4) Oil and water separator should be installed at appropriate places.
- (5) PP should install solar panels for all external lighting and additional solar panels should also be installed for future expansion. .
- (6) PP shall ensure no leakage on any transfer point.
- (7) PP should conduct educational/awareness programme in coordination with M P Pollution Control Board.
- (8) Provision of clean energy should be made in environmental management plan.
- (9) PP should prepare off-site and on-site emergency plans and carry out mock drills in consultations and coordination with the District Administration and as per safety rules of the Industrial Health and Safety.
- (10) PP should ensure the traffic movement plan, parking facilities and road width.
- (11) PP should obtain NOC for firefighting from Competent Authority.

(12) Under green area development PP should ensure : -

- (a) Plantation in two rows all along the periphery of the project area, and along the roads, subject to 38% of the total area of the project as proposed.
- (b) Plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karnj, Kachnaar etc.
- (c) Plantation should be completed within one year.
- (d) Green area including thick green-belt shall be developed of the plot area to mitigate the effect of fugitive emissions all around the plant in consultation with the forest department as per the guidelines of CPCB.
- (e) PP should compliance the condition lay down by DFO, Jabalpur for cutting the trees in the proposed area and every effort should be made to protect the existing trees on the plot.

B. Specific Conditions as recommended by SEAC

I. Statutory compliance:

- (13) The project proponent shall obtain Consent to Establish/Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/Committee.
- (14) Necessary authorization required under the Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 shall be obtained and the provisions contained in the Rules shall be strictly adhered to.
- (15) During construction phase, air pollution and solid waste management aspects need to be properly addressed ensuring compliance of the Construction and Demolition Waste Management Rules, 2016.
- (16) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All transportation of Hazardous Chemicals shall be as per the Motor Vehicle Act (MVA), 1989.
- (17) The company should obtain all requisite clearances for fire safety and explosives and should comply with the stipulation made by the respective authorities.
- (18) Necessary approvals from Chief Controller of Explosives must be obtained before commission of project, if applicable.

II. Air quality monitoring and preservation

- (19) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be complied with
- (20) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.



- (21) Regularly monitoring of VOC and HC in the work zone area in the plant premises should be carried out and data be submitted to Ministry's Regional Office, CPCB and State Pollution Control Board. Quarterly monitoring for fugitive emissions should be carried out as per the guidelines of CPCB and reports submitted to Ministry's Regional Office.
- (22) During storage and handling, the fugitive emission of methane, if any, shall be monitored using Infra-red camera/ appropriate technology.
- (23) The project proponent also to ensure trapping/storing of the CO₂ generated, if any, during the process and handling.
- (24) The DG sets 700 kVA shall be equipped with suitable pollution control devices and the adequate stack height so that the emissions are in conformity with the extant regulations and the guidelines in this regard.
- (25) Water sprinkling has to be undertaken on regular basis to control the polluting particles.
- (26) Approach road shall be made pucca to minimize generation of suspended dust.

III. Water quality monitoring and preservation

- (27) As already committed by the project proponent Zero Liquid Discharge shall be ensured.
- (28) The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial operations within the plant.

IV. Noise monitoring and prevention

- (29) Acoustic enclosure shall be provided to DG set 700 kVA for controlling the noise pollution.
- (30) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation.
- (31) The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time

V. Energy Conservation measures

- (32) The energy sources for lighting purposes shall preferably be LED based.

VI. Waste management

- (33) Oil spillage prevention and mitigation scheme shall be prepared. In case of oil spillage/ contamination, action plan shall be prepared to clean the site by adopting proven technology. The recyclable waste (oily sludge) and spent oil shall be disposed of to the authorized recyclers.

VII. Green Belt

- (34) The green belt of 5-10 m width shall be developed in more than 38% of the total project area, mainly along the plant periphery, in downward wind direction, and along road sides etc. Selection of plant species shall be as per the CPCB guide lines in consultation with the State Forest Department.

VIII. Safety, Public hearing and Human health issues

- (35) Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and guidelines prepared by OISD, DGMS and Govt. of India. Mock drill should be conducted once in a month. onsite and off-site Disaster Management Plan shall be implemented.
- (36) Training shall be imparted to all employees (120 nos.) on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- (37) Additional safety measures should be taken by using remote operated shut off valve, double block & bleed valve (DBB), impervious dyke wall and un-bonded flexible roof drain pipe, if applicable.
- (38) High and low-level alarms shall be fitted to plant storage tanks which can detect overfilling. However, proper supervision shall be done every time.
- (39) Unit should carry out safety audit and report submitted to the Regional Office.
- (40) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

IX. Corporate Environment Responsibility

- (41) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- (42) A budgetary provision of Rs. 48.50 Lakh is made capital cost and 17.30 is made for recurring cost for Environmental Management Plan in the construction Phase out of which a budgetary provision of Rs. 05.00 Lakh for Environmental Monitoring Programme. Rs 25.00 lakh is proposed for green belt as capital cost and 05.00 lakh as recurring cost.
- (43) Under CSR activity, Rs. 170.00 lakhs / year are proposed for different activities.
- (44) The company shall have a well laid down environmental policy duly approve by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental/ forest/ wildlife norms/

conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and or shareholders /stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.

- (45) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the organization.
- (46) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- (47) Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

X. Miscellaneous

- (48) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- (49) Restoration of the project site shall be carried out satisfactorily and report shall be sent to the Ministry's Regional Office.
- (50) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- (51) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- (52) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- (53) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- (54) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India/ High Courts and any other Court of Law relating to the subject matter.

XI. Specific conditions applicable only for LPG storage

- (55) No packing/loading/unloading of LPG cylinders shall be made on road/outside factory premises. Vehicles loaded/unloaded with LPG cylinders shall be parked inside the plant premises only and not on road sides.
- (56) The proponent shall strictly follow Oil Industry Safety Directorate (OISD) norms/guidelines for installation and design of equipments and operation of the LPG Bottling Plants.
- (57) Cylinders should be filled with the LPG and should never be over-filled. Cylinders should be checked before and after filling to ensure that they are fit to fill, have been correctly filled, are gas tight and will be trouble-free in service.
- (58) Cylinder filling operations should be carried out in accordance with a reputable technical standard or code such as ISO 10691.
- (59) Road tankers should be equipped to the standard specified in national regulations reputable code. Vehicles should be mobilized during transfer operations and equipped to prevent untimely movement. Loading/unloading bays should be protected against impact. Fire-resistant coatings shall be provided to tanks/vessels.
- (60) Sections of pipeline and storage systems that can be isolated with valves or blinds should be equipped with safety valves to protect against possible damage as liquid LPG expands with increases in temperature.
- (61) The norms/guidelines of Oil Industry Safety Directorate (OISD) for installation and design of equipments and operation of the LPG Bottling Plants shall be strictly followed. Safety audit to be carried out and report submitted to the Regional Office.
- (62) The project proponent shall conduct a traffic density survey on the approach road to be used for transportation of LPG tankers and LPG cylinders.
- (63) Static electricity discharge shall be checked. Steel structures and pipeline should be securely earthed. Road tankers should be bonded to earth before LP Gas transfers commence and remain so until the operation is complete and the hose is disconnected.
- (64) The proponent shall strictly comply with Government of India's Gas Cylinder Rules and its amendments.

Standard Conditions:

1. Environment Management Plan (EMP) should be strictly in accordance to the finding of environmental impact assessment.
2. Execution of all activities / mitigative measures proposed by PP in Environmental management plan and approved by SEAC must be ensured.
3. All parameters listed in Environmental Monitoring Plan approved by SEAC must be monitored at approved locations and frequencies. PP shall submit a copy of Environmental Management Plan & Environmental Monitoring Plan duly approved by

SEAC within one month of issue of EC to SEIAA and concerned Regional Office, MoEF, Gol.

4. The project authorities shall inform to the Regional office of the Ministry of Environment and Forest, Bhopal and MPPCB final approval of the project by the concerned authorities and the date of start of land development work.
5. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the Regional office of the Ministry of Environment and Forest, Bhopal and MPPCB.
6. The Regional Office, MoEF, Gol, Bhopal and MP PCB shall monitor compliance of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report, Environmental Management Plan and other documents information should be given to Regional Office of the MoEF, Gol at Bhopal, MPPCB and concerned agencies as per EIA notification.
7. Action plan with respect to suggestion/improvement and recommendations made and agreed during public hearing consultation, if any, shall be submitted to the Regional office of the MoEF, Bhopal and MPPCB to the competent authority of the State Govt. within six months.
8. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the Regulatory Authority on 1st June and 1st December of each calendar year as per EIA notification 2006 and its amendments.
9. The Project Proponent has to upload soft copy of half yearly compliance report of the stipulated prior environmental clearance terms and conditions on 1st June and 1st December of each calendar year on MoEF & CC web portal - <http://www.environmentclearance.nic.in/> or <http://www.efclearance.nic.in/> and submit hard copy of compliance report of the stipulated prior environmental clearance terms and conditions to the Regulatory Authority also
10. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the local bodies, Panchayat and municipal bodies as applicable in addition to the relevant officers of the Government who in turn has to display the same for 30 days from the date of receipt.
11. The project proponent has to strictly follow directions/guideline issued by the MoEF, Gol, CPCB and other Govt. agencies from time to time.
12. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the State Level Environment Impact Assessment Authority (SEIAA) website at www.mpseiaa.nic.in and a copy of the same shall be forwarded to the Regional Office, MoEF, Gol, Bhopal and MP PCB.
13. The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
14. Any appeal against this prior environmental clearance shall lie with the Green Tribunal, if necessary, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

15. The prior environmental clearance granted for the project is valid for a period of five years as per EIA notification 14/09/2006.

2636

Endt No. / SEIAA/ 2019

Dated 13.3.19

Jitendra Singh Raje
(Jitendra Singh Raje)
Member Secretary

Copy to:-

- (1). Principal Secretary, Urban Development & Environment Deptt. 3rd Floor, Mantralaya Vallabh Bhawan, Bhopal.
- (2). Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
- (3). Member Secretary, Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony, Bhopal-462016.
- (4). The Collector, District Jabalpur M.P.
- (5). Commissioner. Municipal Corporation ,Jabalpur M.P
- (6). Central Ground Water Board, North Central Region, Block-1, 4th Floor, Paryawas Bhawan Area Hills, Jail Road, Bhopal - 462011, Madhya Pradesh
- (7). Director, I.A. Division, Monitoring Cell, MoEF, Gol, Ministry of Environment & Forest Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi – 110 003
- (8). Director (S), Regional office of the MOEF, (Western Region), Kendriya Paryavaran Bhawan, Link Road No. 3, Ravi Shankar Nagar, Bhopal-462016.
- (9). Guard file.

Sanjeev Sachdev
(Dr. Sanjeev Sachdev)
Officer-in-Charge