



State Environment Impact Assessment Authority, M.P.
(Government of India, Ministry of Environment, Forest & Climate Change)
Environmental Planning Coordination Organization
Paryavaran Parisar, E-5. Arera Colony
Bhopal-4620 16

Visit us <http://www.mpseiaa.nic.in>

Tel: 0755-2466970, 2466859

Fax : 0755-2462136

No: 2778 /SEIAA/2022

Date: 11/11/22

To,

Mrs. Saroj Sharma, Proprietor,
M/S VNS SOLUTION 240,
New Jiwaji Nagar Thatipur Murar
Gwalior, M.P.-474011

Sub: Case No. 8636/2021: Prior Environment Clearance for Development of Common Bio Medical Waste Treatment Facility (CBWTF) at Plot No. 16 GAA, Village- Malanpur, Tehsil & District- Bhind (M.P.) Total Project Area-4500 sq.m. (1.11 Acre) 1 No. Incinerator of capacity 200 kg/hr (Dry); 1 No. Autoclave of capacity 200 kg/hr; 1 No. Shredder of capacity 200 kg/hr each ; ETP Capacity – 7.5 KLD (MBBR); by M/S VNS SOLUTION through Proprietor, Mrs. Saroj Sharma, 240, New Jiwaji Nagar Thatipur Murar Gwalior, M.P.-474011 Email: vnssolution10@gmail.com Mob: 9752394953-
Additional point of TOR.

Ref: - 1) SEIAA letter dtd. 08.11.2021
2) 696th SEIAA meeting dtd. 10.12.2021

With reference to above you are here by informed that the case no. 8755/2021 belongs to Malanpur Industrial area was discussed in 696th SEIAA meeting dtd. 10.12.2021 and recorded that:-

"After the recommendation of SEAC today the case was scheduled for approval of ToR and after discussion in detail decided to approve the ToR as recommended by SEAC with additional TORs (as online standard TOR is already issued by MoEF& CC) and conditions mentioned in Annexure-D of 527th meeting dtd. 12.11.2021 and issue additional TOR by incorporating following conditions for preparation of EIA report:-

- a) Details of unit located within the coverage area of the project site.
- b) Route chart of the districts by showing collection of Bio medical wastes for treatment by the proposed unit.
- c) PP should consult with neighbouring industries existing in the area regarding establishment of proposed unit.
- d) Health Département guidelines for establishment of such units.
- e) Global warming potential and carbon foot print of the industrial activities should be studied and discussed in details during EIA study.
- f) PP should obtain NOC from Civil Aviation regarding distance of the project site from the air port and also inform to PP M/s VNS solution (Case no. 8636/2021) for the same for which SEIAA has issued ToR».

In context of point no. (f) of above, you are requested to kindly incorporate the same during EIA study.


(Shriman Shukla)
Member Secretary

2779

11/1/22

Copy to:-

1. Member Secretary, SEAC, Research and Development Wing Madhya Pradesh Pollution Control Board, Paryavaran Parisar, E-5, Arera Colony Bhopal-462016.
2. Member Secretary, Madhya Pradesh Pollution Control Board, E-5 Paryavaran Parisar, Arera Colony Bhopal (M.P.) -462016.
3. The Collector, Distt- Bhind - M.P.
4. M.D. M P Audyogik Kendra Vikas Nigam (Gwalior) Ltd 52, Ravi Nagar Gwalior – 474002
5. Regional Officer, Regional Office (WZ), Ministry of Environment & Forests, Kendriya Paryavaran Bhawan, Link Road No.-3, E-5, Arera Colony, Bhopal (M.P.) - 462016.
6. Guard File.


(Alok Nayak)
Officer-In-Charge

