

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

The 143rd meeting of the State Level Environment Impact Assessment Authority was convened on 16.08.2013 at 01.30 PM at the Authority's Office in M. P. Pollution Control Board Building, Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Amar Singh, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|---|--------------------|------------------|
| 1 | Shri M. Hashim | Member |
| 2 | Shri Manohar Dubey | Member Secretary |

- A. Review of the status of pending cases which were registered in Year 2010
- B. Cases related to additional information in which time line was given to put up in 1st meeting of August (as per decision in 134th dtd 28.05.13 & 135th dtd 04.06.13 SEIAA meeting)

S No	Case No.	No. & date of SEIAA meeting in which add. information was asked	Date of issue of minutes of SEIAA meeting	Date of Rcpt. of last inform.
1.	512/2010	134 th SEIAA meeting dtd 28.05.2013	04.06.2013	No Response
2.	676/2012	135 th SEIAA meeting dtd 04.06.2013	11.06.2013	31.07.13
3.	683/2012	135 th SEIAA meeting dtd 04.06.2013	11.06.2013	31.07.13
4.	721/2012	135 th SEIAA meeting dtd 04.06.2013	11.06.2013	12.07.13


- C. Re-visit about the decision of 141st SEIAA meeting dated 11.07.2013.


- A. Review of the status of pending cases which were registered in Year 2010.


- (1). All the cases registered in the year 2010 were examined by the Officers working in the SEIAA and they have found that still some cases are pending for a decision either to close the case or to grant prior EC and till date final decision has not been taken. The breakup of the total cases as per the office records is given below :-

Status of the Cases Registered In the Year 2010

1.	Total No. of cases (2010)	125 (S. No. 495 to 619)
2.	Cases in which EC granted	37
3.	Cases closed / delisted / rejected	15
4.	Pending cases	73


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

- (i). It is noted that 73 cases are pending which are being considered in this meeting. Details of pending cases are as follows.

Details of Pending Cases


S.No.	Pending at	Mining Cases	Cases Other than Mining	Total
1.	ToR Expired	7	18	25
2.	SEAC level	10	2	12
3.	SEIAA level	3	10	13
4.	State Mining (Sand) Corporation cases			23
				73


- (ii). Breakup of 73 Pending Cases According to Items as per Schedule of EIA Notification 2006 is as below:


S.No.	Item No. as per schedule	No. of Cases
1.	1(a)	43
3.	1(d)	03
4.	2(b)	01
6.	3(b)	01
7.	5(d)	01
8.	5(g)	01
9.	7(f)	18
10.	8(a)	05
	Total	73

- (2). It was noted that MOEF, GoI has issued Office Memorandum vide No. J-11013/41/2006-IA.II(I) dtd. 22nd March, 2010 regarding **Time limit for validity of Terms of Reference (TORs)** prescribed under EIA Notification, 2006 for undertaking detailed EIA studies for developmental projects requiring environmental clearance. The relevant part of the OM is given hereunder:-

*"It has been decided that from 01.04.2010, the prescribed TORs would be **valid for a period of two years** for submission of the EIA/EMP Reports, after public consultation where so required. This period will be extendable to the*


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

3rd year, based on proper justification and approval of the EAC/SEAC, as the case may be. Thus, an **outer limit of three years** has been prescribed for the validity of TORs with effect from 01.04.2010.

In case of the proposals, which had been granted TORs **prior to the issue of this O.M.** the EIA/EMP reports should be submitted, after public consultation where so required, **no later than four years from the date of the grant of the TORs, with primary data not older than three years".**

- (3). It has been informed by the SEIAA office that following 07 cases were registered wherein as per above OM the time limit for validity of ToR has expired, but PPs have not submitted final EIA Report in SEIAA Office as yet. As per EIA Notification 2006 PP should submit EIA Report to SEIAA Office and subsequently would be sent to SEAC Office for appraisal.

The SEIAA Office has also examined and found that PPs have not applied to extend time limit for validity of TOR and as such the prescribed time limit is over. **Hence, it has been decided that all these 07 cases are summarily rejected.** The list of these cases along with details is given below:

Cases of Mining Projects at SEAC Level (Year 2010)- Validity of ToR has Expired

S. No	Case No.	Category	Name of Project Proponent (PP)	Project / Activity	Date of Reg. / Send to SEAC	Date of Issue of ToR	Validity of ToR	Status of Final EIA Report received in SEIAA / SEAC
1	501	1(a)	M/s BLA Industries Pvt Ltd, 84, Maker Chambers III, Nariman point, Mumbai Mr. J.Kumar, Director BLA Industries, Pvt Ltd, Imaliya (Patlon) Gadawara, Distt-Narsinghpur-M.P.	Open cast coal mine at Dharmasthal coal project extn., New lease, lease area 71.927 hect. production cap. 0.15 mtpa. Village-Chargaon Khurd and Mohapani, Gadawara- M.P.	18-01-10	03.04.2010	02.04.2012	Not submitted
2	507	1(a)	Linkson coal & minerals Pvt Ltd, 4th floor, Poonam plaza, civil lines, Nagpur-M.H.	Ambejhari Dolomite Deposit 7.86 ha. at village - Amujhari, Teh-Katangi, Distt- Balaghat at M.P.	26-02-10	07.12.2010	06.12.2012	Not submitted


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

3	550	1(a)	Smt Meera Vajpai 431, Maharajpur Post Adhartal Distt-Jabalpur	Amgawan Red ochre, red oxide and fireclay mine 8.48 hect. at village-Amgawan, Teh-Sihora, Distt-Jabalpur	10/5/2010	12.10.2010	11.10.2012	Not submitted
4	568	1(a)	Bhagchand Sancheti Nehru Chowk, Waraseoni Distt-Balaghat-M.P.	Dolomite mine 7.75 Ha. at Village Dulhapur, Teh-Katangi, Distt-Balaghat-M.P.	21-07-10	09.08.2010	08.08.2012	Not submitted
5	572	1(a)	Jai Prakash Associates Ltd.Cement Division Jaypee Nagar Rewa-M.P.	Limestone mine 8.939 Ha. at village Bankuiyan, Teh-Huzur, Distt-Rewa-M.P.	9/8/2010	27.09.2010	26.09.2012	Not submitted
6	581	1(a)	M/s Rana Pratap Singh Post-Ghuwara, Distt-Chhatarpur	Dolomite mine 18.211 Ha. at village Tigoda, Teh-Banda, Distt-Sagar-M.P.	11/10/2010	07.12.2010	06.12.2012	Not submitted
7	615	1(a)	M/s R G Gupta Hemkumar Gupta Opp.Cement Bank Pipliya Mandi, Teh-Malharganj Distt-Mansaur-M.P.	Shale stone mine area 24.90 Ha. near Village-Kangeti Teh-Malhargarh Distt-Mandsour-M.P.	03-01-11	11.02.2011	10.02.2013	Not submitted

- (4). It was noted that the case No. 507/2010 (given at Sr. No. 2 in the above list) was registered by SEIAA and sent to SEAC on 26.02.2010, while the ToR was issued by SEAC vide No. 988/PS-MS/MPPCB/SEAC/ToR(68)/2010 dated 07.12.2010. It was observed that the SEAC took quite long time to issue the ToR, while at para No. 7 : **Stages in the Prior Environmental Clearance (EC) Process for New projects** and subsequent sub para (ii) of II (**Scoping**) of EIA Notification 2006, it is mentioned as follows :-

.....The Terms of Reference (TOR) shall be conveyed to the applicant by the Expert Appraisal Committee or State Level Expert Appraisal Committee as concerned within sixty days of the receipt of Form 1.If the Terms of Reference are not finalized and conveyed to the applicant **within sixty (60) days** of the receipt of Form 1, the Terms of Reference suggested by the applicant shall be deemed as the final Terms of Reference approved for the EIA studies.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

In the context of above it was decided to inform the SEAC that such delay should be avoided and norms of EIA Notification 2006 should be adhered to.

- (5). It was also informed by SEIAA Office that following 08 cases are pending at SEAC level for consideration. **The list of all these cases along with details is given below and the case - wise decision is given here under :-**

- (i) Case No. 509/2010 – It was decided to ask from the SEAC to provide the status of the appraisal of EIA report.
- (ii) Case No. 515/2010 – It was found that in minutes of the 62nd SEAC meeting dated 30.07.2010 it is mention as follows*It was informed by the PP that the lease is yet to be transferred in his name. Committee asked the PP to present the case after transfer of the lease. The case was deferred till submission from PP.*

In the context of above it was decided that the case is summarily closed.


- (iii) Case No. 564/2010 – It was found that the SEAC vide No. 17/PS-MS/MPPBC/SEAC/ToR(109)/2013 dated 10.01.2013 has extended the validity of the ToR up to March 2014 without assigning any reason **while as per MoEF, Gol, OM dated 22.03.2010 the validity of ToR in this case should be up to 26.09.2013.**


It was decided that PP should be asked to submit the EIA within the time limit for validity of ToR i.e. 26.09.2013. The copy of the letter should be endorsed to the MS-SEAC and MS-MPPCB.


- (iv) Case No. 565/2010 – It was found that the ToR has been revised for enhancement of production capacity by SEAC vide No. 535/PS-MS/MPPBC/SEAC/ToR(128)/2013 dated 29.06.2013.

On the basis of record it was decided that the revised ToR should be treated as fresh ToR. It was also decided to inform the PP that the primary data should not be older than 3 years while submitting the final EIA report and it should be submitted within prescribed time limit i.e. up to 28.06.2015. The copy of the letter should be endorsed to the MS-SEAC and MS-MPPCB.

- (v) Case No. 574/2010 – It was found that validity of the ToR is up to 26.09.2013. It was decided to send a reminder letter to the PP to submit the EIA report within the validity period of the ToR.
- (vi) Case No. 577/2010 – It was found that validity of the ToR is up to 11.10.2013. It was decided to send a reminder letter to the PP to submit the EIA report within the validity period of the ToR.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

(vii) Regarding Case No. 605/2010 & 608/2010 it was found that these cases were registered on 08.12.2010 and 28.12.2010 respectively, but ToRs were issued by SEAC on 29.02.2012 and 25.01.2012 respectively.

It was observed that the SEAC took more than a year time to issue the ToR while at para No. 7 : **Stages in the Prior Environmental Clearance (EC) Process for New projects** and subsequent sub para (ii) of II (**Scoping**) of EIA Notification 2006, it is mention as follows :-

.....The Terms of Reference (TOR) shall be conveyed to the applicant by the Expert Appraisal Committee or State Level Expert Appraisal Committee as concerned within sixty days of the receipt of Form 1.If the Terms of Reference are not finalized and conveyed to the applicant within sixty days of the receipt of Form 1, the Terms of Reference suggested by the applicant shall be deemed as the final Terms of Reference approved for the EIA studies.

In the context of above it was decided to inform the SEAC that such delay should be avoided and norms of EIA Notification 2006 should be adhered to.


Cases of Mining Projects at SEAC Level (Year 2010)

S. No	Case No.	Category	Name of Project Proponent (PP)	Project / Activity	Date of Reg. / Send to SEAC	Date of Issue of ToR	Validity of ToR	Status of Final EIA Report received in SEIAA / SEAC
1	509	1(a)	M/s RMG Super conductors Pvt Ltd. 33, Jagran Bhawan, M.P. Nagar, Bhopal-M.P.	Madwajhar Bauxite, laterite and clay mine 11.768 ha. at vill-Madwaghar, Teh-Rampur, Baghelan, Distt- Satna-M.P.	26-02-10	23.04.2010 & revised ToR dtd. 10.01.2013	22.04.2013	Submitted at SEIAA on dtd. 02.03.2013 & forwarded to SEAC on dtd. 08.03.2013.




(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



23.8.13
(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

2	515	1(a)	M/s Sanjay Shrivastava B-5, Vaishali Nagar Near Dr. Chhapra, Distt-Damoh-M.P.	Limestone mine 6.768 ha. at village Sagodikala, Teh-Jabera, Distt-Damoh-M.P., Khasra no.189/1, 192/1	30-03-10	Not issued	NA	SEAC in its 62nd meetind dtd. 30.07.2010 as mentionedIt was informed by the PP that the lease is yet to be transferred in his name. Committee asked the PP to present the case after transfer of the lease. The case was deferred till submission from PP
3	564	1(a)	M/s Ramlal Daftari JSQ- 39, ACC Colony P O Kaimur Distt- Katni-M.P.	Limestone mine 7.316 ha. at Piparhat Teh- Maihar, Distt-Satna-M.P.	1/7/2010	27.09.2010 & revised ToR dtd. 10.01.2013	March, 2014 as per SEAC letter	Not submitted
4	565	1(a)	Smt Urmila Tripathi Candmari Road , Dhawari Distt-Satna-M.P.	Limestone & laterite mine 8.09 ha. at village Tihari, Teh- Rampur Baghelan Distt- Satna-M.P.	1/7/2010	27.09.2010 & revised ToR dtd. 29.06.2013 (for enhancement of production capacity)	2 years w.e.f 29.06.2013 i.e upto 28.06.2015 as per SEAC letter	Not submitted
5	574	1(a)	Shri Somendra Singh & Shri Amar Singh Malti Mandir, Ghoghar P O & Distt-Rewa-M.P.	Begoudi Limestone mine 8.09 Ha. at Village Begoudi, Teh- Amarpatan Distt-Satna-M.P.	18-08-10	27.09.10 & 29.06.13 (on request of PP)	26.09.2013	Not submitted
6	577	1(a)	M/s Kailash Jain Chowrdia HIG-II Deendayalpuram Civil line, Balaghat-M.P.	Manganese mine 9.311 Ha. at village Miragpur, Teh-Khairlanji Distt-Balaghat MP	17-09-10	12.10.2010 & revised ToR dtd. 25.04.13	11.10.2013 as per SEAC letter	Not submitted
7	605	1(a)	M/s Ramchandra, Badri Prasad Gaur, Hanumanganj, Distt-Katni	Ametha lime stone mine 12.93 Ha. at village Ametha, Teh-Vijayraghogarh, Distt-Katni-M.P.	08-12-10	29.02.2012	28.02.2014	Not submitted


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

8	608	1(a)	M/s Karan Minerals, 158, Rizwan Bagh VIP Road , Lalghati, Bhopal-M.P.	Karmai Soap stone & Marble mine at area 15.61 Ha. at village Karmai Teh- Majholi, Distt-Sidhi-M.P.	28-12-10	25.01.2012	24.01.2014	Not submitted
---	-----	------	---	--	----------	------------	------------	---------------


(6). It was noted that **following 02 cases** were registered in the year 2010 and are pending in SEIAA office for want of information from the PP. **Following decision has been taken in this regard :-**


- (i) Regarding case no. 498/2010 it was decided that a **DO letter** should be sent to the Collector, Satna to provide the information at the earliest and the copy of the same should be endorsed to the Commissioner, Rewa, Division.
- (ii) Regarding case No. 607/2010 it was found that the Collector, Indore has provided the required information and it was decided that the case should be placed for consideration in coming SEIAA meeting.


Cases of Mining Projects at SEIAA Level (Year 2010)

S. N.	Case No.	Category	Name of Project Proponent (PP)	Project / Activity	SEAC recommendation	SEIAA meetings	Information Sought	Letters Issue	Response
1	498	1(a)	Shri Lalit Sehgal Rewa Road , Maihar P O Satna M.P.	Deori limestone, laterite, ochre & white clay mine 23.123 ha. at village Deori Taluka-Maihar, Distt-Satna-M.P.	76th meeting dtd. 07.01.2011 for prior EC	89th meeting dtd. 11.04.2012 & 106th meeting dtd. 14.09.2012	Distance of Village Jirhat from mining parisar in context of public hearing.	Letter to PP dtd. 23.04.2012 & letter to Collector Satna dtd. 23.04.2012, DO letter dtd. 26.09.2012 to Collector Satna & endt. to PP. TL at the earliest.	Information still awaited from Collector Office.
2	607	1(a)	M/s IVRCL Industries & projects Ltd. Village- Gyanpura, Jhabua Road Dhar-M.P.	Basalt stone mine 37.5 Ha. at village Rangwasa, Teh- Depalpur, Distt- Indore -M.P.	121st meeting dtd. 28.02.2013 for prior EC	129th meeting dtd. 06.05.2013 & 65th dtd. 26.08.2011	Distance of mine area (Village- Rangwasa) from Indore Municipal Corporation Ltd.	Letter dtd. 16.09.11 to Collector Indore endt. to PP. TL 30.09.11 & DO letter dtd. 22.05.13 to Collector Indore endt. to PP. TL 1 month.	Information still awaited from Collector Office.

(7). It has been informed by the SEIAA office that **following 23 cases** of the MP State Mining Corporation Limited were registered in 2010.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013


These cases were discussed in 54th SEAC meeting dated 28.04.2010 and following was decided.....


.....Officials from M.P. State Mining Corporation were present in the meeting but they failed to explain the salient features and locations of the quarries as they did not come prepared with appropriate presentations. Committee has issued following instructions / suggestions to the PP:


1. TORs' issued earlier during June 2009 for preparation of EIA / EMP other sand quarries of M.P. State Mining Corporation have not been responded yet. Committee asked the PP to submit the EIA reports for these projects at the earliest. PP was also informed about the OM of MoEF dated 22/03/2010 in context to the validity of issued TORs.
2. Applications submitted by the applicant were in old formats and were not filled in completely. Thus PP was asked to submit completely filled applications in revised format.
3. Project Proponents did not come prepared with presentations and other relevant documents so as understand the locations of various quarries and the salient features of each of these quarries.
4. Committee also suggested the PP to create an Environment Cell so that data collection and EIA studies of all the sites of sand quarries may be taken up.

Finally the committee decided to call the PP only after submission of completely filled applications in revised format in the subsequent meetings.

In context of above it was found that the officials of MP State Mining Corporation Limited have not submitted the application in the revised format till yet, as per decision of 54th SEAC meeting dtd 28.04.10 **Hence, it has been decided that as per MoEF, GoI, OM dtd. 30.10.12 all these 23 cases are summarily rejected.** The list of these cases along with details is given below:-


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

Status of M.P. State Mining Corporation Ltd. Sand Mining Project (Year 2010)

S. No.	Case No	Cate gory	Name of Project Proponent (PP)	Type of Activity	Date of dispatch to SEAC	Date of issue of ToR	Current Status
1	518	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 6.250 ha. at village Mahaba Chakra, 03-Teh-Palera, Distt-Tikamgarh-M.P.	30-03-10	-	<p>These cases were discussed in 54th SEAC meeting dated 28.04.2010 and following was decided.....</p> <p>Officials from M.P. State Mining Corporation were present in the meeting but they failed to explain the salient features and locations of the quarries as they did not come prepared with appropriate presentations. Committee has issued following instructions / suggestions to the PP:</p> <p>1. TORs' issued earlier during June 2009 for preparation of EIA / EMP other sand quarries of M.P. State Mining Corporation have not been responded yet. Committee asked the PP to submit the EIA reports for these projects at the earliest. PP was also informed about the OM of MoEF dated 22/03/2010 in context to the validity of issued TORs'.</p> <p>2. Applications submitted by the applicant were in old</p>
2	519	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 7.891 ha. at village Kubri, Teh-Palera, Distt-Tikamgarh-M.P.	30-03-10	-	
3	520	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 5.850 ha. at village Karola Teh-Palera, Distt-Tikamgarh-M.P.	30-03-10	-	
4	521	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 6.564 ha. at village Lar Khurd, Teh-Jatara, Distt-Tikamgarh-M.P.	30-03-10	-	



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

5	522	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 5.950 ha. at village- Bela Teh-Palera, Distt-Tikamgarh-M.P.	30-03-10	-	formats and were not filled in completely. Thus PP was asked to submit completely filled applications in revised format.
6	523	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 7.920 ha. at village- Daryao Nagar, Teh.& Distt-Tikamgarh-M.P.	30-03-10	-	
7	524	1(a)	The M.P. State Mining Corp. Ltd, Distt-Bhopal-M.P	Sand mine 6.384 ha. at village- Dumduma, Teh.. Prithvipur, Distt-Tikamgarh-M.P.	30-03-10	-	
8	525	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 15 ha. at village- Chhipner, Distt-Harda-M.P.	30-03-10	-	
9	526	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 20.00 ha. at village- Jalloda, Distt-Harda-M.P.	30-03-106	-	3. Project Proponents did not come prepared with presentations and other relevant documents so as understand the locations of various quarries and the salient features of each of these quarries.
10	527	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 6.00 ha. at village- Bichhapur, Distt-Harda-M.P.	30-03-10	-	
11	528	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 16.00 ha. at village- Bagwad, Distt-Harda-M.P.	30-03-10	-	4. Committee also suggested the PP to create an Environment Cell so that data collection and EIA studies of all the sites of sand quarries may be taken up.
12	529	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 7.810 ha. at village- Chidgaon, Distt-Harda-M.P.	30-03-10	-	
13	530	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 10.00 ha. at village- Manoharpura, Distt-Harda-M.P.	30-03-10	-	Finally the committee decided to call the PP only after submission of



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

14	531	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 22.00 ha. at village-Uchan Distt-Harda-M.P.	30-03-10	-	completely filled applications in revised format in the subsequent meetings. Till dated the PP has not submitted the applications in revised format.
15	532	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 21.00 ha. at village-Sigon Distt-Harda-M.P.	30-03-10	-	
16	533	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 27.00 ha. at village-Khadineema Distt-Harda-M.P.	30-03-10	-	
17	534	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 14.00 ha. at village-Goyat, Distt-Harda-M.P.	30-03-10	-	
18	535	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 20.00 ha. at village-Handia, Distt-Harda-M.P.	30-03-10	-	
19	536	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 10.00 ha. at village-Ravlas, Distt-Harda-M.P.	30-03-10	-	
20	537	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 12.900 ha. at village-Gajanpur, Distt-Harda-M.P.	30-03-10	-	
21	538	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-MP	Sand mine 16.210 ha. at village-Nemawar, Distt-Harda-M.P.	30-03-10	-	
22	539	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-MP	Sand mine 10.00 ha. at village-Kundgaonkurd, Distt-Harda-M.P.	30-03-10	-	
23	540	1(a)	The M.P. State Mining Corp. Ltd, Sub office, 20, MIG, Nehru Colony, Distt-Harda-M.P	Sand mine 20.00 ha. at village-Chichlee, Distt-Harda-M.P.	30-03-106	-	


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman


Minutes of the 143rd Meeting of SEIAA dated 16.08.2013


(8). PENDING CASES OTHER THAN MINING


- (i). As per Para 2 of the minutes the following **17 cases** were registered wherein as per office memorandum dtd 22.03.2010 the time limit of **two (2) years** has expired after issuing ToR, but PPs have not submitted final EIA report in SEIAA /SEAC office as yet and have not applied to extend the time limit for validity of ToR and as such the prescribed time limit is over. **Hence, it has been decided that all these Seventeen (17) cases are summarily rejected. PP and all concerned should be informed.** The list of these cases along with details is given below:

LIST OF PENDING CASES OF OTHER THAN MINING PROJECTS [Year 2010] In which Validity of ToR has expired

S. No	Case No.	Category	Name of Project Proponent (PP)	Project/Activity	Date of rec. in SEIAA	Case sent to SEAC	TOR issued on Dated	Validity of TOR dated	Final EIA received in SEIAA/ SEAC Office from PP	Location of file
1.	544/2010	1(d)	M/s Anik Ferrow Alloys Pvt Ltd 2/1 South Tukoganj Behind High Court Distt-Indore-M.P.	Captive thermal power plant at 25 MW at Meghnagar, Industrial growth centre Distt-Jhabua-M.P.	03.04.10	13.04.10	20.07.10	19.07.12	Not Submitted	SEAC
2.	584/2010	7(f)	Madhya Pradesh Road Deve.Corp. Ltd, 16-A, Arera Hills,Bhopal	Construction of Bhind-Ater-Porsa (SH-2) Road, length 60.85 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
3.	585/2010	7(f)	Madhya Pradesh Road Deve.Corp. Ltd, 16-A, Arera Hills,Bhopal	Construction of Mihona-Lahar-Daboh-Bhander-Chirgaon (SH-45) Road length 85.70 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
4.	586/2010	7(f)	Madhya Pradesh Road Deve.Corp. Ltd, 16-A, Arera Hills,Bhopal	Construction of Pichhore-Chanderi-Mungawali-Onder-Kurwai (SH-19) Road length 146.50 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
5.	587/2010	7(f)	Madhya Pradesh Road Deve.Corp. Ltd, 16-A, Arera Hills,Bhopal	Construction of Manwar-Mangod (Bandheri) (SH-38) Road length 49.63 K.M	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

6.	588/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Sardarpur-Rajgarh-Bag (SH-35) Road length 50.43 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
7.	589/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Agar-Barod-Alot-Jawra (SH-41) Road length 108.70 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
8.	590/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Pachor-Chhapikheda-Jirapur-Machalpur-Soyat (SH-51) Road length 86.70 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
9.	591/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Badi-Baktara-Dobi-Shahganj-Budhni (SH-15) Road length 58.78 K.M.	13.10.10	09.11.10	07.12.10	06.12.12	Not Submitted	SEAC
10.	592/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Silwani-Udayapura (SH-44) Road length 28.58 K.M.	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC
11.	593/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Rahatgarh-Khurai-Khimlasa (SH-42) Road length 47.48 K.M.	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC
12.	594/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Damoh-Hata-Gaisabad i/c Hata Town Portion (SH-47) Road 62.66 K.M.	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC
13.	595/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Hata-Patera-Kumhari & Raipura-Saliya-Bahuriband-Sihora (SH-48) Road length 91.28 K.M.	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC
14.	596/2010	7(f)	Madhya Pradesh Deve.Corp. Ltd, Arera Hills, Bhopal	Road 16-A,	Construction of Amarpatan-Gorsari-Badera (SH-11) Road length 46.50 K.M.	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

15.	597/2010	7(f)	Madhya Pradesh Road Deve. Corp.Ltd, 16-A, Arera Hills, Bhopal	Construction of sundra singpur-Kothi Jaitwara-Birshingpur-Semaria (SH-52) Road land 85.29 KM	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC
16.	598/2010	7(f)	Madhya Pradesh Road Deve. Corp. Ltd, 16-A, Arera Hills, Bhopal	Construction of Sidhi-Beohari (SH-55) Road length 71.29 KM.	13.10.10	09.11.10	31.12.10	30.12.12	Not Submitted	SEAC
17.	599/2010	5(d)	Grasim Industries Ltd Excel fiber Division P.O. Birlagram, Nagda Distt-Ujjain-M.P.	Expansion project of solvent spun cellulosic fiber from 3650 TPA	19.11.10	30.11.10	11.02.11	10.02.13	Not Submitted	SEAC


- (ii). It is noted that the ToR validity of following **one (01)** case is likely to expire and PP have not submitted the EIA report till date in the office of SEAC / SEIAA. **It is decided that a reminder should be issued to PP from SEIAA office to submit the final EIA Report within the validity of ToR as prescribed in MoEF, Gol office Memorandum dtd 22.03.2010 otherwise the cases will be summarily rejected. A copy of letter should be endorsed to SEAC.**


LIST OF PENDING CASES OF OTHER THAN MINING PROJECTS [Year 2010] In which Validity of ToR is likely to be expired


S. No	Case No.	Cate gory	Name of Project Proponent (PP)	Project/Activity	Date of rec. in SEIAA	Case sent to SEAC	TOR issued on Dated	Validity of TOR dated	Final EIA received in SEIAA/ SEAC Office from PP	Location of file
1	612/2010	1(d)	M/s Sanghi Infrastructure 625, Ansal Chamber, 11,6 Bhikaji Cama place, New Delhi	Captive Power project stage-1 2x60 MW at village-Karitalai Teh- Vijayraghogarh, Distt Katni-MP	21.12.10	28.12.10	12.10.11	11.10.13	Not Submitted	SEAC

- (iii). It is noted that following **two (2)** cases are pending at SEAC in which even ToR have not been issued. **It is decided that for case no. 502/2010 a letter should be sent to SEAC to submit the recommendation on following points :-**

- a. If the cases are pending for want of information at PP level then recommendation to de-list the case as per MoEF, Gol, O.M. No. J-11013/5/2009-IA-II(Part) dtd. 30th October, 2012.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 143rd Meeting of SEIAA dated 16.08.2013


- b. If relevant information has been submitted by the PP the case should immediately be appraised and recommendation should be sent to SEIAA accordingly.
- c. In case no. 583/2010 it is noted that in the 70th SEAC meeting dtd 16.11.2010 decision has been taken to return the case to SEIAA as PP has not submitted the requisite information. However, neither the file nor the letter has been issued to SEIAA in this matter. It is decided that the case (583/2010) is summarily rejected.

LIST OF PENDING CASES [2010] - AT SEAC (files in SEAC)

S. No	Case No.	Category	Name of Project Proponent (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	TOR	Validity of ToR	EIA Report Received	SEAC quarry	Response
1	502/2010	2(b)	M/s Jakhodia Minerals Prop. Jaikishan Jakhodia 184-Santa Colony, Raipur-CG	Beneficiation plant 90,000 Ton per annum at village-Dhamki, Teh-Sihora Distt- Jabalpur-M.P.	22.01.10	10.02.10	Not issued			Case appraised in 50th SEAC meeting dtd. 22-03-10 for issue of ToR. Additional information to be submitted by PP	No response from PP
2	583/2010	1(d)	ABG Energy (M,P) Ltd 5 th floor Bhupati Chamber 13, Mathews Road, Behind Operu House, Mumbai-400 004	4x25 MW Thermal Powerplant at village deori Hatai Talika-Katni, Distt-Katni-M.P.	13.10.10	09.11.10	Not issued			Add. Query regarding coal linkage and water supply 70 th SEAC meeting dtd 16.11.10. Decision to return the case to SEIAA	No response file at SEAC


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 143rd Meeting of SEIAA dated 16.08.2013


- (iv). It is noted that following **ten (10)** cases which were registered in 2010 are pending at SEIAA for want of additional information. List of these 10 cases with details is given below and the decision taken is as under :-
- a. It is decided to summarily reject the five Cases i.e. nos. 495/2010, 497/2010, 505/2010, 567/2010, 578/2010 in view of the MoEF, Gol office memorandum dtd 30.10.2012.
 - b. In case no. 512/2010 & 606/2010 **PP has submitted the information and the cases are being considered in this meeting.**
 - c. Regarding case no. 571/2010, 617/2010 & 618/2010 it is decided to send a reminder letter to MoEF, Gol for clarification regarding policy decision in 60th SEIAA meeting dtd 14.06.11 pertaining to SO 695 (E) dtd 04.04.11 amendment of EIA Notification 2006.

LIST OF PENDING CASES [2010] – AT SEIAA

S. No	Case No.	Category	Name of Project Proposal (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	SEAC recommendation	Last SEIAA meetings	Desired Information	Response
1.	495/2010	8(a)	M/s Saicharan properties Ltd, 101, Kalptaru Synergy, Opp. Grand Hyatt, Santacruz (E), Mumbai- 400 055	Commercial building of plot no. 27, at Yash Niwas Road , Indore -M.P.	23.12.09	05.01.10	85 th meeting dtd 13.12.11- Prior EC recommended	82nd meeting dtd. 03.02.12.	fire fighting plan, energy conservation plan, NOC for water supply and Infrastructure details of treated waste water & reuse plan indicating arrangements for water supply for flushing and cost involve for these. Letter sent to PP 25.02.12 with TL two months.	No Response.
2.	497/2010	8 (a)	Shri Ashish Modi, Director M/s Milan Realities 2006 Oasis Trade centre, 20/22, Yeshwant	High-rise multi stories residential project at village-Bicholi	04.01.10	05.01.10	76 th dtd 07.01.11 EC recommend 84 th dtd 09.11.11 – reconsidered and EC granted	80 th dtd 19.01.12, 98 th dtd 05.07.12 (Add. Inf.)	Registered agreement between PP and land owner.	No Response.



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

S. No	Case No.	Category	Name of Project Proposal (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	SEAC recommendation	Last SEIAA meetings	Desired Information	Response
			Niwas Road, Indore-M.P.	Mardana, Indore-M.P.			with more stringent conditions	110 th dtd 16.10.12 (Add. Inf.)	NOC from IMC for remaining quantity of water. Fire Fighting NOC from nearest fire station – TL 31.12.12 Letter sent to PP 31.10.12.	
3.	505/2010	3(b)	M/s Pluton Cement Pvt. Ltd S/o Jankinagar extension, Distt-Indore-M.P.	Expansion of cement production capacity from 6600 TPA to 19800 TPA at 52-54 A, Sector-3, Pithampur, Distt-Dhar-M.P.	01.02.10	10.02.10		55 th SEIAA meeting dtd. 28.03.11.	Revised Form-1 as per EIA Notification 01.12.09	No response
4.	512/2010	8(a)	Advanced Medical Science and Education Society 136, NH-5, Railway Road NIT Faridabad	Hospital and Medical College at vill-Inayatpur Teh-Huzur, Distt-Bhopal	25.02.10	26.02.10	95 th dtd 08.05.12 Prior EC recommended	134 th dtd 28.05.13	Violation case. Letter sent to PS (11.06.13) for legal action as per Gol OM 12.12.12. TL 15.07.13. Reminder letter dtd 31.07.13. 134 th SEIAA mtg. decision to put the case in 1 st SEIAA mtg. of August 13	Information PS, H & E Deptt. awaited
5.	567/2010	8(a)	Shri Bhupesh Sanghvi, Director M/s Raju Hoarding Pvt Ltd 15-16, Jawahar Marg,	The residential complex (Sanghvi-Residency) at	05.07.10	21.07.10	76 th dtd 07.01.11 Recommended for prior EC 84 th dtd 09.11.11 – Returned to	53 rd & 64 th – Closed (critically polluted) 66 th –	Infrastructure details of treatment plan, STP capacity, arrangement for treated water supply for flushing, SWM plan,	No Response



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

S. No	Case No.	Category	Name of Project Proposal (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	SEAC recommendation	Last SEIAA meetings	Desired Information	Response
			Indore-M.P	village – Bicholi Mardana Teh-&Distt-Indore-M.P.			SEIAA	Reconsidered and sent to SEAC. 81 st dtd. 27.01.12.	Disaster MGT Plan, NOC for high rise, land diversion etc. Letter sent to PP dtd 09.02.12	
6.	571/2010	7(f)	M.P. Road Dev. Corp. Ltd 16-A, Arera Hills, Bhopal-M.P.	Up-gradation rehabilitation and widening of the existing Binato Sironj section of SH-14 (Km 0.680 to Km 57,600 to Two Lane with paved shoulders of the project SH in the state of M.P. by MPRDC.	12.07.10	21.07.10	80 th SEAC meeting dtd. 03-09-11.	60 th dtd 14.06.11- Policy decision reg. clarification from MoEF, Gol for S.O. 695 dtd 04.04.11	Letter sent to MoEF, dtd 11.11.11, 03.05.12 & 30.08.12	No response.
7.	578/2010	8(a)	M/s Trikaya cultivations Pvt Ltd C/o M/s Equinox reality & Infrastructure Pvt Ltd Tower-1, 5th Floor Equinox Business park Pvt Ltd, Office Bandra Kurla Complex, LBS Marg Kurla	Residential colony at village- Bilauji Teh- Waidhan, Distt- Singrauli- M.P.	15.09.10	17.09.10	84 th dtd 09.11.11	81 st SEIAA meeting dtd. 27-01-12.	Land document, fire fighting NOC, infrastructure details of treated waste water reuse, cost involve etc. Letter sent to PP dtd 21.02.12 (TL 2months), 10.04.12	No Response.


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

S. No	Case No.	Category	Name of Project Proposal (PP)	Project / Activity	Date of rec. in SEIAA	sent to SEAC	SEAC recommendation	Last SEIAA meetings	Desired Information	Response
			(west) Mumbai - 4000 70							
8.	606/2010	5(g)	M/s J.J. Distillers & Beverages Pvt. Ltd, HIG- 875 Duplex Bungalow, Old Housing Board Colony, Morena- M.P.	Grain based distillery 28 KLPD of Alcohol at village Jafarabad, Teh- Jaura, Distt-Morena- M.P.	07.12.10	28.12.10	101 dtd 22.08.12- Prior EC recommended	136th meeting dtd 11.06.13..	Coal linkage permission, whether boiler can be operated using biomass only, quantity of biomass required and its availability. Letter sent to PP on 19-06-13 by 20-08-13	Information submitted by PP 17.07.13. Case included in list of additional information.
9.	617/2010	7(f)	M/s Anil Chansoria Chief Engineer (BOT) MPRDC, Bhopal	Construction of Bhopal- Berasia Sironj Road SH-23	27.12.10	03.01.11	80 th dtd 03.09.11	60 th mtg dt.14.06.11 Policy decision	Clarification of MoEF, GoI regarding SO 695 dtd 04.04.11. Letter sent to MoEF dtd 13.07.11, 11.11.11 & 29.04.13	No Response
10.	618/2010	7(f)	M/s Anil Chansoria Chief Engineer (BOT) MPRDC, Bhopal	Construction of Guna Ashok Nagar, Ishagarh Road SH-20	27.12.10	03.01.11	80 th dtd 03.09.11	60 th meeting dt. 14.06.11 Policy decision	Clarification of MoEF, GoI regarding SO 695 dtd 04.04.11. Letter sent to MoEF dtd 13.07.11 & 11.11.11	No Response

- (9). It was also decided that the concerned PPs should be informed about those cases which are summarily closed / rejected. The copy of the letter should be endorsed to MS, MPPCB, MS, SEAC and all other concerned.
- (10). It was noted that certain papers / files are in the office of SEAC. It was decided that they should be asked to return the concerned case files immediately.


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman


Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

B. Cases related to additional information in which time line was given to put up in 1st meeting of August (as per decision in 134th dtd 28.05.13 & 135th dtd 04.06.13 SEIAA meeting)

- (1). **Case No. 512/2010**, Prior Environmental Clearance for Hospital & Medical College in an area of 25 acres (10.130 ha) (total 26 Khasras) at village Inayatpur, Tehsil Huzur, Bhopal by M/s Advance Medical Science & Education Society, 136, N.H.5, Railway Road, NIT, Faridabad, U.P.
- (i). The case was discussed in SEIAA meeting 97th dtd. 20.06.2012, 110th dtd 16.10.2012, 117th SEIAA meeting dtd 22.01.2013 and 134th dtd 28.05.13 SEIAA meeting and it is recorded that (1)
- (2) *In response to above PP has submitted (vide letter no. nil dtd nil received in SEIAA office on 21.02.2013) the copy of resolution (dtd 18.02.2013) from Board of Directors regarding violation. PP has admitted that construction to the tune of 10% of the total constructed area has been done.*
- (3) *The case was examined in view of the MoEF, GoI office memorandum J-11013/41/2006 IA II (I)dt. 12.12.2012 and it is decided that :-*
- (a) *PP has admitted that 10% of the total built up area has already been constructed. However the Authority is of the view that the violation is not serious and not liable for rejection for Prior EC at this stage.*
- (b) *The details of project proponent, a copy of commitment and Resolution passed by in the meeting of the Board of Member of Advance Medical Science & Education Society held on 18th February 2013 at the Registered Office of the Society should be put on the website of MPSEIAA for information of all stake holders.*
- (c) *In addition to the earlier letter sent to Principal Secretary (vide 3349 dtd 28.03.2013) again a letter should be sent to Principal Secretary giving the details of violation and office memorandum of MoEF, GoI J-11013/41/2006 IA II (I)dt. 12.12.2012 (para 2) to initiate credible action on the violation by invoking power under section 19 of the Environment (Protection) Act 1986 for taking necessary legal action under section 15 of the Act for the period for which the violation has taken place and evidence provided to MoEF of the credible action taken. The details of action taken should be made available to the Authority by 15.07.2013.*
- (4) *The case will be again considered in the very first meeting to be held in August 2013. Member Secretary will ensure this."*
- (ii). As per SEIAA meeting decision a letter was sent to Principal Secretary, Housing & Environment Deptt. (vide letter no. 960 dtd 11.06.2013) to submit information by 15.07.13. No response was received, hence reminder has been sent (vide letter no. 1339 dtd 31.07.2013). However reply is awaited. **It is decided that a DO letter from MS, SEIAA should be sent to Principal Secretary, Housing & Environment Deptt. in this regard. However, the examination of the case shall not be kept pending on this account.**


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

(iii). It is noted that :-

- (a). The total waste water generation is 497 KLD. The STP capacity is 500KLD. Recycled water 190 KLD and extra treated waste water is 307 KLD. It is decided that PP should submit details of reuse of waste water and NOC from Municipal Corporation, Bhopal for disposal of extra treated waste water (307 KLD) .
- (b). The total 2323 kg/d MSW shall be generated. It is decided that PP should submit NOC from Municipal Corporation, Bhopal regarding disposal of solid waste.
- (c). PP has proposed roof top rain water harvesting through silt trap & percolation wells and is satisfactory.

(iv). The above information should be submitted by PP latest by 30.09.2013.


(2). **Case No. 676/2012**, Prior Environmental Clearance for "Shalimar Swayam" project of Coral Infrastructure Pvt. Ltd. at Khasra No. 4/1, 4/3, 4/4, 5/2, 6/1, 6/2, 6/3, 9/2, 9/3, 9/4, 10/4, 10/5, 10/6, 10/7, 10/8, 10/9, 11/1, 11/2, 11/3 (Total 19 Khasras) at Village Kabir Khedi, Tehsil & District Indore (M.P.) Total Land Area – 10. 587 ha, Total Built Up Area – 93,363.90 sq.mt. by Coral Infrastructure Pvt. Ltd. through Director Shri Sachin Upadhyay, 210, Shalimar Corporate Centre, 8-B, South Tukoganj, Distt. – Indore (M.P.) – 452001

(i). The case was discussed in 108th SEIAA mtg. dtd 01.10.2012, 122nd SEIAA mtg. dtd. 05.03.13 & 135th dtd 04.06.2013 it was recorded(1) "i.....iv....."

(2) *In response to above query, reply submitted by PP (letter dtd 29.03.13 received in SEIAA office 30.04.13) was examined in depth and it is noted that:-*

(a). *PP has submitted notarized copy of NOC issued by Chief Superintendent, Police Fire Bridge, Indore (vide letter no. 3085A/13 dtd. 13.02.13) regarding distance of nearest fire station (7.4 km). PP has also submitted copy of application dtd. 29.04.13 to Commissioner, UADD for Provisional fire fighting NOC. It is to be noted that in the 122nd SEIAA meeting the fire NOC (letter no. 21C dtd 12.02.11) from PHQ Bhopal submitted by PP (vide letter dtd 27.11.12) was examined and PP was directed to submit the fire NOC and distance of nearest fire stations certified by the Nagar Nigam, Indore. It is decided that as per MoEF, GoI office memorandum 21-270/2008-IA.III dtd. 07.02.2012 regarding the fire fighting arrangements **PP should submit the NOC and distance of fire station from Municipal Corporation, Indore latest by 31.07.2013 otherwise the case shall be summarily rejected.***

(b). *The submission of PP that the width of internal road shall be as per MPBVR 2012 is not acceptable. It is decided that the minimum width of the main internal road within the campus should not be less than 15 m for the building having height between 15 -*


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013


30 m as per MoEF, Gol office memorandum 21-270/2008-IA.III dtd. 07.02.2012. It is to be pointed out that the Environment (Protection) Act 1986 has overriding effect over other acts as per section 24 (1) of the act

"Subject to the provisions of Sub-section (2), the provisions of this Act and the rules or orders made therein shall have effect notwithstanding anything inconsistent therewith contained in any enactment other than this Act."

It is to mention that the MoEF, memo dtd 07.02.2012 has been issued under the Environment (Protection) Act 1986.

- (c). The total waste water generation is 1027 KLD. Sewage treatment plant of capacity 1030 KLD is proposed. The total treated waste water available shall be 824 KLD. Out of this 550 KLD water is proposed to be recycled (417 KLD flushing, 83 KLD Horticulture & 50 KLD other uses). There will be 274 KLD is extra treated water. **It is decided that final discharge of extra treated waste water should be linked with Municipal sewer line. PP should submit NOC from Municipal Corporation, Indore.**
- (d). Total solid waste generation will be around 5.03 TPD. Door to door collection of MSW, seggregation and centralized collection system is proposed. Final disposal of MSW should be integrated with Municipal Corporation, Indore and **PP should submit NOC from Municipal Corporation, Indore regarding disposal of MSW.**
- (3) It is reiterated that PP should submit the above information latest by 31.07.2013 and if these information are not received the case will be summarily rejected. Member Secretary should ensure the case is put up before the Authority in the first meeting in August 2013."
- (ii). In response to the above query, reply submitted by PP (vide letter dtd 30.07.13 received in SEIAA office on 31.07.13 and letter dtd. 07.07.13 (wrongly mentioned) received in SEIAA office on 08.08.13) was examined in depth and it is noted that : -
 - (a). Decision regarding width of main internal road taken in the 135th SEIAA meeting dtd 04.06.13 is revisited in view of MoEF, Gol office memorandum F No. 21-270/2008 – IA.III dtd 06.06.13 and **it is decided that the width of main internal road should be not less than 12 m for buildings having height up to 18 m as per the MPBVR 2012 table 4 Rule no. 42 (1).**
 - (b). PP has submitted notarized copy of NOC issued by Additional Director General of Police, Technical and fire fighting Services PHQ, Bhopal (vide letter no. 21-C dtd. 12.02.11) which was examined in 135th SEIAA meeting dtd 04.06.13 and PP was asked to submit fire fighting NOC from Municipal Corporation, Indore. However, as per Housing & Environment Deptt. Govt. of MP order dtd 07.09.11 Commissioner UADD has been authorized as fire Authority by the State Govt. and as per Gazette Notification dtd 01.06.12 the building permission of every


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



23/8/13
(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

high-rise building shall be granted after the clearance from fire Authority. PP has submitted notarized copy of fire fighting NOC issued vide let no. 6981 dtd. 08.08.13 from **UADD Bhopal and is satisfactory**. The said provisional NOC is upto 08.04.2016 and subject to the provisions and conditions mentioned in the provisional fire NOC issued by PHQ, Bhopal vide letter dtd 12.02.11.

- (c). The PP has submitted that the distance of fire station from the site is 7.4 km. Further as per MoEF, GoI office memo dtd 06.06.13 it is the owner's responsibility to provide adequate fire protection measures as per NBC and State Government have been directed to strictly enforce the fire protection measures as per NBC while issuing NOC for fire safety. PP has submitted that PP has proposed fire protection measures as per NBC. It is noted that PP has proposed that the fire protection requirements as per local fire bye laws and NBC Part –IV 2005 shall be provided and has proposed automatic fire detection and alarm systems, electronic alarms and integrated public announcement, fire hydrants, hose reels, water storage tank exclusively for fire protection, individual overhead water tanks etc.
- (d). As per 135th SEIAA meeting PP has submitted copy of letter (No. 832 dtd. 22.07.13) from Indore Municipal Corporation regarding water supply from Municipal Corporation, disposal of extra treated waste water in the municipal sewer line and for disposal of MSW. **It is decided that PP should deposit the requisite fee and obtain a clear NOC from Municipal Corporation regarding water supply, discharge of waste water in the Municipal sewer line and disposal of municipal solid waste before starting the construction.**
- (iii). It is decided to accept the recommendations of 101st SEAC meeting dtd 22.08.2012 with 8 special conditions and accord prior Environmental Clearance subject to NOC from Municipal Corporation regarding water supply, discharge of waste water in the Municipal sewer line and disposal of municipal solid waste before starting the construction to "Shalimar Swayam" project of Coral Infrastructure Pvt. Ltd. at Khasra No. 4/1, 4/3, 4/4, 5/2, 6/1, 6/2, 6/3, 9/2, 9/3, 9/4, 10/4, 10/5, 10/6, 10/7, 10/8, 10/9, 11/1, 11/2, 11/3 (Total 19 Khasras) at Village Kabir Khedi, Tehsil & District Indore (M.P.) Total Land Area – 10.587 ha, Total Built Up Area – 93,363.90 sq.mt. by Coral Infrastructure Pvt. Ltd. through Director Shri Sachin Upadhyay, 210, Shalimar Corporate Centre, 8-B, South Tukoganj, Distt. – Indore (M.P.) – 452001


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

- (3). **Case No. 683/2012**, Prior Environmental Clearance for "Sumer Saffaron Homes" Project of M/s Sumer Builders Pvt. Ltd., at Khasra No. 1487/1 & 1487/2, Town, Tehsil & District Indore total land area 41,600 sqmt. Built up area 83200 sq mt. by M/s Sumer Builders Pvt. Ltd., through Director Shri Manikchand H Loonkar, 41, Gorani Compound, Near RTO, Opp. Lokmanya Nagar, Kesar Bagh Road, Indore- 452009.

- (i). The case was discussed in 109th SEIAA meeting dtd 08.10.2012, 122nd SEIAA mtg. dtd. 05.03.13 & 135th dtd 04.06.2013 and it is recorded that ...1.... :-


- (2) *In response to above query, reply submitted by PP (vide letter dtd 29.04.13 received in SEIAA office on 30.04.13) was examined in depth and it is noted that :*


- (i). *The submission of PP that the width of internal road would be as per MPBVR 2012 is not acceptable. It is decided that the minimum width of the main internal road within the campus should not be less than 24 m for the building having height between 45-60 m as per MoEF, Gol office memorandum 21-270/2008-IA.III dtd. 07.02.2012. It is to be pointed out that the Environment (Protection) Act 1986 has overriding effect over other acts as per section 24 (1) of the act*


"Subject to the provisions of Sub-section (2), the provisions of this Act and the rules or orders made therein shall have effect notwithstanding anything inconsistent therewith contained in any enactment other than this Act."

It is to be mentioned that the MoEF, Gol office memo dtd 07.02.2012 has been issued under the Environment (Protection) Act 1986.

- (ii). *PP has submitted copy of application (28.12.12) submitted to Commissioner Nagar Nigam, Indore for water supply of 751 KLD. PP has also submitted a notarized copy of receipt of Narmada cess submitted to Nagar Nigam, Indore. It is noted that PP has applied for water supply in December 2012 and still the NOC for water supply has not been issued. It is decided that a letter should be sent to Commissioner Municipal Corporation, Indore as to give details and status of NOC and copy of the letter be endorsed to PP.*
- (iii). *PP has submitted a notarized copy of application (20.10.12) submitted to Commissioner UADD for firefighting NOC. PP has submitted NOC of nearest fire station for distance 03 k.m. issued by Police Adhikshak Police Agnishaman Sevaye, Indore (vide letter no. 01-A/2013 dtd. 12/03/13). It is to be noted that in the 122nd SEIAA meeting dtd 05.03.2013 the above application for fire NOC was examined and PP was directed to submit the fire NOC and distance of nearest fire stations certified by the Nagar Nigam, Indore. It is strange that he has not yet applied to Municipal Corporation, Indore for fire NOC. It is decided that as per MoEF, Gol office memorandum 21-270/2008-IA.III dtd. 07.02.2012 regarding the fire fighting arrangements PP should submit the NOC and distance of fire station from Municipal Corporation, Indore latest by 31.07.2013 otherwise the case shall be summarily rejected.*
- (iv). *The total waste water generation is 451 KLD. PP has provided STP of capacity 470 KLD. The total treated waste water quantity will be 367 KLD (305 KLD residential + 62 Mall). Out of this recycled water will be 224 KLD residential and 58.7 KLD mall. There will be extra*


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

treated waste water 85 KLD (81 residential & 4 KLD mall). It is decided that final discharge of extra treated waste water should be linked with Municipal sewer line. PP should submit NOC from Municipal Corporation, Indore.

(v). *Total solid waste generation will be around 1.86 TPD. Final disposal of MSW should be integrated with Municipal Corporation, Indore PP should submit NOC from Municipal Corporation, Indore regarding disposal of MSW.*

(3) *It is reiterated that PP should submit all the above information latest by 31.07.2013 and if these information are not received the case will be summarily rejected. Member Secretary should ensure the case is put up before the Authority in the first meeting in August 2013"*

(ii). In response to above query, reply submitted by PP (vide letter dtd 30.07.13 received in SEIAA office on 31.07.13) was examined in depth and it is noted that :-


(a). Decision taken in 135th SEIAA meeting dtd 04.06.13 regarding width of main internal road is revisited in view of MoEF, GoI office Memorandum F. No. 21-270/2008-IA.III dtd 06.06.13 and **it is decided that the width of main internal road should not be less than 36 m for building height between 45 – 60 m as per MPBVR 2012 table 5 Rule 42 (2).**

(b). As per SEIAA mtg 135th dtd. 04.06.13 letter was sent to Commissioner Nagar Nigam, Indore (Vide let no. 1040 dtd. 20.06.13) for supply of water. No response has been received from Municipal Corporation, however, PP has submitted that they have already deposited consent charges and Narmada Cess fee and their case is still in process in the Corporation office and as soon as the NOC is granted it shall be submitted in SEIAA office. **It is decided that the entire demand of water supply (751 KLD) should be met from the Nagar Nigam supply and there should be no extraction of ground water.**

(c). PP has submitted that as per Notification of MP Govt. Housing and Environment Deptt. dtd 07.09.11, PP has applied for firefighting NOC to Commissioner UADD, Bhopal dtd 20.10.12 which is still in process. It is noted that as per MoEF, GoI office memo dtd 06.06.13 it is the owner's responsibility to provide adequate fire protection measures as per NBC and State Government have been directed to strictly enforce the fire protection measures as per NBC while issuing NOC for fire safety PP has proposed that the fire protection requirements as per NBC 2005 shall be provided and has proposed automatic fire detection and alarm systems, electronic


(Manohar Dubey)
Member Secretary



(M. Hashim)
Member


23/8/13
(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

alarms and integrated public announcement, fire suppression system with overhead water storage tank, fire pumps, fire hydrants, hose reels, wet risers, sprinkler systems etc. PP has submitted that the distance of fire station from the site is 3.0 km. It is noted that as per MoEF, Gol office memorandum F. No. 21-270/2008-IA.III dtd 06.06.2013 the State Govt. should make necessary arrangement so that in case of fire accident the fire tenders can reach the site within 10 minutes. **It is decided that PP should obtain fire fighting NOC from UADD, Deptt., Bhopal before starting any construction activity.**

- (d). PP has applied for disposal of extra treated waste water NOC to IMC (dtd. 10.05.13) **it is decided that PP should obtain clear NOC from Municipal Corporation for discharge of extra treated waste water (85 KLD) in the Municipal sewer line before starting any construction activity.**
- (e). In addition to the approval letter (submitted earlier) for disposal of MSW from Nagar Nigam Indore (Myor-in-council sankalp s.no. dtd. 04.03.2013), PP has submitted copy of receipt of Charges Rs. 4,48,585.00 for MSW disposal. **it is decided that PP should obtain clear NOC from Municipal Corporation for disposal of municipal solid waste before starting any construction activity.**
- (iii). It is decided to accept the recommendations of 101st SEAC meeting dtd 22.08.2012 with 8 special conditions and accord prior Environmental Clearance subject to fire fighting NOC, NOC from Municipal Corporation regarding water supply, discharge of waste water in the Municipal sewer line and disposal of municipal solid waste before starting any construction activity to " Sumer Saffaron Homes" Project of M/s Sumer Builders Pvt. Ltd., at Khasra No. 1487/1 & 1487/2, Town, Tehsil & District Indore total land area 41,600 sqmt. Built up area 83200 sq mt. by M/s Sumer Builders Pvt. Ltd., through Director Shri Manikchand H Loonkar, 41,Gorani Compound, Near RTO, Opp. Lokmanya Nagar, Kesar Bagh Road, Indore- 452009.



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

- (4). **Case no. 721/2012**, Prior Environmental Clearance for Commercial Complex Project at Khasra No. 538, 539, 540, 541, 542, 543/2, 547, village Bairagarh Chichli Kolar Road, Bhopal (M.P.) Plot area- 35,100 Sq.m., Built – up area - 83,651 Sqmt by M/s Khaneja Properties through Mr. Ashok Kashyap (Sr. General Manager) Pvt. Ltd., 56-58, Community Centre, East of Kailash, New Delhi – 110065
- (i). The case was discussed in SEIAA meeting 135th dtd 04.06.2013 and it is recorded that(1)
- (2) In response to above query, the reply submitted by PP (vide letter dtd 03.04.2013 received in SEIAA office on 08.05.2013) was examined in depth and it is noted that :
- (i). PP has submitted duly signed undertaking stating that the proposed built up area is 83651 sqmt. PP has done excavation and part basement construction of 3162 sqmt. (3.78%). It is decided that PP should submit why the construction work has been done though the EIA Notification for prior Environmental Clearance has been notified in 2006.
- (3) It is decided that PP should submit the above information latest by 31.07.2013 and if these information are not received the case will summarily be rejected. Member Secretary should ensure the case is put up before the Authority in the first meeting in August 2013."
- (ii). **In response to the above query**, reply submitted by PP (vide letter dtd 10.07.13 received in SEIAA office on 12.07.13) was examined in depth and it is noted that :-
- (a). PP has submitted that the layout of the project was approved on 08.07.2010 from the T & CP vide letter no. 655 Simultaneously building plans were submitted and approved by Kolar Nagar Palika Parishad vide letter no. 612 dtd. 23.09.10. The preliminary construction was carried out according to the approved layout plan and building plans due to lack of knowledge about EIA Notification, 2006.
- (b). An application for obtaining the Environmental Clearance was immediately filed to the SEIAA, M.P. on 29.11.2010 after knowing the fact about EIA notification and construction was stopped at site. This mistake was accepted during SEAC presentation on 13.12.10. Accordingly, a resolution of the board directors was submitted stating that the same would not be repeated in future, as advised by the committee members.
- (iii). It is decided that as per the MoEF, Gol office memorandum J-11013/41/2006-IA.II (I) dtd 12.12.2012 it is a case of violation and before considering the case for EC a letter should be sent to Member Secretary, MPPCB, Bhopal to direct Regional Officer to make a site visit to ascertain the quantum of construction activities carried out by PP and submit the report latest by 30.09.13.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

C. Re-visit about the decision of 141st SEIAA meeting dated 11.07.2013.

1. Case No. 70/2008 – Status of the case is as follows :

S. No	Case No.	Item as per schedule	Name of Project Proponent	Project / Activity	Date of Reg. / Case sent to SEAC	Date of issue of TOR	Status of Final EIA Report received in SEIAA Office from PP
1	70/2008	1(a)	M/s Ismail & Sons Mission Chowk, Katni M.P.	Lime stone mine 10.748 ha. Village Bhatgaon Sunehra Teh-Murwada Katni M.P.	08.05.2008	07.08.2008 & 19.11.2009 (Production capacity enhancement) Validity 18.11.2013	Not received in SEAC / SEIAA office

It was noted that as per decision taken in 141st SEIAA meeting dated 11.07.2013 this case was summarily rejected. However, it was found that revised ToR was issued by SEAC vide No. 1068/PS-MS/MPPCB/SEAC/ToR(37)/2009 dated 19.11.2009 for enhancement of the production capacity and is valid up to 18.11.2013.


Since it was found that the present ToR is still valid, so it was decided to revoke the decision of summarily rejection of the case and PP may be asked to submit final EIA report within the validity period of ToR i.e. dated 18.11.2013.


2. Case No. 98/2008 – Status of the case is as follows :

S. No	Case No.	Item as per schedule	Name of Project Proponent	Project / Activity	Date of Reg. / Case sent to SEAC	Date of issue of TOR	Status of Final EIA Report received in SEIAA Office from PP
1	98/2008	1(a)	Smt Indiradevi Garg Jeewajiganj, Morena M.P.	Bankuri red ochre mine 12.0 ha. at Village Bankuri, Tehsil – Karahal, Sheopur	10.06.2008	07.08.2008	Not received in SEAC / SEIAA office

It was noted that as per decision taken in 141st SEIAA meeting dated 11.07.2013 this case was summarily rejected. However, before issuing the letter it was found that first Public Hearing was conducted on 01.07.2009 at Karahal i.e. about 22 km. away from mining site.


(Manohar Dubey)
Member Secretary


(M. Hashim)
Member


(Amar Singh)
Chairman

Minutes of the 143rd Meeting of SEIAA dated 16.08.2013

Thereafter, PP has submitted final EIA report in SEAC on 05.09.2009. The SEAC in its 68th meeting dated 30.10.2010 had recommended the case for Prior EC. **Case was discussed in 89th SEIAA meeting dated 11.04.2012 and as per decision MS-MPPCB was requested to re-organize Public Hearing in the case as per EIA Notification 2006.**

Accordingly MPPCB has re-organized Public Hearing on 27.09.2012 at Village Bankuri. Proceeding of Public Hearing was send to SEAC vide Letter dated 05.12.2012. Response from SEAC is still awaited.

In view of above fact it was decided to revoke the earlier decision and SEAC may be asked to appraise the case at the earliest and send their recommendations to the SEIAA.

3. Case No. 321/2008 – Status of the case is as follows :

S. No	Case No.	Category	Name of Project Proposal (PP)	Type of Activity	Date of Reg./ Case sent to SEAC	Date of issue of TOR	Status of Final EIA Report received in SEIAA Office from PP
1	321/2009	1 (a)	Shri Ravi Sankar Nayak Gaurihar, Chhatarpur-M.P.	Sand mine 14.500 hact. at Village parai, Teh- Gaurihar, Chhatarpur-M.P	18-05-0946/EPCO/SE IAA	12-06-09.	Not Received


It was noted that as per decision taken in 141st SEIAA meeting dated 11.07.2013 this case was summarily rejected due to expiry of the time limit for validity of ToR as per MoEF, OM dated 22.03.2010. However, before issuing the letter to the PP it was found that this case was inserted with the cases of MP State Mining Corporation Ltd. (with **97 cases**) at Sr. No. 21. It was found that in fact beside this there is no other change in the earlier decision for summarily rejection of the case.

In view of above it was decided to inform the PP accordingly.


The meeting ended with vote of thanks to the chair.



(Manohar Dubey)
Member Secretary



(M. Hashim)
Member



(Amar Singh)
Chairman