

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

The 159th meeting of the State Level Environment Impact Assessment Authority was convened on 11.09.2014 at 11.30 AM at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-


- | | |
|-------------------------------|------------------|
| 1 Shri H.S. Verma | Member |
| 2 Shri Ajatshatru Shrivastava | Member Secretary |


- A. Following cases received from SEAC have been considered and the details of the receipt of the recommendations & record from the office of SEAC is as follows:


S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
1.	430/2012	143 rd SEAC meeting dtd. 29.10.2013	27.11.2013	27.11.2013
2.	728/2012	143 rd SEAC meeting dtd. 29.10.2013	27.11.2013	27.11.2013
3.	664/2012	143 rd SEAC meeting dtd. 29.10.2013	27.11.2013	27.11.2013
4.	708/2012	144 th SEAC meeting dtd. 30.10.2013	27.11.2013	27.11.2013
5.	1731/2013	145 th SEAC meeting dtd. 07.11.2013	18.12.2013	03.04.2014
6.	1734/2013	145 th SEAC meeting dtd. 07.11.2013	18.12.2013	03.04.2014
7.	1736/2013	145 th SEAC meeting dtd. 07.11.2013	18.12.2013	03.04.2014
8.	1737/2013	145 th SEAC meeting dtd. 07.11.2013	18.12.2013	03.04.2014
9.	660/2012	145 th SEAC meeting dtd. 07.11.2013	18.12.2013	03.04.2014
10.	672/2012	145 th SEAC meeting dtd. 07.11.2013	18.12.2013	03.04.2014
11.	707/2012	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
12.	1739/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
13.	1666/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
14.	1733/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
15.	1741/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
16.	1670/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
17.	472/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
18.	773/2012	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
19.	730/2012	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
20.	1661/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
21.	1684/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014
22.	1729/2013	146 th SEAC meeting dtd. 08.11.2013	18.12.2013	04.01.2014

B. Minor Mineral Cases

S No	Case No.	No. & date of latest SEAC meeting in which case was recommended	Date of receipt of SEAC minutes in SEIAA	Date of receipt of records in SEIAA office
23.	711/2012	138 th SEAC meeting dtd. 25.07.2013	31.08.2013	07.09.2013
24.	712/2012	138 th SEAC meeting dtd. 25.07.2013	31.08.2013	07.09.2013


 (Shri Ajatshatru Shrivastava)
 Member Secretary


 (Shri H.S. Verma)
 Member


 (Shri Waseem Akhtar)
 Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

1. **Case No. 430** - Prior Environmental Clearance for **Kailwara Khurd Laterite & Bauxite Mine** in an area of 16.187 ha. at Khasra No. 461/1 at Village-Kailwara Khurd, Tehsil-Murwara, District-Katni (M.P.) for production capacity of 6000 tonnes per annum by Shri Mohan Shukla (Attorney : Shri K.P. Pathak), 133, Shanti Nagar, Damoh Naka, Jabalpur, District-Jabalpur (M.P.).

- (1) The case was discussed in SEAC meetings 34th dtd. 22.08.2009, 75th dtd. 06.01.2011 and recommended in 143rd SEAC meeting dtd. 29.10.2013 for grant of prior EC to the project subject to the 04 special conditions.
- (2) It was noted that the PP has applied in Form-1 for Prior Environmental Clearance of Kailwara Khurd Laterite & Bauxite Mine (Opencast Manual Method) in an area of 16.187 ha. for production capacity of 6000 tonnes per annum at Khasra No. 461/1 at Village-Kailwara Khurd, Tehsil-Murwara, District-Katni (MP).
- (3) The case was also discussed in 142nd SEIAA meeting dtd. 18.07.2013 to review the existing status of the case.
- (4) The case was discussed in depth and It was found that the inter-state boundary, National Park/Sanctuary are not located within 10 km. radius. Hence, the General Condition is not attracted.
- (5) It was noted that the distance of the mining site from forest boundary is 300m (Conservator Forest, Kanti L.No. 954 dtd. 03.02.2011).
- (6) The proposed plantation program was examined and it was found that a green belt of 6.00 ha. will be developed by planting 9018 plants during the lease period. The plantation program was found satisfactory.
- (7) It was found that as per Mining Plan (approved by IBM vide L.No. MP/Katni/Laterite/M.Sch.-100/12-13/4272 dtd. 12-13 Aug. 2013) the life of mine is 28 years.
- (8) It is found that the Mineral Resource Deptt. Govt. of MP vide order Endt. No. F3-39/2002/12/2 dtd. 12.09.2013 has renewed the mining lease for 20 years w.e.f 29.10.2000.
- (9) It was noted that water requirement is 8 KLD, which shall be met-out from hand pump & old trial Pit.
- (10) It was noted that the Public Hearing was held on 02.11.2010 at Mining Site under the Chairmanship of Addl. Collector, Kanti. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- (11) It was decided to accept the recommendation of 143rd SEAC meeting dtd. 29.10.2013 to grant Prior Environmental Clearance for Kailwara Khurd Laterite & Bauxite Mine (Opencast Manual Method) in an area of 16.187 ha. for production capacity of 6000 tonnes per annum at Khasra No. 461/1 at Village-Kailwara Khurd, Tehsil-Murwara, District-Katni (M.P.) for the renewed lease period i.e. upto 28.10.2020 by Shri Mohan Shukla (Attorney : Shri K.P. Pathak), 133, Shanti Nagar, Damoh Naka, Jabalpur, District-Jabalpur (M.P.) with following **specific condition** :-

(i) **There should be no waste water discharge in to the River.**

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

2. Case No. 728/2012: Prior Environmental Clearance for **Rajoda Masonary Stone Mine** in an area of 10.926 ha. at Khasra No. 836 at Village-Rajoda, Tehsil-Rajoda, Dist-Dewas (M.P) for production capacity of 5,00,000 MT per year by Shri Tanwar Singh, 137 A-B Road Bhopal Chauraya, Dewas (M.P.)-455001.

- (1) The case was discussed in 101st SEAC meeting dtd. 22.08.2012, 142nd SEAC meeting dtd. 11.09.2013 and recommended for prior EC in 143rd SEAC meeting dtd. 29.10.2013 with 04 special conditions.
- (2) It was noted that the PP has applied in Form-1 for Prior Environmental Clearance of Rajoda Masonary Stone Mine (Opencast Semi Mechanized Method) in an area of 10.926 ha. for production capacity of 5,00,000 MT per year at Khasra No. 836 at Village-Rajoda, Tehsil-Rajoda, Dist- Dewas (MP).
- (3) The case was discussed in depth and It was found that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius. Hence, the General Condition is not attracted.
- (4) It was noted that the distance of the mining site from forest boundary is 500m (DFO Dewas L.No. 7865 dtd. 28.09.2013).
- (5) It was noted that during public hearing public pointed out that mine owners are operating their mines in grassing land of the village. In this context it was decided that mining land should be properly demarcated and no mining activity shall be operated in the grassing land of the village.
- (6) It was found that PP has not provided distance of the nearest Village-Rajoda from proposed mining site. So, it was decided that PP should be asked to provide this information at the earliest.

3. Case no. 664/2012 Prior Environmental Clearance for **Tamoria Lime Stone, Dolomite & Reject Stone Mine** (Opencast & Fully Mechanized Method) in an area of 42.567 ha. for enhancement of production capacity from 55,000 TPA to 5,00,000 TPA in 164 khasra nos. (as per lease deed) at Village-Tamoria, Teh-Maihar, Distt-Satna by Shri Himanshu Kothari, Executive Director, M/s S.N.S (Minerals) Ltd., P.O. Maihar, District-Satna (M.P.)-485771.

- (1) The case was discussed in 150th SEIAA meeting dtd. 05.10.2013 and it was recorded that

- (1) *It was noted that the case was discussed in 89th SEAC meeting dtd. 14.02.2012, and recommended in 137th SEAC meeting dtd. 24.07.2013 based on the submission of documents and presentation made by the PP the committee has recommended for grant of prior EC to the project subject to the 4 Conditions.*

- (2) *The case was discussed in depth and it was noted that the PP has applied in Form-I for Prior Environmental Clearance of Tamoria Lime Stone, Dolomite & Reject Stone Mine (Opencast fully mechanized mining method) in an area of 42.567 ha. for enhancement of production capacity from 55,000 TPA to 5,00,000 TPA at Village-Tamoria, Teh-Maihar, Distt-Satna -M.P.*

In this regard it was found that the Prior EC was issued by MP-SEIAA, vide letter No. 254/EPCO-SEIAA/10 dated 26.07.2010 for production capacity of 55000 TPA.

- (3) *It was noted that the Public Hearing was held on 16.11.2012 at Mining Site Village Tamoria, under the Chairmanship of Additional Collector, Satna. The*

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S. Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014


issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.


- (4) *It was found that there is a substantial enhancement in production capacity of the proposed project. The anticipated environmental impact and mitigation measures are mentioned in EIA report but SEAC has not specifically mentioned its evaluation in the minutes.*


In context of above it was decided to write to the SEAC to evaluate impact due to increase of mining on environment and make recommendation at the earliest but the latest by 30.11.2013. Copy of the letter should be endorsed to PP also.

- (5) *Further, it was also decided to write to the Member Secretary, MPPCB to provide the information whether any notice has been served to the PP during the period 01.01.11 to 31.07.2013 under the relevant Sections of Air and Water Acts, if yes, then please provide details by 30.11.2013. Copy of the letter should be endorsed to PP also."*

- (2) It is found that as per above decision of SEIAA, SEAC has again appraised the case in its 143rd meeting dtd. 29.10.2013 and mentioned that the case has been recommended for grant of prior EC to SEIAA after examining the project meticulously from all aspects pertaining to Environmental Impacts. SEAC decided to forward the case without any change in earlier recommendation (recommendation for prior EC).
- (3) In context of above decision of SEIAA, MPPCB vide L.No. 8803 dtd. 10.12.2013 has informed that No Notice has been served to PP during the mentioned period i.e. 01.01.2011 to 31.07.2013.
- (4) The case was discussed in 137th SEAC meeting dtd. 24.07.2013 and reg. compliances of EC conditions it is recorded that*"Report pertaining to compliances of EC conditions has been submitted by the PP through MoEF. The compliances were discussed during the meeting. After deliberations committee observed that the submissions made by the PP including the EIA report, EMP and the compliances of EC conditions are satisfactory and acceptable hence the case was recommended for grant of prior EC subject to the following special conditions."*
- (5) The case was discussed in depth and It was found that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius. Hence, the General Condition is not attracted.
- (6) It was noted that the distance of the mining site from forest boundary is 12 km (Conservator Forest, Satna L.No. 3875 dtd. 07.05.2010).
- (7) The proposed plantation program was examined and it was found that plantation will be done in 14.067 ha. by planting 28300 plants during the lease period. The plantation program was found satisfactory.
- (8) It was found that the Mining Plan is approved by IBM vide L.No. 314(3)/2011/MS-68 dtd. 04.05.2012. The life of mine is 36 years (as per EIA Report & 137th SEAC meeting minutes).
- (9) It is found that as per the notarized copy of mining lease deed, lease is valid for a period of 30 years w.e.f 24.04.2001.
- (10) It was noted that water requirement is 30 cum/day, which shall be met-out from Sump & Dug well / Bore well water.


(Shri Ajatsharu Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

- (11) It was decided to accept the recommendation of 137th SEAC meeting dtd. 24.07.2013 & 143rd SEAC meeting dtd. 29.10.2013 to grant Prior Environmental Clearance for Tamoria Lime Stone, Dolomite & Reject Stone Mine (Opencast & Fully Mechanized Method) in an area of 42.567 ha. for enhancement of production capacity from 55,000 TPA to 5,00,000 TPA in 164 khasra nos. (as per lease deed) for the lease period i.e. upto 23.04.2031 at Village-Tamoria, Teh-Maihar, Distt-Satna (M.P.) by Shri Himanshu Kothari, Executive Director, M/s S.N.S (Minerals) Ltd., P.O. Maihar, District-Satna (M.P.)-485771.

4. Case No. 708/2012: Prior Environmental Clearance for Ramasthan Limestone Mine (Opencast other than fully mechanized method) in an area of 8.064 ha. at Village-Ramasthan, Tehsil-Raghuraj Nagar, Dist-Satna (M.P) for production capacity of 0.125 MTPA (0.10 MTPA limestone and 0.025 MTPA reject stone) by Shri Anod Jaiswal (Owner) Jaiswal Bhavan, Kolgawan J.R. Birla Road P.O. & Dist - Satna (M.P.) 485001.

- (1) The case was discussed in 97th SEAC meeting dtd. 14.08.2012 and recommended in 144th SEAC meeting dtd. 30.10.2013. Based on the submission of documents and presentation made by the PP the committee has recommended for grant of prior EC to the project subject to the 03 special conditions.
- (2) It was noted that the PP has applied for Prior Environmental Clearance of Ramasthan Limestone Mine (Opencast other than fully mechanized method) in an area of 8.064 ha. for production capacity of 0.125 MTPA (0.10 MTPA limestone and 0.025 MTPA reject stone) at Village-Ramasthan, Tehsil-Raghuraj Nagar, Dist- Satna (MP).
- (3) It was found that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius. Hence, the General Condition is not attracted.
- (4) It was noted that PP has not mentioned khasra nos of the proposed mine site in Form-1. Review of other concerned documents also do not clarify about the actual khasra nos. of the mining site.
- (5) In the above context it was decided that PP will be asked to provide the information of actual khasra nos. of the proposed mining site by 31.10.2014.
- (6) It was found that the lease period of the mining site has been expired by 31.10.2012. However, PP has applied for renewal of mining lease in Form-J on dtd. 19.10.2011, but there is no authentic document indicating present status of the mining lease.
- (7) In the above context, it was decided that a letter should be written to the Secretary Mineral Resource Deptt. to provide the present status of PP's application regarding lease renewal, whether it has been renewed / rejected or application is under consideration by 31.10.2014. Copy of the letter will be endorsed to PP also.



(Shri Ajatshatru Shrivastava)
Member Secretary



(Shri H.S. Verma)
Member





(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014

5. **Case No. 1731/2013** Prior Environmental Clearance for proposed "Residential Project " at Khasra No. 343, 344, 345, 353, 354, 363/1, 363/2, 366/1, 366/2, 366/3, 367/1, 367/2, 369/1, 369/2, part of 336, 337/1, 337/2, 339/1, 339/2, 341, 342/1, 342/2, 347, 350, 351, 352, 355, 356 & 357, Village – Jinjhari (Maharana Pratap Ward), Teh. & Distt. Katni (M.P). Total Land Area = 10.51 ha., Total Built up Area – 114628 Sqm by PLM Builders & Developers Private Limited (Developers) through Shri Lalit Kumar Mittal, Director, 26, Commercial Complex, Housing Board Colony, Katni, (M.P.) 483504

- (1) The proposed project is building construction project at Village – Jinjhari Teh. & Distt. - Katni (M.P) with total Built up Area – 114628 Sqm and total land area is 10.51 ha (T & CP, Katni vide letter 247 dtd 09.05.12) at village Jinjhari Teh. & Distt. - Katni (M.P). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006. The project involves the construction of Residential Buildings (372 developed plots, 462 flats), School and Community Hall.
- (2) The case was discussed in 145th SEAC dtd.07.11.13 meeting and has recommended the project for grant prior EC subject to 09 special conditions.
- (3) The case was discussed in depth and it is noted that :-
 - (i). PP has submitted Khasra Panchsala 2011-2012 and copy of agreement (dated 16.03.2011) executed between land owners and M/s PLM builders and developers pvt. Ltd. through Director Lalit Kumar S/o Shri S.R. Mittal.
 - (ii). The water supply source is Municipal water supply during operation phase. The total water requirement is 565 KLD, recycled water 257 KLD, waste water generation is 509 KLD and capacity of STP is 550 KLD (250 KLD + 300 KLD). PP vide letter dtd 14.07.14 has submitted an agreement (dtd. 30.11.13) with Commissioner Nagar Nigam, Katni regarding water supply, and disposal of extra treated waste water in Municipal sewer line flowing nearby the site. **It is decided that PP should ensure Municipal water supply of 376 KLD fresh water and should link discharge of 201 KLD extra treated waste water with Municipal sewer line as per the conditions of the agreement. There should be no extraction of ground water.**
 - (iii). Municipal Solid Waste (MSW) generated (2394 kg per day) is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate colored bins. To minimize littering and odors, waste will be stored in well designed containers/bins that will be located at strategic locations to minimize disturbance in traffic flow. PP has submitted an agreement (dtd. 30.11.13) with Commissioner Nagar Nigam, Katni in which it is mentioned that solid waste shall be disposed of by PP at their own cost at Nagar Nigam site. **It is decided that Disposal of MSW should be linked with Nagar Nigam Katni as per the conditions of the agreement.**


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

- (iv). The maximum height of the building is stilt + 18m. PP has provided road width 12.0m, Front MOS 9.0 m and side / rear MOS 6.0 m. **It is decided that PP should provide road width of 18 m & above, front MOS 9.0m and side / rear MOS 6.0 m. as per MPBVR 2012 rule no. 42(1) Table 4 s.no. 2 for buildings height up to 24 m.**
- (v). Fire fighting provisions proposed by PP includes over head water storage tank, fire hydrant systems, automatic fire alarm system, hydrant pumps, sprinkler pumps & jockey pumps, hand held fire extinguisher, automatic sprinkler system, wet risers, fire extinguisher and hose reel etc. PP has submitted copy of application dtd 10.10.13 submitted to Fire Officer, Nagar Nigam, Katni for providing fire fighting NOC along with agreement (dtd 30.11.13) with Commissioner Nagar Nigam, Katni in which it is mentioned that fire and safety will be adopted as per NBC, 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Katni) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vi). PP has proposed to provide recharge pits for roof top rain water harvesting and a network of percolation wells for artificial recharge of ground water.
- (vii). As per the MPBVR 2012 rule no. 84 Appendix I- I Table clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area hence required car parking is 641 ECS (269 ECS and for multi units and 372 for dwelling units(plotted)). PP has proposed to provide parking for 652 ECS (stilt- 0.38 ha for 126 ECS and open parking for 526 ECS in 1.316 ha **and is satisfactory.**
- (viii). PP has proposed plantation in an area of 00.39 ha. SEAC has imposed condition to achieve green coverage in at least 30% of the total plot area. **The authority decided that plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area and parks as proposed in the landscape plan. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Katni) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with. Every effort should be made to protect the existing trees on the plot.**

It is decided to accept the recommendations of meeting as per the decision taken in 145th SEAC meeting dtd 07.11.2013 and **accord prior Environmental Clearance to Proposed Residential Project at Village Jinjhari (Maharana Pratap Ward), Tehsil & Distt. Katni (MP).** Total Land Area = 10.51 ha., Total Built up Area – 114628 Sqm by PLM Builders &

(Shri Ajaatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

Developers Private Limited (Developers) through Shri Lalit Kumar Mittal, Director, 26, Commercial Complex, Housing Board Colony, Katni, (M.P.) 483504 subject to specific conditions imposed by SEIAA in its meetings.

6. **Case No. - 1734/2013** Prior Environmental Clearance for proposed " Commercial Complex" at Khasra No. – 367/374/386/2/1, 367/374/386/2/2, 367/374/386/3/1, Village – Bawariya Kalan, Tehsil – Huzur, Distt. - Bhopal (M.P.) Total Land Area – 0.95 ha., Total Built up Area – 42491.76 sq mt. by Shri Ishwar Das and others (Shri Amrit Builders – Director Sh. Manish Paryani) 17, Zone – 2, M.P. Nagar, Bhopal (M.P.) 462011

- (1) The proposed project is building construction project at Village – Bawariya Kalan, Tehsil – Huzur, Distt. - Bhopal (M.P.). The project involves the construction of Commercial Buildings (Offices – 276, Shops - 224). The Proponent is Shri Ishwar Das and others, through Shri Amrit Builders – Director Sh. Manish Paryani, 17, Zone – 2, M.P. Nagar, Bhopal (M.P.) 462011
- (2) As per the approval of T & CP, Bhopal -Sehore (vide letter 704/CP-10/27-28/2009 dated 30.10.2009) issued to BDA Bhopal total land area is 39.963 ha at Vidhya Nagar Phase – II Town Development Scheme Village - Bawadiyakalan & Ahmadpur Distt. – Bhopal (M.P). Out of this 0.95 ha plot area belongs to PP. The total built-up area proposed by PP is 42491.76 sq mt. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006.
- (3) The case was discussed in 145th dtd.07.11.13 SEAC meetings & recommended the project for grant of prior EC subject with 06 special conditions.
- (4) The case was examined in depth and it is noted that :-
 - (i). PP has submitted notarized copy of Khasra Panchsala 2012-13 for village Bawadiakala, Khasra No. 367/374/386/2/1, 367/374/386/2/2, 367/374/386/3/1 the land is in the name of Smt. Nirmala Devi, Ishwardas, Mahesh, Suresh, Ramchand, Tara. PP has also submitted notarized copy of agreement - amendment deed dtd 24.06.13 between Bhopal development authority and land owners. PP has also submitted notarized copy of partnership deed dtd 27.09.12
 - (ii). The total water requirement is 279 KLD, Fresh water 143 KLD, recycled water 136 KLD, waste water generation is 160 KLD and capacity of STP is 160 KLD. Regarding Water supply PP has submitted copy of agreement dtd. 24.06.13. with BDA .PP has proposed to recycled the total treated waste water (136 KLD). **It is decided that the entire fresh water demand should be made through Municipal water supply and there should be no extraction of ground water.**
 - (iii). Approximately 1277 kg/day of Municipal Solid waste shall be generated which is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate bins. The non-recyclable and non-biodegradable waste, sludge from STP and

(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014

Biodegradable waste will be disposed to Municipal Corporation landfill site. To minimize littering and odors, waste will be stored in well designed containers/bins that will be located at strategic locations to minimize disturbance in traffic flow. **It is decided that the disposal of MSW should be integrated with Bhopal Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW in their trenching ground / landfill site.**

- (iv). The maximum height of the building is 30 m. PP has proposed to provide Front MOS 15.0 m and side / rear MOS 7.5m /6.0 m. **It is decided that PP should provide road width of 24 m & above, MOS front 12 m, side and rear 7.50 m as per MPBVR 2012 rule no. 42(1) Table 4 s.no. 3 for buildings height up to 30 m.**
- (v). PP has proposed to provide fire fighting provisions including Overhead Fire storage tanks as per NBC 2005, Fire Hydrant System, Automatic Fire Alarm System, Hydrant pumps, Sprinkler pumps & Jockey pumps, Hand Held Fire Extinguishers, Trolley mounted CO2 system, Automatic Sprinklers System, Wet risers, Fire Extinguishers, Hose Reel. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vi). PP has proposed that Rain water harvesting schemes will be implemented within the complex for the conservation of water resources as per the Central Ground Water Board Guidelines and local regulations.
- (vii). PP has proposed Total 383 ECS (Basement -6168.19 sqmt for 176 ECS + Ground -1001 sqmt. for 40 ECS + 5017 sqmt. podium for 167 ECS). **It is decided that as per the MPBVR 2012 rule no. 84 Appendix I- 1 clause 1 (3) S. No. 6 the car parking should be provided @ 1 ECS per 50 sqm of built up area.**
- (viii). PP has proposed an area of 1066.0 sq.m. for landscape green area. As per SEAC mtg. 145th dtd.07.11.13 recommendation revised lay out shall be submitted to SEIAA with inclusion green area of at least 25% of the total plot area including lush green belt all around the project boundary. **The authority decided that PP should submit revised plantation plan as above including trees in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area and parks as proposed in the landscape plan. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied**


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

with. Every effort should be made to protect the existing trees on the plot.


- (4) The above information should be submitted by PP latest by 15.11.2014.


Policy decision


The Authority decided that henceforth instead of fire NOC, PP should submit details of fire fighting provisions and Map showing road width for fire tender movement plan as per MPBVR 2012 and NBC 2005 Chapter-IV.

- 7. Case No. 1736/2013** Prior Environmental Clearance for proposed "S S INFINITUS" Residential Project at Khasra No. 312/1, 315/2/1 (P), 286/2/4(P), 315/2/2(P), 285/2/3(P), 286/2/2(P), 312/2, 286/2/3(P), 312/3, 286/2/1(P), 315/2/3(P), 312/4, 289/7, 312/5, 315/1/2(P), 277/1(P), 314/2, 314/3, 313/2, 309/1, 309/2, 314/4, 315/1/1(P), 313/1(P), 314/1, 284/2, 308/1, 308/2, 316/1, 316/2, 277/3(P), Village Lasudiyamori, Tehsil & Distt. Indore (MP) Total Land Area 191660.00 Sq.Mt (19.166 Ha.), Built up Area 66593.26 Sqm. by M/s S.S. Nirman Pvt. Ltd. (Developer) through Director & Land owner Shri Lakhan Yadav MR-11, Ring Road, Near Bombay Hospital, Indore (M.P.) - 452010

- (1) The proposed project is building construction project at Village Lasudiyamori, Tehsil & Distt. Indore (MP) with total Built up Area – 66593.26 Sqm and total land area is 19.166 ha (T & CP, Indore vide letter L. No. 2482 dtd 20.04.11 & corrected dtd. 13.01.12). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006. The project involves the construction of Row Houses (280 nos), Group Housing ((P + 4) 328 Nos) and EWS (290 Nos.). The Proponent is M/s S.S. Nirman Pvt. Ltd. through Director & Land owner Shri Lakhan Yadav, Indore (M.P.).
- (2) The case was discussed in 145th SEAC dtd.07.11.13 meeting and has recommended the project for grant prior EC subject to 08 special conditions.
- (3) The case was discussed in depth and it is noted that :-
- (i). PP has submitted Khasra Panchsala 2013-2014, T & CP Permission, diversion order, development agreement.
 - (ii). The water supply source is Municipal water supply during operation phase. The total water requirement is 708 KLD, recycled water 329.5 KLD, waste water generation is 511 KLD and capacity of STP is 525 KLD. PP has submitted copy of application submitted to Commissioner Nagar Nigam, Indore dtd 07.10.13 for supply of water. **It is decided that PP should ensure Municipal water supply of 378.2 KLD fresh water and should link discharge of 130.5 KLD extra treated waste water with Municipal sewer line and submit clear NOC from Nagar Nigam, Indore regarding water supply and waste water discharge. There should be no extraction of ground water.**


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

- (iii). Municipal Solid Waste (MSW) generated (1.87 TPD) is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate colored bins. To minimize littering and odors, waste will be stored in well designed containers/bins that will be located at strategic locations to minimize disturbance in traffic flow. Regarding NOC for MSW, PP has submitted copy of application (dtd 07.10.13) to Commissioner Nagar Nigam, Indore. **It is decided that the disposal of MSW should be integrated with Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Indore for disposal of MSW in their trenching ground / landfill site.**
 - (iv). The maximum height of the building is 12 m. PP has provided total road area 70360 sqmt. (37.10%) however road width has not been defined clearly. PP has submitted fire tender movement plan. **It is decided that PP should provide road width as per MPBVR 2012 rule no. 38 (4) Table 3.**
 - (v). PP has proposed to provide roof top rainwater harvesting through percolation tanks. For storm water management slit traps are proposed.
 - (vi). As per the MPBVR 2012 rule no. 84 Appendix I- I clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area hence required car parking is $66593.26 \text{ sqm} / 100 = 666 \text{ ECS}$. PP has provided total parking 666 ECS (stilt parking = 386 ECS and 280 ECS for bungalow).
 - (vii). An area of 17441.00 sqmt is proposed to be provided for plantation with 600 numbers of trees. **The authority decided that plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area and parks as proposed in the landscape plan. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. The occupancy certificate to the project should be issued only when the authority (Nagar Nigam Indore) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with. Every effort should be made to protect the existing trees on the plot.**
- (4) The above information should be submitted by PP latest by 15.11.2014.



(Shri Ajatshatru Shrivastava)
Member Secretary



(Shri H.S. Verma)
Member



(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

8. **Case No. 1737/2013** Prior Environmental Clearance for proposed plotted development at Village Semra Khasra No. 141, 142/1, 215/1, Village –Hinotia Kachchiyan Khasra No. 35, 36-94/37/2ka, 41/2/2, 42/1/2ka, 47, 44 and 45-46/1, Tehsil Huzur, Distt. Bhopal (M.P.) Total Land Area 97518.90 Sq.Mt., Plotted development with permissible Built Up Area – 81928.47 sq m. say 82000.00 sqmt.; Proposed Built up Area – 19680 Sqmt by M/s Koshalya Devi Builders and Developers through partner Shri Balwant Singh, 51, Premier House, Zone – II, M.P. Nagar, Bhopal (M.P.) – 462011 (Developers), Owner of land: Shri Narendra Singh And Shri Santosh Singh.
- (1) Application for Prior Environmental Clearance was submitted by PP (vide letter dtd 07.10.2013) received in SEIAA office 17.10.13 and forwarded to SEAC for appraisal on 24.10.2013.
- (2) The proposed project is building construction project at Village Semra & Hinotia Kachchiyan, Tehsil Huzur, Distt. Bhopal (MP) with total Built up Area 81928.47 sq m. and total land area is 97518.90 sqmt.(9.75 ha) (T & CP, Bhopal vide letter L. No. 613 dtd 19.03.09). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006. The project involves plotted development (46709.68 sqmt.), construction of apartment, EWS, Community Centre, Convenient shopping dispensary and School. The Proponent is M/s Koshalya Devi Builders and Developers through partner Shri Balwant Singh, Bhopal, Owner of land Shri Narendra Singh And Shri Santosh Singh
- (3) The case was discussed in depth and it is noted that :-
- (i). The case was discussed in 145th SEAC meeting dtd 07.11.2013 and it is recorded that *"It was informed by the project proponent that the construction activity has already been started without obtaining prior EC. Thus, this is a clear case of violation of EIA Notification. Committee decided to return the case to SEIAA for taking necessary credible action and if need be, issue of directions for immediate suspension of construction at existing level, in light of the MoEF O.M. no J-110131/41/2006 – IA- II (I) dated 12/12/2012 and dated 27/06/2013."*
- (ii). The Authority is of the view that it is undisputed that violation of EIA Notification 2006 has taken place. **It is decided that :-**
- A. As per MoEF, GoI, OM No. J-110131/41/2006-IA-II (I) dtd 12.12.2012 and OM dtd 27.06.2013 PP should submit :-
- a. The date of starting the construction, details as to why the construction activities have been undertaken. How much construction has already been done? Whether the construction activities are still continuing? PP is directed to stop the construction activities with immediate effect and should not undertake any kind of construction/development until prior EC under EIA Notification 2006 is accorded. **PP should submit the information latest by 30.10.14.**
- b. The Proponent should submit the matter relating to the violation to the Board of Directors of its Company or to the Managing Committee / CEO of the Society, Trust, partnership / individually owned concern for consideration of its environment related policy / plan of action as also a

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014


written commitment in the form of a formal resolution to be submitted within 60 days to MP-SEIAA to ensure that violations will not be repeated. It is decided that in the meantime, the project will be delisted. In the eventuality of not having any response from the project proponent within the prescribed limit of 60 days, it will be presumed that it is no longer interested in pursuing the project further and the project file will be closed, where after the procedure will have to be initiated *de novo* by project proponent.


- (iii). A letter should be sent to Principal Secretary, GoMP UD & E Department, giving the details of violation to take action as per office memorandum of MoEF, GoI J-11013/41/2006 IA II (I)dt. 27.06.13 & 12.12.12 (Para 5 (ii)) "to initiate credible action on the violation by invoking powers under section 19 of the Environment (Protection) Act, 1986 for taking necessary legal action under section 15 of the Act for the period for which the violation has taken place and evidence provided to MoEF of the credible action taken." The details of legal action taken by the Principal Secretary, GoMP UD & E Department should be made available to the Authority by 15.12.14. A copy of letter be endorsed to PP.
- (iv). The details of project proponent, a copy of commitment and Resolution passed in the meeting of the Board of Directors of M/s Koshalya Devi Builders and Developers through partner Shri Balwant Singh should be put on the website of MPSEIAA for information of all stake holders.

9. **Case No. 660/2012:** Prior Environmental Clearance for **Bichhia Laterite & Fire Clay Deposit Mine** (Open Cast other than fully Mechanized Method) in an area of 12.13 ha. at Khasra no. P 409 at Village-Bichhia, Tehsil-Murwara, District-Katni (M.P) for proposed production capacity of 40,000 TPA by Smt. Kiran Bhaseen W/o Shri Mohan Bhaseen R/o Shiv Dham Station Road P.O. Katni, Dist -Katni (M.P.)- 483501.

- (1) The case was discussed in 88th SEAC meeting dtd. 13.02.2012 & 144th SEAC meeting dtd. 30.10.2013 and recommended in 145th SEAC meeting dtd. 07.11.2013 for grant of prior EC to the project subject to the 03 special conditions.
- (2) It was noted that the PP has applied for Prior Environmental Clearance of Bichhia Laterite & Fire Clay Deposit Mine (Opencast other than fully mechanized mining method) in an area of 12.13 ha. for production capacity of 40,000 TPA at Khasra no. P 409 at Village-Bichhia, Teh-Murwara, Dist-Katni (MP).
- (3) It was found that the Inter-state boundary and National Park/Sanctuary are not located within 10 Km. radius. Hence, the General Condition is not attracted.
- (4) It was noted that the distance of the mining site from forest boundary is about 1 km (Conservator Forest, Kanti L.No. 6147 dtd. 24.09.2013).


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014


- (5) It was noted that there is another mining project of Laterite & Fire Clay Deposit (Case No. 672/12) is proposed adjacent to this mining project.
- (6) In the above context, it was decided that SEIAA officials shall internally prepare a statement showing cumulative Impact of both these mines on environment and put up before the authority for consideration.


10. Case No. 672/2012: Prior Environmental Clearance for **Bichhia Laterite & Fire Clay Deposit Mine** in an area of 9.084 ha. at Khasra no. P 409 at Village-Bichhia, Tehsil-Murwara, District-Katni (M.P) for production capacity of 75,000 TPA by Shri Prakash Sondhiya, S/o Shri Ramdulare Sondhiya, R/o Nai Basti, P.O. & District Katni (M.P)-483501.


- (1) The case was discussed in 93rd SEAC meeting dtd. 10.04.2012 & 144th SEAC meeting dtd. 30.10.2013 and recommended in 145th SEAC meeting dtd. 07.11.2013 for grant of prior EC to the project subject to the 03 special conditions.
- (2) It was noted that the PP has applied for Prior Environmental Clearance of Laterite & Fire Clay Deposit Mine (Opencast other than fully mechanized mining method) in an area of 9.084 ha. for production capacity of 75,000 TPA at Khasra no. P 409 at Village-Bichhia, Tehsil-Murwara, District-Katni (MP).
- (3) It was found that the Inter-state boundary and National Park/Sanctuary are not located within 10 Km. radius. Hence, the General Condition is not attracted.
- (4) It was noted that the distance of the mining site from forest boundary is about 1 km (Conservator Forest, Kanti L.No. 6149 dtd. 24.09.2013).
- (5) It was noted that there is another mining project of Laterite & Fire Clay Deposit (Case No. 660/12) is proposed adjacent to this mining project.
- (6) In the above context, it was decided that SEIAA officials shall internally prepare a statement showing cumulative Impact of both these mines on environment and put up before the authority for consideration.

11. Case No. 707/2012, Prior Environmental Clearance for **Marble Block mine in an area 9.98 ha** for production capacity of 30,000 cum/year at village Chapra, Tehsil Bohriband, Distt. Katni, by M/s Geetanjali Marble, Marble Block, HIG-1 Housing Board Colony District Katni (MP).

- (1) The case was discussed in SEAC meetings 97th dtd 14.06.12 and recommended in 146th SEAC meeting dtd. 08.11.13 based on the submission of documents and presentation made by the PP the committee has recommended for grant of prior EC to the project subject to the 7 conditions.
- (2) It was noted that the PP has applied in Form-I for Prior Environmental Clearance for Marble Block mine (Opencast Mechanized Method) in an area of 9.98 ha. for production capacity of 30,000 cum / year at Khasra Nos. 149, 150, 208 part at Village Chapra, Tehsil Bohriband, Distt. Katni (MP).


(Shri Ajatsharu Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014


- (3) It was noted that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius. **Hence, the General Condition is not attracted.**


- (4) It was noted that the distance of the mining site from forest boundary is about F.C. No. P-248 is 30 m. (DFO, Katni L.No. 6879 dtd 22.11.2012).

In this context it was found that this issue was raised during Public Hearing as recorded in the statement of the issues raised by the public. It was noted that as per GAD, GoMP order No. F-19/71/2012/1/4 dated 31.07.2012 the committee under the Chairmanship of Divisional Commissioner, Jabalpur vide No. 43/QL/13 dated 07.09.2013 has granted renewal of the lease with the condition that PP will develop a fencing/channelling toward forestland at a distance of 7.5 m from forest boundary and undertake dense plantation in own expenses under supervision of DFO. The PP will also manage technical and security arrangements for Forest and Environment Conservation. **The authority decided that the PP will abide with the conditions imposed by the said committee.**

- (5) The proposed plantation program was examined and it was found that 3.0 ha area shall be covered under plantation and 6000 trees would be planted. The plantation program was found satisfactory.
- (6) It was found that as per Mining Plan (L.No. 7944-45/Bhaumiki 2/Na.Kra. 16/2012 dated 28.05.2012) & EIA Report the expected life of mine is 16 years (Based on Reserve).
- (7) As per notarized copy of lease deed the lease was sanctioned for 10 years (from 30.10.2002). The DGM, M.P. vide L.No. 17398/F/4-5/2012/12 dated 20.09.2013 has decided to sanction the renewal of Mining lease.
- (8) It was noted that water requirement is 15.12 KLD, which shall be met-out from Old tube wells & mine sump.
- (9) It was noted that the Public Hearing was held on 21.02.2013 at Mining Site Chhpra, Katni under the Chairmanship of Upper Collector, Katni. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- (10) It was decided to accept the recommendation of 146th SEAC meeting dtd. 08.11.13 to **grant Prior Environmental Clearance for Marble Block Mine** (Opencast Mechanized Method) in an area of 9.98 ha for production capacity of 30,000 cum/year at Khasra Nos. 149, 150, 208 part at village Chapra, Tehsil Bohriband, Distt. Katni (MP) for **the lease period** by M/s Geetanjali Marble, Marble Block, HIG-1 Housing Board Colony District Katni (MP).


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S.Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

12. Case No. – 1739/2013 Prior Environmental Clearance for proposed "TCS IT/ITES SEZ-INDORE" at Village Tigaria Badshah & Bada Bangarda, Tehsil Hatod, Distt. - Indore (MP) Total Plot Area 404680 Sq.m (40.468 ha.), FAR Built up Area – 86838 Sq.M by M/s Tata Consultancy Services Limited through Col. Praveen Kumar (Retd.) General Manager- IPD M/s Tata Consultancy Services Scheme No. 151 & 169 B of IDA Super Corridor at Village Tigaria Badshah & Bada Bangarda, Tehsil Hatod, Distt. Indore (MP)

- (1) The proposed project is building construction project at IPD Scheme No. 151 & 169 B of IDA Super Corridor, at Village Tigaria Badshah & Bada Bangarda, Tehsil – Hatod, Distt. - Indore (M.P.) with total FAR Built up Area – 86838 Sq.M and total land area is 404680 Sq.m (40.468 ha.) (Gol, Ministry of Commerce & Industries SEZ, Indore vide no. 6-76/1SEZ/TCSSEZ/Proj./2011-12/1919 dtd 03.03.14). The project includes construction of IT/ITES/BPO/KPO/ related services only and housing of any A or B Category industries is not proposed in the project hence, the project is not covered under item 7 (c) of the schedule of EIA Notification 2006. However, because total construction is more than 20,000 sq. m, the project comes under 8 (a) category (B) of schedule of EIA Notification, 2006.
- (2) The case was discussed in 146th SEAC meeting dtd.08.11.13 and has recommended the project for grant prior EC subject to 09 special conditions.
- (3) The case was discussed in depth and it is noted that :-
 - (i). PP has submitted Khasra Panchsala 2013-14 & Lease Agreement-Between M/s. Tata Consultancy Services Limited & Dept. of Information Technology, Govt. of Madhya Pradesh for period 99 Years (From 29/10/2012 to 28/10/2111).
 - (ii). The water supply source is Municipal water supply during operation phase. The total water requirement is 1396 KLD, recycled water 606 KLD, waste water generation is 638 KLD and capacity of STP is 638 KLD. PP has submitted copy of order dated 31.12.11/03.01.2012 from Department of Information Technology, GoMP according to which all clearances and approvals required for the project will be arranged through single window clearances and State will provide support for quick, easy and efficient implementation of the facilities. **It is decided that PP should ensure Municipal water supply of 790 KLD fresh water and recycling of the of entire quantity (606 KLD) of treated waste water.**
 - (iii). Approximately 0.762 TPD of Municipal Solid waste shall be generated. Solid wastes generated will be segregated into biodegradable and non-biodegradable components and collected in separate bins. 100% collection will be adopted. The MSW collection centre will be at the gate of the campus where three covered bins of green, white and black color will be placed for collection from the campus and for final transportation for disposal. **It is decided that the disposal of MSW should be integrated with Municipal**

(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member

(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014

Corporation, Indore for disposal of MSW in their trenching ground / landfill site.

- (iv). The maximum height of the building is 33.8 m (G +7). The width of access road proposed by PP is 75 m. **It is decided that PP should provide road width of 30 m & above, MOS front 15 m, side & rear 7.50 m as per MPBVR 2012 rule no. 42 (2) Table 5 S.No. 1 for buildings height up to 45 m.**
- (v). PP has proposed to provide fire fighting provisions as per NBC 2005 of India pertaining to fire hazards the precautions and safety measures proposed by PP include overhead static water storage on each tower, down comer with hose reels and landing valves at each floor, portable fire extinguishers at all levels, gas based automatic fire extinguishing system for data centre, ceiling mounted modular ABC powder based extinguishers for HT and transformer rooms, automatic alarm system etc. PP has submitted provisional fire fighting NOC from Indore MC vide no. 2486 dtd 11.04.2014. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (UD & E / Nagar Nigam/ Indore) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by UD & E /Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vi). Rainwater harvesting will be done from Roof top and terraces through percolation wells. The harvested water will be used for ground water recharging. A network of percolation wells has been proposed.
- (vii). As per the MPBVR 2012 rule no. 84 Appendix I- I clause 1 (3)Table the car parking is to be provided @ 1 ECS per 75 sqm of built up area for business office hence required car parking is $86838/75 = 1158$ ECS and 25% to 50% additional parking area for non residential buildings (Rule 84 (Appendix I-1 clause 1 -3 b). **PP has proposed to provide total parking space area 36730 (open $33550/25=1342$ ECS & covered Zone-10; $3180/30 =106$ ECS) for 1448 ECS.**
- (viii). PP has submitted landscape plan and has proposed landscaping in an area of 302336.0 sq.m. and plantation of 3051 trees. The specie include of local varieties like Neem, Peepal, Kadam, Kachnaar, Accia, Palash, Ficus, Bottlebursh, Dalbergia, Jakranda etc along with some ornamental varieties trees and **is satisfactory.**


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

- (4) It is decided to accept the recommendations of meeting as per the decision taken in 146th SEAC meeting dtd.08.11.13 and accord prior Environmental Clearance to proposed "TCS IT/ITES SEZ-INDORE" at Village Tigaria Badshah & Bada Bangarda, Tehsil Hatod, Distt. - Indore (MP) Total Plot Area 404680 Sq.m (40.468 ha.), FAR Built up Area – 86838 Sq.M by M/s Tata Consultancy Services Limited through Col. Praveen Kumar (Retd.) General Manager- IPD M/s Tata Consultancy Services Scheme No. 151 & 169 B of IDA Super Corridor at Village Tigaria Badshah & Bada Bangarda, Tehsil Hatod, Distt. Indore (MP) subject to specific conditions imposed by SEIAA in its meetings.

13. Case No. 1666/2013 Prior Environmental Clearance for Expansion of M/s Rath Iron & Steel Industries Limited, at Plot No. – 808-A & 808 B, Sector – III, Industrial Area – Pithampur, Distt. Dhar (M.P.) Proposed Capacity – M S Ingots /Billets – 2,50,000 TPA, Rolling Mill – 2,25,000 TPA, (Existing Capacity - Rolling Mill – 50,000 TPA for production of CTD BARS, TMT,RE BARS, WIRE RODS) Land Area – 75,000 sqm allotted by M.P.A.K.V.N. Indore (M.P.) by M/s Rath Iron & Steel Industries Limited through Managing Director Mr. Pawan Singhania 103, Laxmi Tower, 1st Floor, 576, M.G. Road, Indore (M.P.) – 452003 Email: info@moirasariya.com (Environmental Consultant Creative Enviro Services, Bhopal)

- (1) This is a case of Secondary metallurgical processing industry. Due to increase in market demand and availability of resources the company is going for expansion by installing an induction furnace with capacity of 2,50,000 TPA to produce Ingots & Billets along with expansion of existing Rolling Mill from 50,000 TPA to 2,25,000 TPA for production of CTD BARS, TMT, RE BARS, WIRE Rods the existing premises. The proposed production capacity is more than 30,000 (using induction arc furnace) hence project is covered under 3 (a) category of the MoEF, GoI EIA Notification 2006 and its amendment dtd 01.12.2009. The project proponent is M/s Rath Iron & Steel Industries Limited through Managing Director Mr. Pawan Singhania, Indore (M.P.)
- (2) It was noted that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius, therefore, General Conditions are not attracted.
- (3) The ToR were issued to PP by SEAC (dtd 20.08.2013) and EIA was submitted by PP (dtd 15.10.13).
- (4) The case was discussed in SEAC meetings 135th dtd.04.06.13, & 146th dtd. 08.11.13 recommended for grant of prior EC subject to 07 special conditions.
- (5) The case was discussed in depth and it is noted that :-
- (i). The proposed unit is an existing unit and PP has applied for expansion of production capacity as mentioned in point no. 1 above. The project is located in notified Pithampur Industrial area District Dhar approved by AKVN and public hearing for the project has not been conducted. It is noted that MoEF, GoI, has issued OM dated 16.05.2014 and has clarified that "The exemption from public consultation, as provided for under para

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

7 (i) III. Stage (3) (i) (b) of EIA Notification, 2006 is only available to the projects or activities located within the industrial estates or parks, which have obtained prior environmental clearance under EIA Notification 2006 as provided for under item 7(c) of the schedule".....It was decided that SEAC should appraise the case in view of the above notification.

- (6) It was decided that the case file should be returned to SEAC for reconsideration with reference to above points 5 (i). CC of letter endorsed to PP.

14. Case No. 1733/2013 Prior Environmental Clearance for proposed "Residential Project" at Khasra No. – 39/2, 39/1/3/1, 39/1/2/1/1, 39/1/2/1, 38/2/13, 38/2/12/2, 38/2/1/2/1, 38/2/9, 38/2/8/1, 38/2/8 /2, 38/2/8/3, 38/2/5/1, 38/2/5/2, 38/2/5/3, 38/2/11, 38/2/10, 38/2/13/1, Village – Bawariya Kalan, Tehsil Huzur, Distt. Bhopal (MP) Plot Area – 25400 m², Total Built up Area – 49500 m² (Total Built-up Area as per TNCP is 32089.00 m² and rest 17411 m² for EWS, LIG, Stilt Parking, part Podium Parking, Convenient Shops, etc) by M/s D.K. Construction, through Mr. D. K. Goel, Director, Room No. – 105-106, 1st Floor, Deen Dayal Parisar, E-2/21, Arera Colony, Bhopal (MP) 462016 (Environment Consultant – Kadam Environment Consultants, Vadodara, Gujarat)

- (1) The proposed project is building construction residential project at Village – Bawariya Kalan, Tehsil – Huzur, Distt. - Bhopal (M.P.) with total builtup area 49500 m² and total land area is 2.54 ha (T & CP, Bhopal vide letter 972 dtd 09.05.13). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006. The project involves the construction of 18 Towers Residential Buildings (336 flats for general residents, 31 units EWS & 20 LIG), School, Convenient shops, Club house & swimming pool. The Proponent is M/s D.K. Construction, through Mr. D. K. Goel, Director, Bhopal (M.P.).
- (2) The case was discussed in 146th SEAC meeting dtd.08.11.13 & recommended the project for grant prior EC subject to 06 special conditions.
- (3) The case was discussed in depth and it is noted that :-
- (i). PP has submitted T & CP Permission, Khasra Panchsala 2008-09 & diversion order. It is noted that the Khasra nos mentioned in the T & CP permission /diversion order are not same as given in Khasra panchsala. It is decided that PP should submit latest Khasra Panchsala.
- (ii). The water supply source is Municipal water supply during operation phase. The total water requirement is 310.5 KLD, recycled water 113.2 KLD, waste water generation is 252.8 KLD and capacity of STP is 300 KLD. **SEAC has recommended to enhance the capacity of STP to 400 KLD.** The total treated waste water is 246 KLD. PP has not submitted NOC for supply of water and disposal of extra treated waste water. **It is decided that PP should ensure Municipal water supply of 197.3 KLD fresh water and should link discharge of 133 KLD extra treated waste water with Municipal sewer line and submit clear NOC from Nagar Nigam, Bhopal regarding water supply and**

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S.Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

waste water discharge. There should be no extraction of ground water.

- (iii). Municipal Solid Waste (MSW) generated (1.0 TPD) is proposed to be segregated into biodegradable and non-biodegradable components and collected in separate bins. The non-biodegradable wastes will be sold to recyclers and the biodegradable wastes will be collected and disposed into composting pits at site. PP has not submitted NOC for disposal of solid waste. **It is decided that the disposal of MSW should be integrated with Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW in their trenching ground / landfill site.**
- (iv). The maximum height of the building is 29 m. PP has provided road width 9.0m, Front MOS 9.0 m and side / rear MOS 6.0 m. **It is decided that PP should provide road width of 24 m & above, front MOS 12m and side / rear MOS 7.50 m. as per MPBVR 2012 rule no. 42(1) Table 4 S.No. 3 for buildings height up to 30 m.**
- (v). Fire fighting provisions proposed by PP includes fire extinguishers, yard hydrant, hose reels, wet riser system, dry riser, automatic sprinkler system, manually operated alarm system, underground static water storage tank, terrace tanks, pumps etc. as per NBC 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vi). PP has proposed rooftop rainwater harvesting pits (5 nos) with percolation. Rain water outlets shall be provided at various locations on terrace based on the criteria that minimum 1% slope to be provided towards rain water outlet from the ridges.
- (vii). As per the MPBVR 2012 rule no. 84 Appendix I- I Table clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area hence required car parking is 314 ECS (FAR 31410.55 sqmt. / 100). PP has proposed to provide parking for 330 ECS (stilt- 224 ECS and Podium parking 106) **and is satisfactory.**
- (viii). PP has proposed plantation in an area of 6231.84 sq. m. SEAC has imposed condition to achieve green coverage in at least 25% of the total plot area. **The authority decided that plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area and parks as proposed in the landscape plan subject to 25% green coverage. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions**

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S. Verma)
Member

(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014


of the rule no. 67 MPBVR 2012 have been complied with. Every effort should be made to protect the existing trees on the plot.


- (4) The above information should be submitted by PP latest by 15.11.2014.

15. Case No. 1741/2013, Prior Environmental Clearance for "Swastik Paras Enclave" Group Housing Project at Khasra No. 147, Village Jatkhedi, Tehsil Huzur, Distt. Bhopal (MP) Total Plot Area 24200.00 m², Built up Area 44369.85 m² by M/s Shri Adinath Developers through partner Shri Vinay Rai Modi, FF-1, Metro Plaza Bitten Market, Bhopal, M.P. – 462016

- (1) The proposed project is building construction residential project at Village Jatkhedi, Tehsil Huzur, Distt. Bhopal (MP) with total built-up area 44369.85 m² and total land area is 2.42 ha (24200.00 m²) (T & CP vide letter 1139 dtd 08.10.2010 & 2771 dtd 06.07.13). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006. The Project involves the construction of residential flats (480 flats for general residents, 43 units EWS & 29 LIG) convenient shops, and club house. The Proponent is M/s Shri Adinath Developers through partner Shri Vinay Raj Modi, FF-1, Metro Plaza Bitten Market, Bhopal, M.P.
- (2) The case was discussed in 146th dtd. 08.11.13 SEAC meetings recommended the project for grant prior EC subject with 08 special conditions.
- (3) The case was discussed in depth and it is noted that :-
- PP has submitted Notarized copy of T & CP Permission, Khasra Panchsala 2012-13 and diversion order.
 - The total water requirement during operation phase is 430 KLD, recycled water 160.2KLD. The water supply source is ground water. PP has not submitted NOC for extraction of ground water from CGWA. **It is decided that there should be no extraction of ground water. PP should ensure fresh water supply of 270 KLD from Municipal Corporation Bhopal and submit clear NOC from Nagar Nigam, Bhopal regarding water supply.**
 - The waste water generation is 331KLD and capacity of STP is 400 KLD. The total treated waste water is 265 KLD. **It is decided that PP should link discharge of 105 KLD extra treated waste water with Municipal sewer line and submit clear NOC from Nagar Nigam, Bhopal regarding waste water discharge.**
 - Municipal Solid Waste (MSW) generated (1607 kg / day) is proposed to be bins of three colors (green, blue and dark grey) separate for biodegradable and non biodegradable proposed at the strategic locations within the site and disposed of by Govt. approved agency. PP has not submitted NOC for disposal of solid waste. **It is decided that the disposal of MSW should be integrated with Municipal Corporation and PP should submit clear NOC from Nagar Nigam, Bhopal for disposal of MSW in their trenching ground / landfill site.**
 - The maximum height of the building is 21 m. (18 m + stilt). PP has provided road width 18m, Front MOS 12m and side / rear MOS 6.0 m.


(Shri Ajatshatra Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014


It is decided that PP should provide road width as per MPBVR 2012 rule no. 42(1) Table 4 S. No. 2 for buildings height up to 24 m.


- (vi). Fire fighting provisions proposed by PP includes fire hydrants, hose reels to be installed in all blocks, fire water inlet and outlet connections to the water storage tank, external main fire ring, sprinkler system etc. in accordance with NBC, 2005. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measure recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
 - (vii). PP has proposed roof top rain water harvesting through pits (7 nos) for ground water recharge. The rain water structure is proposed to be designed as per the guidelines of CGWA.
 - (viii). As per the MPBVR 2012 rule no. 84 Appendix I- I Table clause 1 (3) the car parking is to be provided @ 1 ECS per 100 sqm of built up area hence required car parking is 346 ECS (FAR 33458.40 sqmt. / 100=334+Commercial 561.60/50=11). PP has proposed to provide parking for 431 ECS (still- 265 ECS and open-166) **and is satisfactory.**
 - (ix). PP has proposed plantation in an area of 6990.72 Sq. m. SEAC has imposed condition to achieve green coverage in at least 20% of the total plot area. **The authority decided that plantation should be done in two rows all along the periphery of the project area, avenue plantation along the roads with one tree per 100 sq. m. of the plot area and parks as proposed in the landscape plan subject to coverage of 20%. The specie should include trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar etc. The occupancy certificate to the building should be issued only when the authority (Nagar Nigam Bhopal) is satisfied that the provisions of the rule no. 67 MPBVR 2012 have been complied with. Every effort should be made to protect the existing trees on the plot.**
- (4) **It is decided that a letter should be sent to PP to submit the above information latest by 15.11.2014.**

16. Case No. 1670/2013 Prior Environmental Clearance for **Stone Quarry** in an area of 3.00 ha. at Village-Gohad, Tehsil-Gohad, District-Bhind for expansion of production capacity from 5000 ton/year to 7,99,730 ton/year by Shri Kishan Pal Singh R/o Mahindra Nagar, Nawada Bag Colony, Bhind, District-Bhind (M.P).

- (1) The case was discussed in SEAC meetings 144th dtd. 30.10.13 & 146th dtd 08.11.13.
- (2) As per the minutes of SEAC meetings, neither the project proponent nor his representative was present in the SEAC meetings to explain the query which might be raised or to make any commitment which may be desired by the committee during deliberation.
- (3) It was found that SEAC has returned the case to SEIAA for further necessary action.


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

- (4) It was also noted that the PP has been asked to submit the following information / documents vide L.No. 850/SEIAA/14 dtd. 23.08.2014 :
- (a) Notarized copy of the Mining Plan approved by DGM Bhopal
 - (b) Letter from mining officer regarding name, location/survey number and lease area of other operating mines within 500 mts radius from the periphery of the proposed mine.
 - (c) Environmental Management Plan prepared by Registered Qualified Person (RQP).
- (5) In view of above it was decided that the case to be considered after receiving the desired information from PP.

17. Case No. 472/2013 - Prior Environmental Clearance for Kachgawan Limestone & Dolomite Mine in an area of 7.42 ha. at Village-Kachgawan, Tehsil-Murwara, District-Kanti (M.P) for production capacity of 1,60,000 TPA by M/s N.M. Dubash Stone & Lime Co. Pvt. Ltd., Station Road, Maihar District-Satna (M.P).

- (1) The case was discussed in 41st SEAC meeting dtd. 26.11.2009 & 146th SEAC meeting dtd. 08.11.2013.
- (2) The case was also discussed in 142nd SEIAA meeting dtd. 18.07.2013 and it was recorded that


It was noted that there are **fourteen (14)** no. of cases wherein validity of ToR is likely to be expired and the PPs have not submitted the EIA report till date in the office of SEAC/SEIAA. It was decided to ask the PP to submit the EIA report in the SEIAA office within the time limit for validity of ToR as prescribed in MoEF, GoI, O.M. No. J-11013/41/2006-IA.II(I) dtd. 22nd March, 2010. In case of non submission of EIA report within time limit the case will be summarily rejected.


LIST OF PENDING CASES OF MINING PROJECTS In which Validity of ToR is likely to be expired								
S. No	Case No.	Cate-gory	Name of Project Propone nt (PP)	Project/Activi ty	Date of Reg./ Case sent to SEAC	TOR issued on Dated	Validit y of TOR dated	Status of Final EIA Report received in SEIAA Office from PP
8	472/2009	1(a)	N.M. Dubash Stone & Lime Co. Pvt Ltd Station Road, Maihar Satna - M.P.	Lime stone & Dolomite mine 7.42 ha production capacity 1.6 lakhs TPA at village Kachhgawan, Teh- Murwara Satna - M.P.	05.11.2009	05-12-09	04.12.13	Not received


- (3) As per the minutes of 146th SEAC meeting dtd. 08.11.2013 the validity of ToR has been expired by 04.12.2013 as per MoEF, GoI, O.M. No. J-11013/41/2006-IA.II(I) dtd. 22nd March, 2010.
- (4) It was found that in the minutes of 146th SEAC meeting dtd. 08.11.2013, it is recorded that.....

PP vide letter dated 31/10/2013 has submitted following :

- (A) Draft EIA report has been prepared and submitted to MPPCB for Public Hearing on 15/10/2013. The same was processed by the


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

MPPCB for public hearing vide letter dated 29/10/2013 to the Collector Katni.

- (B) It is further submitted by the PP that Collector Katni did not agree to fix any date for Public Hearing before 08/12/2013 due to forthcoming Assembly Elections i.e. after the counting is over.
- (C) Under above circumstances PP has requested either for extension of validity of TOR for period of three months or submission of EIA report without Public Hearing and the modified EIA/ EMP incorporating the PH issues shall be submitted after PH is completed.

Committee observed that the matter is administrative hence SEAC has no comments for citation on the issue. PP has made the submission to SEIAA also; hence necessary decision may be taken by the SEIAA in the matter.

- (5) It was noted that the ToR was issued on 05.12.2009 and after a long period of almost 4 years the Draft EIA Report was submitted on dtd. 15.10.2013 to MPPCB for public hearing. It was observed that due to engagement of Collector Katni in Assembly Election work the date for public hearing could not be fixed and validity of ToR has expired. Very late submission of draft EIA report shows ignorance of PP.
- (6) Since, EIA report has not been submitted by PP within validity period of ToR, so, case is hereby delisted.

18. Case No. 773 /2012 M/s Asnani Builder & Developers Ltd. Through Sh. Visan Asnani and Sh. O.P. Kriplani, 17, Zone-II, M.P. Nagar, Bhopal (M.P.) - Owner of Land: M/s Asnani Builder & Developers Ltd. through Sh. Visan Asnani and Sh. O.P. Kriplani, Developers: Amrit Homes Pvt. Ltd. and Amrit Colonizers Pvt. Ltd., at Village- Katara, Gram Panchayat- Rapadiya, The. - Huzur, Distt. - Bhopal (M.P.)—Building Construction Project. Case rec. Minutes of the 145th Meeting of SEIAA dated 31/08/2013 (Total constructed area after completion of the project will be 144000 sqmt. Irrespective of the area being developed in phased manner by PP or the occupants of the plots")

19. Case No.-730/2012 Shri Tarun Kathuria, Director, M/s A.R. Infrastructure Private Ltd. 15, UGF, Indra Prakash Building, 21, Barakhamba Road, New Delhi 110001 Proposed group housing project Cat. 8(b), at Talavali Chanda (Gram & Moja), Distt. Indore, (M.P.) Total Plot Area - 199222.618 m², built up Area -206937.46 m². Env. Consultant : GRC I. (P) Ltd. Noida (U.P.) ToR issued vide letter no 266 dt. 11/03/13 EIA Building Construction.

20. Case No. - 1661/2013 - M/s Arms Real Estate Developers Pvt. Ltd., Raj Bisen, Director Arms Manor, 9 FF, Scheme No.- 54, Vijay Nagar, Indore (M.P.) 452010 The Empress Residential Project, Plot No. - 58/2 and 58/3/2, Opp. Ashirwad Villa, Village - Nipania, Tehsil - Indore, Distt. - Indore (M.P.) Plot Area - 9470 M², Built up Area - 21177.76 M² Ground Coverage - 2083.2 M² Env. Consultant : Kadam Env. Con. , Delhi. Building Construction. iv.

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S Verma)
Member

(Shri Waseem Akhtar)
Chairman

Minutes of the 159th Meeting of SEIAA dated 11.09.2014

- 21. Case No. – 1684/2013** M/s Siddivinayak Developers, Proprietor Mr. Kailash Raghuwanshi, FF - 29, 30, Shekhar Villa, 06, Scheme No. – 54, Vijay Nagar, Indore - (M.P.) - 452010 Building Construction. "Maple Woods" Chugh Reality Pvt. Limited, Chugh Infrastructure Pvt. Ltd. and Developers Siddhi Vinayak Developers at Khasra No. – 41/1, 41/2, 43, 56, 57, 58, 59, 60, 61/2 and 92, Village- Pipliyakumar, Tehsil & District – Indore (M.P.), Plot Area – 63 410 M², Built up Area – 147128.75 M², Ground Coverage – 19023 M². (Earlier case was scheduled 137th SEAC Meeting dated 24/07/13- Violation) Env. Consultant : Kadam Env. Con., Vadodra (Guj.)
- 22. Case No. – 1729/2013** Mr. Kumar Purushottam, Chief Executive Officer, Pragati Bhawan, Press Complex, M.P. Nagar, Zone- I, Bhopal - (M.P.) - 462001 Building Construction. Mahalaxmi Awasiya Parisar, at Near Pull Bogda, Barkhedi, District – Bhopal (M.P.), Total Land Area – 30311.10 Sqm, Building Area – 56832.10 Sqm, No. of floors – basement + ground + ten. Env. Consultant : Not disclosed.

Post facto approval for cases-files sent to SEAC

- (1) The case was discussed in 146th SEAC mtg. dtd. 08.11.13 as per the mtg. "... Neither the Project Proponents nor the representatives of following projects were present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. Hence Committee decided to return the files of following projects to SEIAA. It was decided by the committee that files of other projects which are presently with SEAC may also be returned to SEIAA Secretariat for further necessary action till reconstitution of SEAC."
 - (2) As per the 146th SEAC mtg. dtd. 08.11.13 (minutes received in SEIAA office on 18.12.13) the following cases were returned to SEIAA and forwarded to MoEF, Govt. in absence of duly constituted SEIAA / SEAC. Since now the Authority has been formed the files of cases 773/2012, 730/2012, 1661/2013, 1684/2013, 1729/2013, have been sent to SEAC vide letter no. 362 dtd. 30.07.14 for further action.
 - (3) The post facto approval for the above is accorded by the authority.
- 23. Case no. 711/2012** – Prior Environmental Clearance for Pathariya Granite Deposit Mine in an area of 3.642 for production capacity of 18000 cum per annum at Khasra nos. 852/8/2, 852/11, 852/3/25/1, 852/3/25/2, 852/3/25/3 at Village-Pathariya, Tehsil-Raj Nagar, Distt-Chhatarpur by Shri Ajay Pal Singh, Director & Attorney, M/s Khajuraho Minerals Pvt. Ltd., Post Box No. – 24, Distt. – Chhatarpur (M.P.) – 471001.
- (1) The case was discussed in 98th SEAC meeting dtd. 23.07.2012 and recommended in 138th SEAC meeting dtd. 25.07.2013 for grant of prior EC to the project subject to the 07 special conditions.
 - (2) It was noted that the PP has applied for Prior Environmental Clearance of Pathariya Granite Deposit Mine (Opencast other than fully mechanized method) in an area of 3.642 ha. for production capacity of 18000 cum per annum at Village-Pathariya, Tehsil-Raj Nagar, Distt-Chhatarpur (MP).
 - (3) It was found that the National Park/Sanctuary and the Inter-State Boundary are not located within 10 km. radius. Hence, the General Conditions is not attracted.

(Shri Ajatshatru Shrivastava)
Member Secretary

(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014


- (4) It was noted that the distance of the mining site from forest boundary is 300m (Conservator Forest, Chhatarpur L.No. 1060 dtd. 25.07.2011).
- (5) The proposed plantation program was examined and it was found that a green belt of 1.035 ha. will be developed by planting 3960 plants during the lease period. The plantation program was found satisfactory.
- (6) It was found that as per Mining Plan (approved by IBM vide L.No. 13455/Geology-2/N.K/16/2012 dtd. 07.09.2012) the life of mine is 20 years.
- (7) It is found that the as per sanction order from Office of the Collector / Mining Officer vide L.No. 778/[kfut/2012 dtd. 17.05.2012 the mining lease has been granted for 30 years.
- (8) It was noted that water requirement is 8.8 KLD, which shall be met-out from sump & dug well.
- (9) It was found in the record of 138th SEAC meeting dtd. 25.07.2013 that there are two mines in the name of Pathariya 3.642 ha. (Case no. 711) and Pathariya 4.99 ha. (Case no. 712) are located at distance of 200m from each other. It was noted that, however, seprate TORs were issued for each of the mines but, in EIA study cumulative impact was worked out on traffic density and Ambint Air Quality. It was also noted that being adjacent to each other a common base line monitoring has been done for both project. As per record the comulative impact of both of the projects on ambint air quality (Ground Level Concentrations) was found acceptable.
- (10) It was noted that the Public Hearing was held on 26.04.2013 at Govt. School Pathariya under the Chairmanship of Addl. Collector, Chhatarpur. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- (11) It was decided to accept the recommendation of 138th SEAC meeting dtd. 25.07.2013 to grant Prior Environmental Clearance for Pathariya Granite Deposit Mine in an area of 3.642 for production capacity of 18000 cum per annum at Khasra nos. 852/8/2, 852/11, 852/3/25/1, 852/3/25/2, 852/3/25/3 at Village-Pathariya, Tehsil-Raj Nagar, Distt-Chhatarpur (M.P.) for the life of mine i.e. 20 years by Shri Ajay Pal Singh, Director & Attorney, M/s Khajuraho Minerals Pvt. Ltd., Post Box No. - 24, P.O. & Distt. - Chhatarpur (M.P.) - 471001.

24. Case No. 712/2012- Prior Environmental Clearance for **Granite Deposit Mine** in an area of 4.990 ha for production capacity of 18000 cum per annum at Khasra nos. 852/3/24, 852/3/28, 852/3/30 at Village-Patharia Tehsil-Rajnagar, District-Chhatarpur (M.P) by Shri Ajay Pal Singh, Director & Attorney, M/s Khajuraho Minerals Pvt. Ltd. Post Box No. 24, District-Chhhatarpur (M.P).

- (1) The case was discussed in 98th SEAC meeting dtd. 23.07.2012 and recommended in 138th SEAC meeting dtd. 25.07.2013 for grant of prior EC to the project subject to the 07 special conditions.
- (2) It was noted that the PP has applied for Prior Environmental Clearance of Granite Deposit Mine (Opencast other than fully mechanized method) in an


(Shri Ajatshatru Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member



(Shri Waseem Akhtar)
Chairman


Minutes of the 159th Meeting of SEIAA dated 11.09.2014


area of 4.990 ha. for production capacity of 18000 cum per annum at Village-Patharia Tehsil-Rajnagar, District-Chhatarpur (MP).

- (3) It was found that the inter-state boundary, National Park/Sanctuary are not located within 10 Km. radius. Hence, the General Condition is not attracted.
- (4) It was noted that the distance of the mining site from forest boundary is 400 m (Conservator Forest, Chhatarpur L.No. 1659 dtd. 25.07.2011).
- (5) The proposed plantation program was examined and it was found that a green belt of 1.40 ha. will be developed by planting 3960 plants during the lease period. The plantation program was found satisfactory.
- (6) It was found that as per Mining Plan (approved by IBM vide L.No. 5279/Geology-2/N.K/16/2011-12 dtd. 07.09.2012) the life of mine is 30 years.
- (7) It is found that the as per sanction order from Office of the Collector / Mining Officer vide L.No. 775/[kfut/2012 dtd. 17.05.2012 the mining lease has been granted for 30 years.
- (8) It was noted that water requirement is 10 KLD, which shall be met-out from sump & dug well.
- (9) It was found in the record of 138th SEAC meeting dtd. 25.07.2013 that there are two mines in the name of Pathariya 3.642 ha (Case no. 711/2012) and Pathariya 4.99 ha. (Case no. 712/2012) are located at distance of 200m from each other. It was noted that, however, seprate TORs were issued for each of the mines but, in EIA study cumulative impact was worked out on traffic dencity and Ambint Air Quality. It was also noted that being adjacent to each other a common base line monitoring has been done for both project. As per record the comulative impact of both of the projects on ambint air quality (Ground Level Concentrations) was found acceptable.
- (10) It was noted that the Public Hearing was held on 26.04.2013 at Govt. School Pathariya under the Chairmanship of Addl. Collector, Chhatarpur. The issues raised during public hearing were of general nature and nothing adverse was found regarding degradation of the environment.
- (11) It was decided to accept the recommendation of 138th SEAC meeting dtd. 25.07.2013 to grant Prior Environmental Clearance for Granite Deposit Mine in an area of 4.990 ha for production capacity of 18000 cum per annum at Khasra nos. 852/3/24, 852/3/28, 852/3/30 at Village-Patharia Tehsil-Rajnagar, District-Chhatarpur (M.P.) for lease period i.e. 30 years by Shri Ajay Pal Singh, Director & Attorney, M/s Khajuraho Minerals Pvt. Ltd. Post Box No. 24, P.O. & District-Chhhatarpur (M.P).

Meeting ended with a vote of thanks to the Chair


(Shri Ajatsharu Shrivastava)
Member Secretary


(Shri H.S. Verma)
Member


(Shri Waseem Akhtar)
Chairman