

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

The 207th meeting of the State Level Environment Impact Assessment Authority was convened on 09.06.2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. The following members attended the meeting:-

- | | | |
|---|--------------------|----------------------|
| 1 | Shri H.S. Verma | Member |
| 2 | Shri Gulshan Bamra | I/c Member Secretary |

A. Following other than mining cases received from SEAC and SEIAA (additional information case) were discussed :-

S No	Case No.	No. & date of latest SEAC / SEIAA meeting
1.	403/2009	188 th SEAC meeting dtd. 02.05.15
2.	1843/2014	188 th SEAC meeting dtd. 02.05.15
3.	2275/2014	188 th SEAC meeting dtd. 02.05.15
4.	2319/2014	188 th SEAC meeting dtd. 02.05.15
5.	773/2012	188 th SEAC meeting dtd. 02.05.15
6.	1807/2014	190 th SEAC meeting dtd. 06.05.15
7.	1165/2013	204 th SEIAA meeting dtd. 30.05.15
8.	1805/2014	192 nd SEIAA meeting dtd. 13.04.15

B. Following cases were reviewed :-

S No	Case No.	No. & date of latest SEAC meeting in which case was recommended
9.	161/2008	141st SEIAA meeting dtd. 11.07.2013
10.	571/2010	143st SEIAA meeting dtd. 16.08.2013
11.	930/2012	130th SEIAA meeting dtd. 07.05.2013
12.	942/2012	149th SEIAA meeting dtd. 26.09.2013
13.	956/2012	167th SEIAA meeting dtd. 16.10.2014
14.	972/2012	162nd SEIAA meeting dtd. 17.09.2014
15.	976/2012	137th SEIAA meeting dtd. 14.06.2013
16.	978/2012	137th SEIAA meeting dtd. 14.06.2013
17.	979/2012	137th SEIAA meeting dtd. 14.06.2013
18.	981/2012	137th SEIAA meeting dtd. 14.06.2013
19.	982/2012	137th SEIAA meeting dtd. 14.06.2013
20.	983/2012	137th SEIAA meeting dtd. 14.06.2013
21.	984/2012	137th SEIAA meeting dtd. 14.06.2013
22.	985/2012	137th SEIAA meeting dtd. 14.06.2013
23.	989/2012	137th SEIAA meeting dtd. 14.06.2013
24.	992/2012	137th SEIAA meeting dtd. 14.06.2013
25.	994/2012	137th SEIAA meeting dtd. 14.06.2013
26.	997/2012	137th SEIAA meeting dtd. 14.06.2013
27.	999/2012	137th SEIAA meeting dtd. 14.06.2013
28.	1007/2012	128th SEIAA meeting dtd. 26.04.2013
29.	1009/2012	167th SEIAA meeting dtd. 16.10.2014
30.	1012/2012	167th SEIAA meeting dtd. 16.10.2014
31.	1017/2012	167th SEIAA meeting dtd. 16.10.2014
32.	1018/2012	167th SEIAA meeting dtd. 16.10.2014
33.	1029/2012	167th SEIAA meeting dtd. 16.10.2014
34.	1030/2012	167th SEIAA meeting dtd. 16.10.2014
35.	1041/2012	167th SEIAA meeting dtd. 16.10.2014
36.	1047/2012	167th SEIAA meeting dtd. 16.10.2014
37.	1051/2012	154th SEIAA meeting dtd. 26.07.2014
38.	1052/2012	167th SEIAA meeting dtd. 16.10.2014
39.	1065/2012	167th SEIAA meeting dtd. 16.10.2014
40.	1069/2012	167th SEIAA meeting dtd. 16.10.2014

(Gulshan Bamra)
I/c Member Secretary

(H.S. Verma)
Member

(Waseem Akhtar)
Chairman

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

1. **Case No.403/2009** Prior Environmental Clearance for Construction of 150 Admission Medical College and 750 bedded Teaching Hospital at Sagar, M.P. total land area 125002 sqmt. (12.5 ha) and built up area 108650 sqmt. by Office of the Dean Government Medical College Building, Tilli Road, Sagar, Distt-Sagar-MP- 470002

- (1). The case was discussed in 157th SEIAA meeting dtd. 26.08.14 and recorded that "(1) The application for Prior Environmental Clearance was submitted by PP in SEIAA office on 29.05.2009.
- (2). The case was discussed in SEAC meetings 28th dtd 11.06.09, 109th dtd 06.11.12 and 119th dtd 02.02.13 and it is recorded that "The project was discussed in earlier meetings and PP was required to submit response to the queries made by the PP in the meeting. Despite of several reminders and meeting with the PP no response to the queries has been submitted by the PP. PP was give a last chance for submission of response after discussion in the meeting dtd 06.11.12. The matter was place before the committee and it was observed that no response has been received till date, thus committee decided to return the case to SEIAA for delisting the same."
- (3). The case was discussed in 127th SEIAA mtg. dtd. 22.04.13 and the Authority accepted the recommendation of 119th SEAC meeting and it was decided that the case should be summarily closed. Accordingly a letter was sent to PP vide no. 511 dtd 10.05.13.
- (4). PP has submitted the reply of queries vide letter dtd. 30.08.13 raised by SEAC and requested for considering the case for Prior Environmental Clearance.
- (5). It is noted that in the letter dtd 30.08.13 PP has mentioned that ".....the hospital and medical college is being operated in the interest of public...."
- (6). The case was discussed in depth and it is decided that the reply of PP along with technical file may be sent to SEAC for appraisal and examination in view of MoEF, Gol office memorandum dtd 12.12.12 & 27.06.13 regarding violation."

- (2). In response to above the case was discussed in 188th SEAC dtd. 02.05.15 meeting and it recorded that "It was informed by the PP that the Medical College & Hospital project is already completed and operational without prior EC. Hence it is a case of violation. Committee decided to send the case back to SEIAA for further necessary action as per the provisions of EIA Notification and the related O.M. of MoEF & CC in this regard".

- (3). The case was discussed in depth and it is noted that :-

- (i). In a similar case of Medical College and Hospital a letter vide no. 976 dtd 15.05.15 has been sent to MoEF & CC, Gol seeking a clarification that whether the medical colleges & hospital are also exempted from the requirement of prior EC as per the said amendment (dtd 22.12.2014) in the EIA Notification, 2006. It is **decided that this case should be kept in abeyance until clarification from MoEF & CC, Gol is received in this regard.**

2. **Case No. 1843/2014** Prior Environmental Clearance for Proposed Residential project "Tirupati M.L. Highrise" at Khasra No.- 130-131/1/1, 130-131/3, 130-131/2, Village-Damkheda, Tehsil-Huzur, District- Bhopal (M.P.) Plot Area - 1.69 ha. Total Built up Area - 22932.48 sq mt. by M/s M P Builders & Developers, through Partner Shri Man Singh Rajput, 21-28, Chhatrapati Nagar, Narela Shankari, Bhopal-462041

- (1). The application submitted by PP on SEIAA office on 30.09.2014.



(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman
Page 2 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

- (2). The case was registered and forwarded to SEAC for appraisal vide letter no.3693 dtd 28.02.2015.
 - (3). The case was discussed in 156th SEAC meeting dtd 12.11.2014 and it is recorded that "Neither the Project Proponent (PP) nor his representative was present to explain the query which might be raised or to make any commitment which may be desired by the committee during the deliberation. Committee decided to call the PP in subsequent meetings as per turn."
 - (4). Vide letter dtd. 01.04.15 PP has requested for withdrawal of application due to some unavoidable reasons the same has been forwarded to SEAC vide letter dtd. 15.04.15
 - (5). The case was discussed in 188th SEAC meeting dtd 02.05.2015 and it is recorded that "Request from PP was received for withdrawal of the case through SEIAA. Committee accepted the request and decided to send the case back to SEIAA for further necessary action in the matter."
 - (6). The case was discussed in depth and it is noted that :-
PP has taken approval from T & CP for built up area - 22932.48 sq mt. and building permission. **It is decided that SEAC should visit the site to assess the construction/ development activities already started at the site and ascertain the present status of the project. The case file should be sent back to SEAC. A copy of letter should endorsed to PP.**
3. **Case No.2275/2014** Application for Prior EC for proposed housing project "Girnar Valley" at village-Mohali, Tehsil-Huzur, District-Bhopal (M.P.) Total Land area - 52436.22 Sq.m. Total Built up Area 43464.02 sq.m. by M/s. Shri Prabhakar Colonizer & Developers Pvt. Ltd. & Mr. Akbar Hafiz Khan Land Owner through Mr. Mohit Sharma Director, 152 Zone-I M.P. Nagar Bhopal-462011 email : shriprabhakarcolonizers@yahoo.com Mob No. 9993490123
- (1). This is an existing project and pertains to expansion of residential project from existing built-up area of 12007 m² to 43464.02 sq.m.
 - (2). The proposed project is building & construction project "Girnar Valley" at village - Mohali, Tehsil-Huzur, District- Bhopal (M.P.). The project includes construction of 166 flats, 312 duplexes, 18 shops and 87 LIG & EWS.
 - (3). As per the T & CP Bhopal apporval (vide let no. 1415 dtd.01.06.11), the total land area is 5.243 ha. The total built up area proposed by PP is 43464.02 sq.m.. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
 - (4). The case was discussed in SEAC meetings 172nd dtd. 22.02.15 and 188th dtd. 02.05.15, and is recommended for grant of prior EC subject to 06 special conditions.
 - (5). The case was discussed in depth and it is noted that :-
 - (i). PP has submitted Khasra panchsala 2011-12. As per Khasra panchsala the land is in the name of Shri Mohit Sharma & Akbar Hafeez Khan. PP has also submitted an agreement (dtd. 22.04.13) between Shri Akbar Hafeez Khan & M/s. Shri Prabhakar Colonizer &


(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman
Page 3 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

Developers Pvt. Ltd. through Shri Prashant Jain. As per the agreement Shri Akbar Hafees Khan has given the right only for using his land for the common road. **It is decided that PP should submit the documents (registered) pertaining to legal entity between the two parties for the above project and prior EC thereof.**

4. **Case No.2319/2014** Application for Prior EC for expansion of Residential Housing Project "Girnar Hills" at Khasra No. 63, 65/1, 65/311/60, 66, 67; village Amrawadkhrud, Tehsil Huzur, Bhopal MP; Total Plot Area 37664.26 sqmt; Built up area 25241.33 sqmt. by M/s Shri Prabhakar Colonizer & Developers Pvt. Ltd. through Mr. Mohit Sharma, Director, 152, Zone-1, MP Nagar, Bhopal -462011.

- (1). The proposed project is expansion of building & construction Residential Project at village Amrawadkhrud, Tehsil Huzur, Bhopal MP. Vide MPPCB letter dtd. 04.02.13 CTE was issued to PP for 16135.76 sqmt. which has already been constructed. After expansion the project includes construction of 186 Flats; 32 EWS & LIG ; 274 Duplex, club house & convenient shops.
- (2). As per the T & CP Bhopal approval (vide letter no. 256 dtd. 24.05.12). The total land area is 37664.26 sqmt (3.76 ha). The total built up area existing 16135.76 sqmt. & after expansion the total built area proposed by PP is 25241.33 sq.m.. The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1, 50,000 sq mt. and plot area is less than 50 ha.
- (3). The case was discussed in SEAC meetings 172nd dtd. 22.02.15 and 188th dtd. 02.05.15, and is recommended for grant of prior EC subject to 05 special conditions.
- (4). The case was discussed in depth and it is noted that :-
 - (i). PP has submitted copy of Khasra panchsala 2011-12. As per Khasra panchsala the land is the name of M/s. Shri Prabhakar Colonizer & Developers Pvt. Ltd. through Smt. Neelam Jain, Shri Prashant Jain & Shri Mohit Sharma.
 - (ii). The total water requirement is 353 KLD and fresh water requirement is 204 KLD. The total recycled water 149 KLD (137 KLD flushing + 12 KLD horticulture.) The source of water supply is Bhopal Municipal Corporation. PP has applied (dtd 11.09.14) to Nagar Nigam Bhopal for supply of 381 KLD water. **It is decided that PP should submit clear NOC from Nagar Nigam, Bhopal for supply of fresh water.**
 - (iii). The total waste water generation is 275.8 KLD. PP has provided sewage treatment plant of 300 KLD. The total treated waste water is 248 KLD. Out of this 149 KLD will be recycled (137 KLD flushing + 12 KLD horticulture.) and Extra treated waste water 99 KLD is proposed to be disposed off to nearest in sewer line/ Nala. PP has applied (dtd 11.09.14) to Nagar Nigam Bhopal for disposal of 97 KLD extra treated waste water in nearby Nala/ Municipal sewer line. **It is decided that PP should submit clear NOC from Nagar Nigam, Bhopal for discharge of extra treated waste water in Municipal Sewer line along with layout plan showing sewer line and**

(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman


Page 4 of 20

disposal point of extra treated waste water in Municipal sewer line.

- (iv). Approximately 0.936 TPD Municipal Solid waste shall be generated. It is proposed to be segregated at source and collected in door to door. The MSW collection centre will be at the campus gate where it will be stored in three coloured bins for final disposal. PP has applied (dtd.11.09.14) to Nagar Nigam, Bhopal for disposal of MSW at dumping site. **It is decided that the disposal of MSW should be linked with Nagar Nigam and PP should submit clear NOC.**
- (v). The maximum height of the building is 18 m. PP has provided road width 12 m; Front MOS 7.5 m and side / rear MOS 6.0 m. **It is decided that PP should ensure road width; MOS and Open spaces as per MPBVR 2012 rule 42 (1) for buildings up to 18 m height.**
- (vi). PP has proposed to provide Fire Box with accessories, hydrant valve, Hose reel, fire extinguishers, hooter and manual call point as per NBC 2005. PP has submitted provisional NOC from Nagar Nigam, Bhopal (28.01.13). **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (vii). PP has proposed roof top rain water harvesting system with total recharge potential 25648.342 m³ per annum. **It is decided that PP should submit the number of recharge pits to be constructed along with their location on the layout map.**
- (viii). The total power requirement is 1650 KVA. PP has also proposed power back up with one DG set 63 KVA x 1. The source of power is MP Electricity Board. PP has proposed to provide energy efficient fixtures and LED, CFL, solar energy in common areas. **It is decided that PP should submit solar energy units / plan location along with details.**
- (ix). PP has proposed parking for 199 cars (still 148 ECS in area of 5960.94 sqmt. + Open parking 51 ECS) for multiunit development. Individual parking shall be provided for duplex houses. **It is decided that PP should ensure car parking as per Rule no.84 Table Clause 1(3) of MPBVR 2012.**
- (x). PP has proposed to plant 473 trees in 14% of the plot area (188th SEAC meeting) to be developed as green area including peripheral plantation. **The authority decided that:-**
- PP should ensure plantation in 14% of the total plot area and plant 800 tree saplings at least 3 years old.
 - Plantation should be done in two rows all along the periphery of the project area, along, avenue plantation


(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman
Page 5 of 20

along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties.

c. Every effort should be made to protect the existing trees on the plot.

(5). PP should submit the above information latest by 15.08.2015.

5. **Case No. 773 /2012** Prior Environmental Clearance for Expansion of Building Construction Project at Village Katara, Gram Panchayat Rapadiya, Tehsil Huzur, Distt. Bhopal (MP), total constructed area after completion of the project will be 144040.73 sqmt. Irrespective of the area being developed in phased manner by PP or the occupants of the plots" by M/s Asnani Builder & Developers Ltd. Through Visan Asnani and O.P. Kriplani, 17, Zone-II, M.P. Nagar, Bhopal (MP) - Owner of Land: M/s Asnani Builder & Developers Ltd. through Visan Asnani and Shri O.P. Kriplani, Developers: Amrit Homes Pvt.Ltd. & Amrit Colonizers Pvt. Ltd.

1. The case was discussed in 173rd SEIAA mtg. dtd. 09.01.15 and recorded that...

(1) *The case was discussed in 165th SEIAA meeting dtd 10.10.14 and it is recorded that "(1)...(9)... (10) The case was discussed in depth and it is decided that :-*

(i). *A letter should be sent to PP informing that the view of the Authority is same as 125th SEIAA meeting dtd 09.04.13 and PP should seek prior Environmental Clearance.*

(ii). *The case should be return to SEAC for appraisal. PP should ensure presentation in SEAC for appraisal."*

(2) *Vide letter dtd 15.10.2014 received in SEIAA office on 16.10.2014 PP has again requested to reconsidered the case.*

(3) *The case was discussed in depth and it is decided that the view of Authority is same as in 165th SEIAA meeting dtd 10.10.14. PP should seek Prior Environmental Clearance under EIA Notification, 2006 and should ensure presentation in SEAC for appraisal. No further representation in this matter will be entertained. Accordingly, a letter should be sent to PP and CC should be endorsed to SEAC."*

2. The case was discussed in 188th SEAC mtg. dtd. 02.05.15 and it is recorded that "The case was placed in earlier meetings of SEAC whereby on request of PP the case was returned to SEIAA for delisting. However, the case was again sent to SEAC for appraisal after discussion in the 173rd SEIAA meeting. PP was also informed to seek prior Environmental Clearance under EIA notification, 2006 and ensure presentation in SEAC. Accordingly, the case was placed in this meeting but no response from PP was received. Committee decided to return the case to SEIAA for further necessary action in the matter"

3. The case was discussed in depth and it is decided that **SEAC should visit the site to assess the construction/ development activities already started at the site and ascertain the present status of the project regarding violation MoEF & CC GoI, O.M. dtd.12.12.12 & 27.06.13. The case file should be sent back to SEAC. A copy of letter should endorsed to PP.**

(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member


(Waseem Akhtar)
Chairman
Page 6 of 20


Minutes of the 207th Meeting of SEIAA dated 09.06.2015

6. **Case No. 1807/2014** Prior Environmental Clearance for proposed mini steel plant for production of M.S. Ingots / Billets and TMT bars at Patwari Halka No. - 12, Khasra no. 612/1/1 (Land area 5.0 ha) at Village- Fatehgarh, Tehsil- Dalauda, District-Mandsaur (MP)- 455001 Production Capacity: M.S. Ingots / Billets to 84000 TPA and TMT bars 77700 TPA, by M/s Venus Alloys, (P) Ltd. (unit-II) 37 through Director Shri S.M. Jain, 67, Industrial Area, Mandsaur (M.P)- 458001

- (1). The project is for production of M.S. Ingots / Billets 84000 TPA and TMT bars 77700 TPA with byproducts MIS Rolles-2100 TPA, End cuttings - 2100 TPA and Mill Skull- 2100 TPA. PP proposed to install 2 nos induction arc furnace. The total land area of the project is 5000 sq.m (5.00 ha).
- (2). The proposed production capacity is more than 30,000 (using induction arc furnace) hence project is covered under 3 (a) category B of the MoEF, GoI EIA Notification 2006 and its amendment dtd 01.12.2009.
- (3). There is no inter-state boundary within 05 km (EE, PWD letter dtd.10.01.14) and no Wildlife Sanctuaries, National Parks, and Tiger Reserves within 05 km of the boundary (DFO letter dtd. 10.01.14), hence, general conditions not attracted.
- (4). The ToR was issued to PP by SEAC (dtd 17.11.2014) and EIA was submitted by PP on 04.04.2015.
- (5). The case was discussed in 153rd SEAC mtg. dtd. 21.10.14 and 190th SEAC dtd.06.05.15 & recommended for grant of prior EC subject to 03 special conditions.
- (6). The case was discussed in depth and it is noted that :-
 - (i). PP has submitted copy lease deed dated 05.12.2013 between the Governor of MP through General Manegar District Trade and Industries Centre, Mandsaur, and M/s Venus Alloys, (P) Ltd. (unit-II) 67 through Director Shri S.M. Jain, 67, Industrial Area, Mandsaur for the period of 30 years (w.e.f. 05.12.1913 to 04.12.2043) for an area of 5000 sq.m. PP has submitted Khasra Panchsala 2014-15 for the khasra no. 612/1/1 for area 5.668. As per Khasra Panchsal land is the Govt land and allocated to Department of Industries GoMP.
 - (ii). Public Hearing was conducted at Village- Fatehgarh, Tehsil- Dalauda, District-Mandsaur on 28th February, 2015 under Chairmanship of Shri J.C. Borasi, Additional Collector District Mandsaur. No adverse comments were observed in the Public hearing.
 - (iii). The source of water supply for the project is Ground water (Bore well). PP has submitted letter from SDO (Revenue) dtd. 27.05.14 & 02.06.14 for boring permission. The total water requirement is 90 KLD (domestic 15.00 KLD, Cooling water 75 KLD). **It is decided that in case the ground water requirement exceed 100 KLD PP should ensure to obtain NOC from the CGWA/Competent authority.**


(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015


(H.S. Verma)
Member



(Waseem Akhtar)
Chairman
Page 7 of 20


- (iv). The water shall be required only for cooling and domestic purpose hence no industrial effluent shall be discharged. The total waste water generation is 5.0 KLD (domestic waste water) and is proposed to be treated through septic tanks. The wastewater from DM/Softner will be mixed with raw water and used for gardening / dust suppression. **It is decided that PP should ensure zero waste water discharge from the process.**
- (v). For control of air emission PP has proposed hoods, bag filter, ID fan and stack (3 nos.) of 40 m, 30 m, 15m height for IF, RHF, DG set respectively. **It is decided that PP should ensure air pollution control measure as proposed in EMP and should conduct regular monitoring of stack emissions & ambient air as per MPPCB / CPCB norms.**
- (vi). Solid waste generated during construction phase will be suitably reused for leveling the site and laying of internal roads. The top soil will be preserved and used for landscaping purpose. The solid waste generated from the process namely plant dust, mill scale, papers etc (2.0 MT/year) shall be sold to local vendor. The Iron Slag (150 tons/month) generated from process will be recovered in iron recovery plant and reused. The spent resin from softener plant and spent oil from DG sets will be sold to MPPCB authorized vendors/agencies. **It is decided that PP should ensure the disposal of hazardous waste through authorized agencies and obtained consents from competent Authorities.**
- (vii). PP has proposed roof top (11000 sq. m.) rain water harvesting with annual ground water recharge of 7480 cum. **It is decided that PP should ensure roof top rain water harvesting for ground water recharge.**
- (viii). PP has included disaster management plan, fire fighting provisions in the EIA report. **It is decided that PP should obtain NOC for fire and approval for onsite emergency plan, health and safety plan from the Competent Authorities.**
- (ix). PP has proposed to develop 33% (16500 sq.m) of total land area as green area including 2700 nos. of trees. **The authority decided that:-**
 - a. PP should ensure plantation of 75 m wide buffer zone towards the highway. Accordingly, PP should revise the layout plan so as to locate furnaces on the farthest end.
 - b. PP should ensure plantation in two rows all along the periphery of the project area, and along the roads with one tree per 100 sq. m. of the plot area subject to minimum of 33% of the total area of the project. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar Bakan & Sisham etc along with fruit trees.


(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

Page 8 of 20

- c. Every effort should be made to protect the existing trees on the plot.
- d. Accordingly the budget proposed for plantation should be increased from Rs. 2.00 lakhs to 10.00 lakhs.
- (x). Regarding CSR activities It is decided that PP should adopt village Fatehgarh, create Women Self Help Groups (SHGs) for training, skill development, health programs, education programs, sanitation (toilets) and give at least 50% contribution for the SHGs. Accordingly, the budget for CSR activities should be increased.
- (xi). PP should ensure proper road width and turning radius for the trucks and movement of vehicles. PP should ensure Pucca Parking bay for raw material and finished goods for at least 20 trucks.

It is decided to accept the recommendations of 190th SEAC dtd.06.05.15 with **03 special conditions and accord prior Environmental Clearance** to proposed mini steel plant for production of M.S. Ingots / Billets and TMT bars at Patwari Halka No. -12, Khasra no. 612/1/1 (Land area 5.0 ha) at Village-Fatehgarh, Tehsil- Dalauda, District-Mandsaur (MP)- 455001 Production Capacity: M.S. Ingots / Billets to 84000 TPA and TMT bars 77700 TPA. by M/s Venus Alloys, (P) Ltd. (unit-II) 37 through Director Shri S.M. Jain, 67, Industrial Area, Mandsaur (M.P)-458001 **subject to all specific conditions imposed by SEIAA in its meetings.**

7. **Case No. 1165/2013** Prior Environmental Clearance for proposed project "Spring Valley Dew" at Khasra No. 19, 20, 22, 29, 38, 317, 316(Part) 31, 32, 34, 35, 36,37, 41 at Village Katara, Bhopal (MP) Total Land Area — 36000.00 Sq m. or 3.60 ha (8.9 Acre) Total Built 49924 sq.m. by Asnani Builders and Developers Pvt. Ltd through Shri Deepesh Asnani Director, Block – A, 2nd Floor, Mansarowar Complex, (Near M.P. Nagar-BPL) Bhopal (MP) – 460211 email: deepesh@asnanibuilder.com

1. The case was discussed in 204th SEIAA meeting dtd 30.05.2015 & it is recorded that
 1. The case was discussed in 198th SEIAA meeting dtd 11.05.2015 and it is recorded that“(1)...(2)...The Authority decided that PP should be called for presentation.
 2. It is noted that PP was called for presentation on 25.05.2015 but neither PP nor his representative was present. It is decided that one last chance may be given to PP for presentation on 08. 06.2015, otherwise the case will be delisted.”

The case was discussed in depth it is noted that:-

- (1) The case was discussed in 172nd SEIAA meeting dtd 08.01.2015 and PP was asked to submit following information:-
 - (i) PP has not submitted clear NOC from CGWA for extraction of 351 KLD of ground water. It is decided that a letter should be sent to Director, CGWA to submit his view regarding the status of ground water abstraction to PP. Copy of the letter should be endorsed to PP.

(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015


(H.S.Verma)
Member


(Waseem Akhtar)
Chairman


Page 9 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

- (ii) The extra treated waste water (145 KLD) is proposed to be disposed in the drainage. **It is decided that PP should submit details of final discharge point and mode of disposal of extra treated waste water.**
- (iii) Out of the total area 36000 sqmt. an area of 3042 sqmt. (8.4%) is proposed to be developed as green area. As per decision in 158th SEIAA meeting the landscape plan submitted by PP is inadequate. **It is decided that PP should submit the detailed landscape plan including species to be planted, number of trees, the green area statement as per the recommendation of SEAC with at least 30% of green area.**
- (2) In response to above query, reply submitted by PP (vide letter dtd 01.05.15 & 25.05.15 received in SEIAA office on 01.05.15 & 25.05.15) and presentation made by PP (dtd. 09.06.15) were examined in depth and it is noted that :-
- (i) PP informed that the project area has now been included in Bhopal Municipal Corporation and PP submitted BMC letter dtd.22.05.15 for water supply which is very vague. **It is decided that PP should submit firm and clear commitment from BMC for supply of fresh water for the project.**
- (ii) PP has submitted the extra treated waste water will be discharged through RCC pipe and will be connected to the open drain. PP has submitted BMC letter dtd. 15.05.15 for disposal of waste water. **PP should ensure that the discharge of treated waste water is linked with municipal sewer line.**
- (iii) Approximately 2200 Kg/day of Municipal Solid waste shall be generated. It is proposed to be segregated at source and collected in three coloured bins and disposed off at trenching site of BMC. PP has submitted BMC letter dtd.16.05.15 for disposal of MSW. **It is decided that PP should provide compactors for MSW and ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.**
- (iv) The total power requirement is 2160 KVA. PP has also proposed DG Sets capacity 500 KVA (2x250 KVA) for power back up. The source of power supply is MPMKVVC. **It is decided that PP should ensure installation of photovoltaic cells (solar panels) for lighting in common areas, LED light fixtures and energy efficient equipments.**
- (v) Out of the total land (36000.00 sq.m.) an area of 12742.00 sq.m.(Park & Garden -3042.00 sq. m.; Trees at open Park – 4200.00 sq.m.; Tree cover area along boundary – 5500 sq.m.) covering about 35.39% of the total plot area. **It is decided that:-**
- a. **PP should ensure plantation in 35.39% of the total plot area.**
- b. **Plantation should be done in two rows all along the periphery of the project area, along, avenue plantation along the roads with one tree per 100 sq. m. of the plot area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Kachnaar, Karanj etc along with ornamental varieties.**


(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman
Page 10 of 20

- c. Every effort should be made to protect the existing trees on the plot.
- d. At least one of the open space/garden should be developed as playground.

(3) PP should submit the above information latest by 15.08.2015.

8. **Case No. 1805/2014** Prior Environmental Clearance for "Sterling Globe Grand" at village Bawadiakala, Opp. Hanuman Nagar, Jatkheri Road, Near Hoshangabad Road, Tehsil Huzur, Distt. Bhopal, total plot area 12600 sqmt. and built up area 26886.34 sqmt. (2.688 ha) by M/s Sterling Globe Builders through partner Shri Sanjeev Sabherwal, Opp. Hanuman Nagar, Jatkheri Road, Near Hoshangabad Road, Tehsil Huzur, Distt. Bhopal (M.P.)

(1) The case was discussed in 192nd SEIAA meeting dtd 13.04.2015 and it is recorded that (1)..... I to x

(2) In response to (1)above query, reply submitted by PP (vide letter dtd 31.03.15 received in SEIAA on 04.04.15) was examine in depth and it is noted that :-

(i) PP has stated that till date they have not received clear NOC for municipal water supply, MSW disposal and extra treated waste water from Municipal Corporation, Bhopal and has requested to provide another one month time for the submission of the required NOCs and consents along with all relevant documents. **The request of PP is accepted and it is decided that PP should submit the above information latest by 30.05.2015. A copy of this letter should be endorsed to Commissioner, Nagar Nigam, Bhopal.**

(2) In response to (1)above query, reply submitted by PP (vide letter dtd 26.05.15 received in SEIAA on 26.05.15) was examine in depth and it is noted that :-

- i. PP has submitted Bhopal Municipal Corporation letter dtd. 23.05.2015 in respect of supply 107 KLD of fresh water. **It is decided that entire demand of fresh water should be met through Municipal supply and there should be no extraction of ground water.**
- ii. PP has not submitted requisite information pertaining to latest Khasra Panchsala, for the total land area (1.260 ha.) of the project, extra treated waste water NOC and layout plan showing nearest municipal sewer line, MSW NOC from Bhopal Nagar Nigam.
- iii. It is decided that PP should be given the last chance of submitting the afore mentioned information latest by 15.07.2015, otherwise the case will be delisted. In case PP starts the construction activity without the EC then he will face the consequences and penalised according to MoEF&CC, GoI OM dated 12.12.2012 and 27.06.2013. MPPCB will also be informed not to issue the consents without Prior EC.

9. **Case No. 161/2008**, Environmental Clearance for approval of Quarry Lease 20,000 MTPA stone mine 161 43.0 ha. Vill-Dang, Teh-Gohad, Distt-Bhind M.P. by M/s Kamadigiri store crusher Udyog Brij Kishore Sharma Bhind M.P..

After detailed discussion and recommendation of the 77th SEAC meeting dated 25.08.2011, 69th SEIAA meeting dtd. 05.10.2011, 87th SEIAA meeting dtd. 31.03.2012, 141st SEIAA meeting dtd. 11.07.2013, letters were sent to the Collector, Bhind with copy to PP to furnish requisite information regarding Khasra Nos. indicating the Mandir site and Abadi areas. No information has been

(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

Page 11 of 20

received and therefore the case is hereby delisted. On submission of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.

10. **Case No. 571/2010**, Environmental Clearance for approval of Up-gradation rehabilitation and widening of the existing Binato Sironj section of SH-14 (Km 0.680 to Km 57.600 to Two Lane with paved shoulders of the project SH in the state of M.P. by M.P. Road Dev. Corp. Ltd 16-A, Arera Hills, Bhopal-M.P.

After detailed discussion and perusal of 143rd SEIAA meeting dtd. 16.08.2013, letters were sent to the MoEF, to clarify on certain issues. No clarification has been received from MoEF, therefore the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.

11. **Case No. 930/2012**, Environmental Clearance for approval of 01.980 Hectare Stone/Boulder Quarry at Vill.-Mothar, Teh. & Dist. Seoni, Dist.- Seoni (M.P.) by M/s. Janghela Stone Crusher, Vill. Sonadongri, Post.-Bhonga Kheda, Teh. & Dist. Seoni

After detailed discussion and perusal of 130th SEIAA meeting dtd. 07.05.2013, Collector, Seoni (with copy to PP) was directed to furnish the actual production capacity for which the PP has applied in his office. No information has been received within the stipulated period, therefore the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.

12. **Case No. 942/2012** Prior Environmental Clearance for Proposed Residential Project at Khasra No. 50/1, 50/2, 51/4, 51/5, 51/3, 52/1, 52/3, Mouja – Gauri Ghat, Tehsil & District Jabalpur (MP) Total Land Area 13.442 Acres, Total Area Under Development 8.21 Acres (33260 Sqm) Total Built Up Area 47801.83 sqm for Multi unit development + 1084.07 Sq. mt. Plotted area by Shrimal Builders Private Limited through Director Shri Subodh Dubey, 2nd Floor, Badsha Plaza, Right Town, Jabalpur, (M.P.) 482002.

After detailed discussion and perusal of 149th SEIAA meeting dtd. 26.09.2013,

- (i) The proposed project is of residential building and construction project at Khasra No. 50/1, 50/2, 51/4, 51/5, 51/3, 52/1, 52/3, Gauri Ghat, Tehsil & Distt. Jabalpur (MP) The Proponent is Shri Subodh Dubey, Director Shrimal Builders Private Limited, 2nd Floor, Badsha Plaza, Right Town, Jabalpur, (M.P.)
- (ii) As per the T & CP Jabalpur (vide letter 1992 dtd. 20.07.12) the total land area is 33260 Sq.mt. (3.326 ha) at Mouja – Gauri Ghat, Tehsil & Distt. – Jabalpur (M.P.) The total built up area proposed by PP is 47801.83 Sq. m (Form-1). The project comes under 8 (a) category (B) of schedule of EIA Notification, 2006 because total construction is between 20,000 sq mt. & 1,50,000 Sq. m and plot area is less than 50 ha.
- (iii) The case was discussed in SEAC meetings 116th dtd 15.01.2013, 136th dtd 23.07.13 and recommended the project for grant of prior EC subject to 03 special conditions.
- (iv) As per 116th SEAC meeting dtd 15.01.2013 proposed built-up area 47801.83 sqm is for Multi unit development & 1084.07 sq. m. for plotted development. It is noted that as per SEAC recommendations (136th meeting dtd 23.07.13) PP has submitted affidavit (16.07.13) that the piece of land admeasuring about 15000 sq. m. shall be used as play area and green cover and it shall not be diverted for other purposes.
- (v) It is noted that out of 07 Khasra mentioned in T & CP permission Khasra Panchsala for only 02 Kharas for the year 2011-12 has been submitted by PP. Latest Khasra Panchsala

(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman
Page 12 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

are not submitted by PP. It is decided that PP should submit latest Khasra Panchsala for all the Khasras included in the project.

- (vi) The total water requirement is 429 m³ / day and fresh water requirement is 286 m³ / day (116th SEAC meeting dtd 15.01.13). The source of water supply is Jabalpur Municipal Corporation. PP has obtained NOC (dtd. 30.03.13) from urban water supply & Environment Improvement in Madhya Pradesh PIU Nagar Nigam Jabalpur for supply of 429 KLD water and it is satisfactory.
- (vii) The total waste water generation is 385 m³ / day. PP has provided sewage treatment plant of 400 KLD. PP has obtained letter (dtd. 14.06.13) from Project Manager, JNNURM Nagar Nigam, Jabalpur for disposal of extra treated water. In the letter it is mentioned that, presently there is no sewer system in project area. However, when the proposed sewerage system is laid consent for disposal of treated waste water can be given. It has noted that PP has not submitted details of treated waste water generation, its final disposal and water balance. **It is decided that PP should submit details of treated waste water generation, water balance and final disposal of extra treated waste water. PP should also submit firm NOC from Nagar Nigam, Jabalpur for disposal of treated waste water.**
- (viii) The maximum height of the building is 18 m. PP has provided ROW 12 m, Front MOS 7.5 and side / rear MOS 6.0. **It is decided that PP should provide the road width and MOS as per the requirements of MPBVR 2012 rule no. 42 and other provisions as applicable for buildings upto 18 m height.**
- (ix) Approximately 1749 kg/day of Municipal Solid waste shall be generated this will be collected separately in bins of biodegradable waste & non biodegradable waste. PP has not submitted NOC from Nagar Nigam regarding MSW disposal. **It is decided that the disposal of MSW should be integrated with Nagar Nigam, Jabalpur and PP should submit clear NOC from Nagar Nigam regarding disposal of MSW.**
- (x) PP has provided firefighting measures as per National building code but not submitted NOC from concerned departments. **It is decided that PP should submit the NOC for firefighting from the Nagar Nigam, Jabalpur / UADD, Bhopal.**
- (xi) PP has provided car parking for 482 cars. **It is decided that PP should provide parking space as per MPBVR 2012 rule 84 Appendix I.1 clause 1 (3).**
- (xii) The above information should be submitted by PP latest by 30.11.13. **The case will be considered after submission of all the above information by PP."**

PP was directed to submit the above information vide L.No. 1888 dtd. 01.11.2013. Since then nothing has been heard from PP, therefore Member Secretary, MPPCB Bhopal may be asked for a site visit from RO, MPPCB Jabalpur. He should inspect whether the construction activity has commenced on the site and upto what extent. He should also submit latest photographs of the site. Copy to PP.

13. **Case No. 956/12 - Prior Environmental Clearance for Stone Mine** in an area of 2.0 ha. at Khasra No. 105 for production capacity 5000 Ton/year at Village-Manegaon, Tehsil-Jabalpur, Dist-Jabalpur (M.P) by Shri Suresh Yadav S/o Shri Shyam Babu Yadav, Vill-Mangeli, Thana Bargi, Jabalpur (M.P)-483002.

After detailed discussion and perusal of 167th SEIAA meeting dtd. 16.10.2014, Collector, Jabalpur (with copy to PP) was directed to furnish exact distance of the National Highway / Highway and Total nos. & area of already existing mines / crushers in vicinity of the proposed mine at the earliest. No information has not been received till date, therefore **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

(Gulshan Bamra)
I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

- 14. Case No. 972/2012** Prior Environmental Clearance for Proposed project of "Single Super Phosphate" production capacity 600 MT/day (2,00,000 MT/year) which will be partially converted into granulated SSP, total land area 8.9 ha at Khasra no. 91/3, 91/7, 93/2 Village Nihali, Tehsil Rajpur District Barwani (M.P.) by M/s Narmada Bio-fuels Pvt. Ltd. through M.S. Bhatia CEO and Owner 16/1, Shakti Appts, Old Palasia, Indore (M.P) - 452008

After detailed discussion and perusal of 162nd SEIAA meeting dtd. 17.09.2014 it is noted that

- (1) The case was discussed in 149th SEIAA meeting dtd 26.09.13 and it is recorded that "..... (i)(iv)....."
- (v) The case was examined in depth and it is noted that :-
- (a) The total land area of the project is 8.9 ha. PP has submitted Khasra Panchsala (2011-12), sale deed and land diversion. **It is decided that PP should submit notarized copy of latest Khasra Panchsala for all the Khasras included in the project.**
- (b) PP has submitted NOC dtd 09.06.13 from Gram Panchayat Agalgaon.
- (c) The fresh water requirement is 160 KLD (process 100 KLD Ventury Scrubber + 20 KLD, domestic 20 KLD and 20 KLD Gardening). The process is zero discharge. The domestic treated waste water 17.5 KLD will be recycled for gardening and it **is satisfactory.**
- (d) The source of water supply is ground water (bore wells). PP has applied to Regional Officer, CGWA ((dtd. 15.02.13)) for extraction of ground water. **It is decided that PP should submit firm commitment from CGWA for extraction of 160 KLD of ground water.**
- (e) Waste water generation from domestic use is 17.5 KLD for which STP will be provided and treated waste water is proposed to be used in gardening. The process is zero discharge. The waste water from process is proposed to be recycled and used in acid dilution. Thus the effluent generation is zero **and it is satisfactory.**
- (f) Hazardous Waste will be generated in the from of discarded bags, containers and used oil. Lime treatment to acidic wet scrubber sludge. Disposal of discarded drums/ containers to authorized vendors/re- cyclers, reuse of used oil in lubrication etc **and it is satisfactory.**
- (g) Public hearing conducted on 17.05.2013 under the Chairmanship of Upper Collector, Barwani at Village Nihali, Tehsil Rajpur, Distt Barwani (MP). No adverse comments are **recorded and it is satisfactory.**
- (vi) The above information should be submitted latest by 30.11.13. **The case will be considered after submission of all the above information by the PP."**
- (2) In response to above query, reply submitted by PP (vide letter dtd 28.11.13 received in SEIAA office on 30.11.13) was examined in depth and it is noted that:-
- (i) PP has submitted notarized copy of khasra Panchsala 2013-2014 for an area of 6.450 ha however the total land of project is 8.9 ha hence the land area mentioned in Form-1 & Khasra Panchsala do not match. Further, the land diversion document for the total project area i.e. 8.9 ha has not submitted.
- (ii) PP has submitted letter dtd 15-17 October 2013 issued by CGWB north central region, Bhopal to Member Secretary, CGWA, New Delhi and has forwarded the specific recommendation in respect of M/s Narmada Bio-Fuels Pvt. Ltd. village Nihali, District Barwani.

(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman
Page 14 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

- (3) *The Authority decided that PP should submit the diversion order and Khasra Panchsala for the total project area i.e. 8.9 ha and a clear NOC from Central Ground Water Authority for extraction of 160 cum per day of ground water.*
- (4) *A letter should be written to PP to submit the above information latest by 15.12.14."*

PP was directed to submit the above information vide L.No. 1308 dtd. 15.10.2014. Since then nothing has been heard from PP, therefore the case is hereby delisted. PP and all concerned should be informed accordingly.

- 15. Case No. 976/2012** Environmental Clearance for approval of 2 Hectare. Stone Boulder Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village –Ahirgawn, Tehsil – Raghurajnagar , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter no. 1954 dtd 14.11.14, PP was asked to submit information regarding mining plan, operating mines with in 500 mt & EMP. No information has been received within the stipulated period, therefore **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

- 16. Case No. 978/2012** Environmental Clearance for approval of 4.5 Hectare. Murum Quaruy (N.H.A.I. Road Project) Temporary Permit for - till completion of project at village - Kemar, Tehsil - Amarpatan, Distt. - Satna (M.P.)by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter no. 260 dtd 24.07.14, PP has submitted that the Gram Panchyat has not issued NOC for this mining site and has requested for withdrawing the application vide letter dtd 19.08.2014. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

- 17. Case No. 979/2012** Environmental Clearance for Environmental Clearance for approval of 4Hectare. Murum Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village – Katouta, Tehsil – Majhgawan , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter no. 309 dtd 25.07.14, PP intends to withdraw the application. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

- 18. Case No. 981/2012** Environmental Clearance for approval of 4.75 Acre. Murum Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village – Gada, Tehsil – Rampur Baghelan , Distt. – Satna (M.P.)by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter no. 270 dtd 24.07.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby**

(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.

19. **Case No.982/2012** Environmental Clearance for approval of 11.89 Acre. Murum Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village – Gada, Tehsil – Rampur Baghelan , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter no. 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

20. **Case No. 983/2012** Environmental Clearance for approval of 3.46 Acre. Stone Boulder Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village –Ganesha, Tehsil – Rampur Baghelan , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter no. 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

21. **Case No. 984/2012** Environmental Clearance for approval of 3.94 Acre. Stone Boulder Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village –Ganesha, Tehsil – Rampur Baghelan , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 256 dtd 24.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

22. **Case No. 985/2012** Environmental Clearance for approval of 6.8 Acre. Stone Boulder Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village – Sakri, Tehsil – Rampur Baghelan , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 268 dtd 24.07.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman
Page 16 of 20

23. **Case No. 989/2012** Environmental Clearance for approval of 4.495 Hectare. Stone Boulder Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village –Gangbariya, Tehsil – Nagod , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 283 dtd 25.07.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

24. **Case No. 992/2012** Environmental Clearance for approval of 4Hectare. Murum Quarry (N.H.A.I. Road Project) Temporary Permit for - Till Completion of project at Village - Baghai, Tehsil - Rampur Baghelan , Distt. - Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 305 dtd 25.07.14 & 1954 dtd 14.11.14 , PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

25. **Case No. 994/2012** Environmental Clearance for approval of 2Hectare. Stone Boulder Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village – Gangbariya, Tehsil – Nagod , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 264 dtd 24.07.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

26. **Case No.997/2012** Environmental Clearance for approval of 2.699 Hectare. Murum Quarry (N.H.A.I. Road Project) Temporary Permit for – Till Completion of project at Village – Matahaa, Tehsil – Rampur Baghelan , Distt. – Satna (M.P.) by M/s DBL Satna-Bela four lane NH-75 road project, E-5/99, Arera Colony, Bhopal (M.P.) 462016

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 258 dtd 24.07.14, PP has informed vide letter dtd 19.08.14 that the project has been dropped due to dispute in the road alignment. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

27. **Case No.999/2012** Environmental Clearance for Proposed Sesupur Stone Mine (mining lease area 1 ha) at Sesupura Villages, Bamori Tehsil, District Guna Madhya Pradesh by M/s. V.V. Construction Madan Mohan Lahoti Auto complex, Transport Nagar, A.B. Road- Raghogarh , Distt- Guna

After detailed discussion, perusal of 137th SEIAA meeting dtd. 14.06.2013 and SEIAA's letter nos. 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby**

(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.

28. **Case No. 1007/2012** Environment Clearance for approval of 01.50 Hectares Sand Quarry At Vill.- Sayda, Teh. Alirajpur, Dist.-Alirajpur (M.P.) by M M/s Dilip Singh Vill.-Sayda, Post-Katthiwada, Teh. Alirajpur, Dist.-Alirajpur (M.P.)-457887

After detailed discussion, perusal of 128th SEIAA meeting dtd. 26.04.2013 and SEIAA's letter nos. 183 dtd 22.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

29. **Case No. 1009/2012** Environment Clearance for approval of 02.83 Hectares Sand Quarry at Vill.-Falyamau, Teh.Katthiwada, Distt.-Alirajpur (M.P.) by M/s Kunwar Singh Vill.-Falyamau ,Teh.-Kattiwada,Dist.-Alirajpur (M.P.)-457887

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 289 dtd 25.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

30. **Case No. 1012/2012** Environment Clearance for approval of 02.00 Hectares Sand Quarry at Vill.-Bamanta , Teh.-Alirajpur, Distt.-Alirajpur (M.P.) by Shri Kunwar Singh Vill.-Ramsingh Ki Chowki, Teh.-Alirajpur, Distt.-Alirajpur (M.P.)-457887

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 127 dtd 22.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**


31. **Case No. 1017/2012** Environment Clearance for approval of 3.00 Hectares Murum Quarry at Village - Khamria, Tehsil - Dheemerkheda, Dist. - Katni (M.P.) by M/s VIL Limited, B-5/21, Vishal Khand-5, Gomti Nagar, Lucknow-226010


After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 329 dtd 25.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

32. **Case No. 1018/2012** Environment Clearance for approval of 0.52 Hectares Metal Quarry at Village - Dadarsehudi, Tehsil - Dheemerkheda, Dist. - Katni (M.P.) by M/s VIL Limited, B-5/21, Vishal Khand-5, Gomti Nagar, Lucknow-226010

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 293 dtd 25.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**


(Gulshan Bamra)
I/c Member Secretary
207th SEIAA Meeting dtd. 09.06.2015


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman
Page 15 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

- 33. Case No. 1029/2012** Environment Clearance for approval of 03.40 Hectares Murum Quarry At Vill.-Bandpiplia, Teh. Malahargarh, Dist.-Mandsaur (M.P.). by M/s D.P. Jain & Co. Infrastructure Pvt. Ltd., U-7, Himalaya Accord Apartment, Opp. Law College, Amravati Road, Nagpur

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 297 dtd 25.07.14 & 1954 dtd 14.11.14, PP has informed that he has surrendered the said mining lease to the District Mining Department. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

- 34. Case No. 1030/2012** Environment Clearance for approval of 04.00 Hectares Metal Stone Quarry at Vill.-Narayangarh, Teh. Malahargarh, Dist.-Mandsaur (M.P.). by M/s D.P. Jain & Co. Infrastructure Pvt. Ltd., U-7, Himalaya Accord Apartment, Opp. Law College, Amravati Road, Nagpur

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 319 dtd 25.07.14 & 1954 dtd 14.11.14, PP has informed that he has surrendered the said mining lease to the District Mining Department. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

- 35. Case No. 1041/2012** Environment Clearance for approval of 02.00 Hectares Sand Quarry At Vill.- Pati, Teh. Pati, Dist.- Barwani (M.P.). by M M/s Ashish Malviya, Vill.- Pati, Teh. Pati, Dist.- Barwani (M.P.).

After detailed discussion, recommendations of 125th SEAC meeting dtd. 09.04.2013 and 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 193 dtd 24.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

- 36. Case No. 1047/2012** Environment Clearance for 1.664 ha area Bamhore Road Metal Quarry (20000 cubic meter per year) at Village-Bamhore, Tehsil – Nagod, Dist Satna (M.P.). by M/s. Shiv Shakti Construction Company. MIG-80 Housing Board Colony, Boda Bagh Rewa (M.P.) 486001.

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 297 dtd 25.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

- 37. Case No. 1051/2012** Environment Clearance for approval of 03.18 Hectares Stone/Boulder Quarry at Vill.-Gudikheda, Teh. & Dist.-Khandwa (M.P.) by M/s Agroh Infrastructure Developers Pvt. Ltd Aqua Point, old A.B. Road, Gram Umariya, Rau, Dist.-Indore (M.P.)-453331.

After detailed discussion, recommendation of 136th SEAC meeting dtd 23.07.2013 and 154th SEIAA meeting dtd. 26.07.2014 and SEIAA's letter nos. 667 dtd 13.08.14, the case has been rejected by the Mining Officer, Khandwa vide letter dtd 22.04.2013. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman

Page 19 of 20

Minutes of the 207th Meeting of SEIAA dated 09.06.2015

- 38. Case No. 1052/2012** Environment Clearance for approval of 01.00 Hectares Sand Quarry at Vill.-Dudalwat, Teh.-Alirajpur, Distt.-Alirajpur (M.P.) by M/s Dushrath Singh, Vill.-Masni, P.O.-Khattali, Teh & Distt.-Alirajpur (M.P.)-457887

After detailed discussion and perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 129 dtd 30.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

- 39. Case No. 1065/2012** Environment Clearance for 9.460 ha area Ordinary Clay Quarry Production Capacity (30000 cubic meter per year) at Village-Nagda, Tehsil & Dist Sheopur(M.P.) by M/s Vinod Kumar Shukla Construction Pvt. Ltd., 18, Second Floor, Metro Plaza, E-5, Arera Colony, Bhopal (M.P.)

After detailed discussion and recommendation of 128th SEAC meeting 26.04.13 and perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 153 dtd 22.07.14 & 1954 dtd 14.11.14, PP has not submitted the required information within the stipulated time period. Hence, **the case is hereby delisted. On receiving of the requisite information, the case will be relisted for review. PP and all concerned be informed accordingly.**

- 40. Case No. 1069/2012** Environment Clearance for approval of 03.00 Hectares murram/ Boulder Quarry At Vill.- Chakpeer Khan, Teh. Datia, Dist.-Datia (M.P.) by M/s D.P. Jain & Co. Infrastructure Pvt. Ltd., U-7, Himalaya Accord Apartment, Opp. Law College, Amravati Road, Nagpur

After detailed discussion, perusal of 167th SEIAA meeting dtd. 16.10.2014 and SEIAA's letter nos. 281 dtd 25.07.14 & 1954 dtd 14.11.14, PP has informed vide letter dtd 13.12.2014 that he has surrendered the said mining lease to the District Mining Department. Hence, **the case is hereby closed. PP and all concerned be informed accordingly.**

The meeting ended with vote of thanks to the chair.

(Gulshan Bamra)

I/c Member Secretary

207th SEIAA Meeting dtd. 09.06.2015

(H.S.Verma)
Member

(Waseem Akhtar)
Chairman