

Minutes of the 229th Meeting of SEIAA dated 25.08.2015

The 229th meeting of the State Level Environment Impact Assessment Authority was convened on 25.08.2015 at the Authority's Office in Environmental Planning and Co-Ordination Organization (EPCO), Paryavaran Parisar, Bhopal. The meeting was chaired by Shri Waseem Akhtar, Chairman, SEIAA. Member Secretary, Shri Ajatshatru Shrivastava was on leave so could not attend the meeting. The following member attended the meeting:-

1 Shri H.S. Verma Member

A. Following cases of other than mining query response have been considered:-

S No	Case No.	Category	No. & date of latest SEIAA / SEAC meeting in which case was discussed
1	1830/2014	8 (b)	226 th SEIAA meeting dtd 12.08.2015
2	1804/2014	8 (a)	227 th SEIAA meeting dtd 14.08.2015

B. Following cases of mining query response and received from SEAC have been considered.


S No	Case No.	Category	No. & date of latest SEAC meeting in which case was recommended
3.	2527/2015	1(a) B2	206th SEIAA meeting dtd 08.06.2015
4.	2832/2015	1(a) B2	219th SEIAA meeting dtd 16.07.2015
5.	2315/2014	1(a) B2	197th SEIAA meeting dtd 07.05.2015
6.	2002/2014	1(a) B2	212th SEIAA meeting dtd 24.06.2015
7.	2750/2015	1(a) B2	215th SEIAA meeting dtd 02.07.2015
8.	1635/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
9.	1444/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
10.	1136/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
11.	1237/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
12.	1456/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
13.	1448/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
14.	1466/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
15.	1399/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
16.	1553/2013	1(a) B2	199th SEIAA meeting dtd 12.05.2015
17.	1498/2013	1(a) B2	200th SEIAA meeting dtd 18.05.2015
18.	2871/2015	1(a) B2	222th SEIAA meeting dtd 27.07.2015
19.	1265/2013	1(a) B2	196th SEIAA meeting dtd 27.04.2015
20.	1460/2013	1(a) B2	200th SEIAA meeting dtd 18.05.2015


C. Corrigendum for Case No. 2184/2014

1. **Case No. 1830/2014** Application for Prior EC for proposed Residential, Commercial, Public & Semipublic Development Scheme Aerocity Phase-I at Village-Pipalner, Gondermau, Bisankhedi & Badwai, Tehsil- Huzur, District- Bhopal (M.P.) Total land area 217.649 ha by Shri R.P. Dubey, Executive Engineer- 07, Bhopal Development Authority, Pragati Bhawan, Press Complex, M.P. Nagar, Zone-I, Bhopal (MP)-462011, Phone No. 0755-2701836 / 9406565263, E-mail :- info@bda.org.in Env. Consultant M/s Sawen Consultancy Services Pvt. Ltd., Lucknow

(1) The case was discussed in 226th SEIAA meeting dtd 12.08.2015 and it is recorded that.....

1. The case was discussed in 218th SEIAA meeting dtd 14.07.2015 and it is recorded that "After perusal of the recommendation of 200th SEAC meeting dtd 30.06.2015 PP may be asked for presentation. They should submit T & CP permission, details of final mode of disposal of waste water, clear NOC for disposal of waste water, MSW, Bio-



(H.S. Verma)
Member



(Waseem Akhtar)
Chairman

Minutes of the 229th Meeting of SEIAA dated 25.08.2015

Medical & hazardous waste, energy conservation, road widths, landscape plan with area and details of number and species of trees to be planted, circulation plan for firefighting tender, parking plan and other details as per MoEF & CC, GoI office memorandum dtd 19.06.2013."

2. It was informed by PP that their Environment Consultant is not present for the presentation and requested for extension of time. **It is decided that PP should come for presentation along with the Consultant on 25.08.2015.**
- (2) After deliberations by PP the case was discussed in depth and it is noted that :-
- (i). The proposed Aero City, Phase-1 is a township development project of Bhopal Development Authority at Village-Pipalner, Gondermau, Bisankhedi & Badwai, Tehsil- Huzur, District- Bhopal (M.P.) and includes Nalla channelization, development of parks and open spaces, external electrification works, road works, plantation and horticulture, sewer line, STP, water supply, OHT, surface drains etc. for developing approximately 6952 dwelling units, institutional, residential, group housing, health facilities, public, semi public & mixed land use. The plan also includes proposed 45 m wide master plan road.
 - (ii). As per the T & CP, Bhopal (vide letter 229 dtd 24.01.03, BPLLP 1255 dtd 16.03.15) total land area is 217.649 ha at Village-Pipalner, Gondermau, Bisankhedi & Badwai, Tehsil- Huzur, District- Bhopal (M.P.) The total land area proposed by PP is 217.649 ha (out of which 11.339 ha is Government land). By virtue of the size of plot area (more than 50 hectares) the project comes under 8 (b) category (B) of schedule of EIA Notification 2006.
 - (iii). The case was discussed in SEAC meetings 154th meeting dtd. 10.11.14, 191 dtd. 07.05.15 and 200th dtd. 30.06.15 and is recommended for grant of prior EC subject to 04 special conditions.
 - (iv). Regarding land, PP has submitted copy of BDA (15) Niyam 18(03) dtd. 11.10.12 Notification and details regarding land area included in 4 villages vide letter dtd 24.08.2015 along with a copy of letter to Collector (dtd 04.12.12) for acquiring the land. **It is decided that PP should submit the status of land that has been acquired for the project along with related documents.**
 - (v). The total water requirement is 5713 KLD and fresh water requirement is 3167.02 KLD (Domestic- 3162.02 KLD+ 5.0 KLD laboratory). The source of water supply is Bhopal Municipal Corporation. **PP has submitted letter (dtd. 22.10.14) from Nagar Nigam Bhopal for supply of water.** The source of water supply is Bhopal Municipal Corporation. PP has submitted letter (dtd. 22.10.14) from Nagar Nigam Bhopal for supply of water. **It is decided that the entire demand of fresh water should be met from municipal supply and there should be no extraction of ground water.**
 - (vi). It is noted that there are two nos natural nallah passing through the site. These nallas originate from Bairagarh and Gandhinagar area in Bhopal city and travel a distance of 8 to 10 km before joining Halali River flowing at a distance of about 6 km from the proposed site in the northern


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

directions. The nallah (01-Bairagarh) enter the Aerocity phase-I township near sector-B and exit from the township near sector-D. Another nallah (Gandhi Nagar area) enter the township near Sector-F and exit from the township at near sector-E. PP has proposed that both the nallahs will be bunded with RCC retaining wall. **It is decided that PP should ensure :**


- a. **Channelisation of the nalla with RCC retaining wall as proposed.**
- b. **Creation buffer zone of 10 m wide green belt on both sides of the nalla.**
- c. **PP should ensure that no pollution load from the proposed project enter the nallah and only storm water should be drained in the nallahs.**


(vii). The total waste water generation is 3896.51 KLD (Domestic generation- 3891.71KLD + Laboratory - 4.80 KLD). PP has provided sewage treatment plant of 4.0 MLD (8nos. x 500KLD capacity) for treatment of domestic waste water & ETP 5.0 KLD for treatment of waste water generated from laboratory. The total treated waste water from STP is 3502.54 KLD and ETP is 4.32 KLD. Out of this 2546.79 KLD is proposed to be recycled (1702.62 KLD Flushing + 844.165 KLD Gardening) and remaining 959.97 KLD is proposed to be used in nearby agriculture field /plantation development at IT Park & Rajiv Gandhi Prodyogik Vishvavidyalaya and also for Aerocity Phase-II development. **It is decided that PP should submit details of surplus treated waste water management along with firm commitments from the users.**

(viii). Approximately 23402 kg/day Municipal Solid waste (MSW) shall be generated which is proposed to be segregated at source and collected in three coloured bins and disposed off at trenching site of BMC. The generated biodegradable waste will be subjected to organic waste converter and the compost will be used as manure for landscaping purposes. PP has submitted NOC from Bhopal Municipal Corporation letter (dtd. 07.08.15) for disposal of solid waste **It is decided that PP should:-**

- a. **Provide compactors for MSW**
- b. **Ensure three bin system for segregated collection of waste.**
- c. **STP sludge and solid waste should be used in organic manure / energy production (a technical report in this regard should be got prepared).**
- d. **Ensure linkage with Bhopal Municipal Corporation for final disposal of MSW.**


(ix). Bio Medical waste 50 kg/day approximately will be generated from dispensary which is proposed to be collected as per the Bio Medical waste handling and management rules and handed over to authorized agency. **It is decided that, Bio Medical Waste (Handling and management) rules should be followed strictly for the disposal of bio medical waste.**


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (x). The Hazardous waste 18.57 kg/day approximately shall be generated and is proposed to be stored in HDPE drums and sold to authorized recyclers. **It is decided that the disposal of hazardous waste should be done as per the rules and PP should obtain authorization from MPPCB regarding hazardous waste disposal.**
- (xi). A 45 m wide master plan road is passing through the entire site. PP has proposed 24 m, 18 m, 12 m, 9 m and 7.5 m internal roads. **It is decided that PP should ensure road width; MOS and Open spaces as per MPBVR 2012.**
- (xii). PP has proposed to provide hydrant tanks, underground storage tank, fire water tank, Diesel driven fire pump, hydrant pump & jockey pump etc. as per National Building Code 2005. Fire station is proposed by BMC within 1 km of the proposed site. **It is decided that as per MPBVR, 2012 rule 42 (3) PP should submit necessary drawings and details to the Authority (Nagar Nigam, Bhopal) incorporating all the fire fighting measures recommended in National Building Code part – IV point no. 3.4.6.1. The occupancy permit shall be issued by Nagar Nigam only after ensuring that all fire fighting measures are physically in place.**
- (xiii). PP has submitted roof top rain water harvesting system with 90 nos of recharging pits along with layout plan. **It is decided that PP should ensure the rain water harvesting. In addition PP should provide recharging trenches. The base of the trenches should be Kachha with pebbles.**
- (xiv). The total power requirement is 31000 KW and the source is Madhya Pradesh Power Corporation Limited. PP has proposed energy efficient solar powered light fixtures and metal halide light fixtures. **It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas like School, Hospital, STP, Community Center etc; LED light fixtures and energy efficient equipments.**
- (xv). **It is decided that PP should submit detailed parking plan as per the requirements of MPBVR, 2012.**
- (xvi). PP has submitted that during the construction phase there will be movement of heavy commercial vehicles and on completion of the township the heavy commercial vehicles will comprise of school buses and few trucks. They major traffic will include cars, vans having least loading effect on the roads. Considering these aspects a traffic volume of 5 million standard axles (msa) is considered for designing the main road (45 m wide) and a traffic of 2 mil standards axles for the service roads (7.5 m wide), have been considered. **It is decided that PP should submit detailed parking plan for common facilities, community centers, commercial / business centers, education institutions, play grounds, hospitals etc. as per the requirements of MPBVR, 2012.**


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

(xvii). PP has proposed an area under open parks (green & internal green 20.119 ha (10.39%) and 18 m wide green belt all along the periphery. Thus a total of 24.11 ha (12.45 %) is proposed to be developed as green area. Apart from this, plantation shall also be done on both sides along the 45 m wide master plan road and under HT line (as proposed by the PP and as per the provisions of the MP Electricity Act). **It is decided that :-**

- a. PP should submit detailed plantation plan including trees in two rows all along the periphery of the project area, along the Nallas, commercial complex, educational institutes, service area community spaces, play ground, hospitals, avenue plantation on the road sides etc. along with area, number of trees and species to be planted and budget for the same.
- b. PP should submit details of existing trees at the proposed site and their conservation plan.
- c. PP should submit plan for use of topsoil.

(xviii). Since the project is large project **it is decided that PP should provide large open spaces for community activities, open grounds, play grounds etc and submit the details accordingly.**

(xix). Regarding CSR activities It is decided that PP should submit the detailed CSR plan (activity wise and costing) for:-

- a. Water supply, sanitation, waste water treatment facilities envisaged for the villages of Pipalner, Gondermau, Bisankhedi & Badwai coming under the project area.
- b. Survey based vocational training for skill up-gradation of the villagers for their employment.

(3) PP should submit the above information latest by 15.10.2015.

2. **Case No. 1804/2014** Prior Environmental Clearance proposed Residential project "Emerald Greens" at Khasra No. – 477,483, 481/2, 491/1, 491/2, 493, 494, 495 & 501/1; Village – Khureri, Tehsil & Distt. – Gwalior (M.P.). Total land area- 57050 sq.m.(5.705 ha) built-up area- 64591.11 sq.m by M/s H.G. Infratech Pvt. Ltd., through Director, Shri Dhiraj Prakash Agrawal, Govind Bagh, Gandhi Road, Thatipur, R.K. Puri PO Gwalior, Distt-Gwalior (M.P.)-474011, Email: hg.infratech@gmail.com


(1) The case was discussed in 227th in SEIAA meeting dtd 14.08.2015 and recorded that.....

(1) The case was discussed in 203rd SEIAA meeting dtd 29.05.2015 and it is recorded that(1)..... (5)

(6) The total waste water generation is 323 KLD. PP has provided sewage treatment plant of 330 KLD. The total treated waste water is 297 KLD. Out of this 190 KLD will be recycled (120 KLD flushing + 70 KLD Horticulture & miscellaneous use) and extra treated waste water 107 KLD is proposed to be disposed off to sewer line. PP has not submitted NOC from GMC regarding disposal of extra treated waste water in Municipal sewer line. **It is decided that :-**


- a. PP should submit details of final discharge point and mode of disposal of extra treated waste water and submit clear NOC from Municipal Corporation, Gwalior.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- b. During presentation PP informed that as per SEAC meeting, location of STP is to be changed in view of contour and other features of the project. PP should submit the layout plan showing final location of STP.
- (7) Approximately 1.160 TPD Municipal Solid waste shall be generated which is proposed to be segregated at source. The generated biodegradable and non biodegradable waste will be collected in three coloured bins & disposed off at trenching site of GMC. PP has not submitted NOC from Gwalior Municipal Corporation for disposal of solid waste. **It is decided that PP should submit clear NOC from Municipal Corporation, Gwalior.**
- (8) (12).....
- (13) Out of the total land area 5.705 ha an area of 10075.12 sq.m is proposed to be developed as green area. PP has proposed to plant 200 nos of trees. It is noted that the proposed green area includes play ground also. **It is decided that PP should submit:-**
- Detail Area statement showing the area for building structures, amenities, open spaces, playground and green belt (soft landscape and tree plantation) along with percentage of each.
 - Detail landscape/ plantation plan including trees in two rows all along the periphery of the project area, avenue plantation on the road sides, open spaces and parks along with total green area, number of trees and species to be planted. Area for playground and open spaces should be earmarked separately.
- (14) **PP should submit the above information latest by 30.07.2015."**
- (2) In response to above query, reply submitted by PP ((vide letter dtd 28.07.15 received in SEIAA on 29.07.15) was examined in depth and it is noted that :-
- PP has submitted the final discharge point, layout plan showing location of STP and mode of disposal of extra treated waste water and NOC dtd 06.06.2015 for disposal of extra treated waste water from Municipal Corporation, Gwalior. **It is decided that PP should ensure linkage with municipal sewer line for disposal of extra treated waste water.**
 - NOC from Municipal Corporation, Gwalior for Municipal Solid Waste disposal has not been submitted by PP. **It is decided that PP should submit NOC from Municipal Corporation, Gwalior for disposal of MSW.**
 - PP has submitted the layout plan showing the location of solar poles. **It is decided that PP should ensure installation of photovoltaic cells (solar energy) for lighting in common areas, LED light fixtures and energy efficient equipments.**
 - PP has submitted the landscape/plantation details. The total planning area is 44345.00 sq.m(100%) ; ground coverage area-13951.14 sq.m (31.46%) and open area 68.54%. Out of the total open area (68.54%) garden & green belt-6003.79 sq.m. (13.53%) ; Hard & soft garden-2338.62 sq.m. (5.27%) ; Play Ground - 2500.00 sq.m.(5.63%) ; Amenities - 870.00 sq.m. (1.96%) ; Road/pathway-18694.21 sq.m. (42.15%). **The authority decided that:-**
 - PP should ensure plantation in garden & green belt-6003.79 sq.m. (13.53%); hard & soft garden-2338.62 sq.m. (5.27%) of the open area and plant 905 tree saplings at least 3 years old.
 - Plantation should be done in two rows all along the periphery of the project area except the row houses located along the boundary wall where one row of trees should be planted along the boundary of the project area, avenue plantation along the roads, play ground and other amenities area. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties.
 - Every effort should be made to protect the existing trees on the plot.
 - PP has also submitted Rain Water Harvesting plan with 6 nos. of recharging pit. **It is decided that PP should ensure the rain water harvesting.**
- (3) **PP should submit the above information latest by 30.09.2015. "**


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

- (2) In response to above query, reply submitted by PP (vide letter dtd 20.08.15 received in SEIAA office on 21.08.15) was discussed in depth and it is noted that:-

- (i). PP has submitted Gwalior Municipal Corporation letter dtd 14.08.15 regarding disposal of municipal solid waste. **It is decided that PP should:-**

- a. Provide compactors for MSW
- b. Ensure three bin system for segregated collection of waste.
- c. Ensure linkage with Gwalior Municipal Corporation for final disposal of MSW.

The point 2 (iv) of the 227th SEIAA meeting regarding landscape and green belt was revisited and **it is noted that**


- (vi). PP has submitted the landscape/plantation details. The total planning area is 44345.00 sq.m.(100%) ; ground coverage area-13951.14 sq.m.(31.46%) and open area 68.54%. Out of the total open area (68.54%) garden & green belt-6003.79 sq.m. (13.53%) ; Hard & soft garden-2338.62 sq.m. (5.27%) ; Play Ground – 2500.00 sq.m.(5.63%) ; Amenities – 870.00 sq.m. (1.96%) ; Road/pathway-18694.21 sq.m. (42.15%). **The authority decided that:-**


- a. PP should ensure plantation in gardens, & green belt-6003.79 sq.m. (13.53%); hard & soft garden-2338.62 sq.m. (5.27%); periphery of the play ground etc. and plant 1500 tree saplings, at least 3 years old.
- b. Plantation should be done in two rows all along the periphery of the project area except the row houses located along the boundary wall where one row of trees should be planted along the boundary of the project area, avenue plantation along the roads, play ground and other amenity areas. PP should ensure plantation of the trees of indigenous local varieties like Neem, Peepal, Kadam, Karanj, Kachnaar etc along with ornamental varieties.
- c. Every effort should be made to protect the existing trees on the plot."

- (3) It is decided to accept the recommendations of 183rd SEAC meeting dtd 27.04.15 with 05 special conditions and accord prior Environmental Clearance to proposed Residential project "Emerald Greens" at Khasra No. – 477,483, 481/2, 491/1, 491/2, 493, 494, 495 & 501/1; Village – Khureri, Tehsil & Distt.-Gwalior (M.P.). Total land area- 57050 sq.m.(5.705 ha) built-up area- 64591.11 sq.m by M/s H.G. Infratech Pvt. Ltd., through Director, Shri Dhiraj Prakash Agrawal, Govind Bagh, Gandhi Road, Thatipur, R.K. Puri PO Gwalior, Distt- Gwalior (M.P.)-474011 **subject to all specific conditions imposed by SEIAA in its meetings.**

3. **Case No. 2527 /2015** Prior Environmental Clearance for **Sand Quarry (Opencast Manual Method)** in an area of 5.00 ha. for production capacity of 142500 cum/year at Khasra no. 1279/1567 at Village Batura, Tehsil Bhudhar, District Shahdol (M.P) by Shri Kamlesh Gupta , S/o Shri Kalika Prasad Gupta, Village Mau, Tehsil Biohari District Shahdol (M.P)- 484774.

After detailed discussion, perusal of the recommendation of 191st SEAC meeting dtd. 07.05.2015 and query response of 206th SEIAA meeting dtd. 08.06.2015, SEAC has recommended at Sr.No. 5 (special conditions) "Mining shall be carried only between 1st Oct. to 31st May i.e. during non-monsoon period". In recent recommendations of SEAC specific time period of mining activity has now been substituted. SEAC should re-visit this case. Copy to PP.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

4. **Case No 2832/2015** Prior Environmental Clearance for **River Sand Quarry** (opencast manual method) in an area 6.640 ha. for production capacity 1,13,544 cum/year at Khasra No.2134,2254 at Village Jaitpur, Teh-Narwar, Dist Shivpuri by Shri Arvind Singh Sikarwar S/o Shri Ramsingh Sikarwar R/o M-48, RK Puri Thatipur Gwalior, District Gwalior (MP)-475001.

(1) After detailed discussion and perusal of query response of 219th SEIAA meeting dtd. 16.07.2015 and recommendation of 198th SEAC meeting dtd. 04.06.2015, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC :-


- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 3.0m or water level whichever is less.
- (iii) The Hon'ble NGT (CZ) Bhopal by order dated 20.07.2015 in the case OA No. 49/2015 (Amarkant Mishra Vs State of MP & 3 others), has stayed the order dated 30.06.2015 passed by the MRD, Govt. of M.P. regarding the extension of sand mining up to 31st July. The implementation of the final order by the NGT (CZ) Bench, Bhopal shall be obligatory on the part of PP.
- (iv) Mining activity shall be undertaken 135 m. away from the road bridge (on the upstream site). No mining activity in downstream of the road bridge.
- (v) PP shall not transport mined material through heavy vehicles from the existing road bridge as recommended by EE, RES, Division No.-2 Shivpuri.

Hence, Prior Environmental Clearance is granted for **River Sand Quarry** (opencast manual method) in an area 6.640 ha. for production capacity 1,13,544 cum/year at Khasra No.2134,2254 at Village Jaitpur, Teh-Narwar, Dist Shivpuri (M.P) **for the lease period** to Shri Arvind Singh Sikarwar S/o Shri Ramsingh Sikarwar R/o M-48, RK Puri Thatipur Gwalior, District Gwalior (MP)-475001.

5. **Case No. 2315/2014** Prior Environmental Clearance for **Stone Quarry** (Opencast Manual/Semi Mechanized Method) in an area of 2.00 ha. for production capacity of 20000 cum/year at Khasra no. 216 at Vill - Budi Tehsil- Pati, District- Barwani (M.P) by Shri Sachin Malvia S/o Shri Rajaram Malvia, Village Bokrata, Tehsil & District Barwani (M.P) – 454001.

After detailed discussion, perusal of the recommendation of 178th SEAC meeting dtd. 24.03.2015 and query response of 197th SEIAA meeting dtd. 07.05.2015, PP has provided only one coordinate and the site is in close proximity to the existing pakka road on both sides. SEAC may re-appraise the case in view of the above observation. Copy to PP.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

6. **Case No 2002/2014** Prior Environmental Clearance for Soil Quarry in an area of 2.206 ha. for production capacity 4750 cum/year at Khasra Nos. 71/2/1, 71/2/2 at Village- Barrukhar, Tehsil-Raisen Dist-Raisen (M.P) by Smt. Nida Khan, M/s U.P. Bricks, Housing Board Colony, Kohefiza, Dist-Bhopal (MP)-462001.

After detailed discussion, perusal of the recommendation of 164th SEAC meeting dtd. 07.02.2015 and query response of 212th SEIAA meeting dtd. 24.06.2015, DFO, Obedullaganj has submitted the distance from the Ratapani Sanctuary, but the information has not been verified by the Wild Life Warden, Collector, Raisen should submit the information latest by 15.09.2015. Copy to PP.

7. **Case No. 2750/2015:** Prior Environmental Clearance for **Stone Quarry (Opencast Mining Method)** in an area of 1.0 ha. for production capacity of 4200 cum/year at Khasra no. 584/1/2/1 at Village- Charkhedi, Tehsil-Kalapipal, District-Shajapur (MP) by Shri Mahesh Pawar S/o Shri Suraj Singh Pawar, Panchmukhi Hanuman Square, Kurawar Road, Kalapipal, Shajapur (MP)-465337.

(1) After detailed discussion, perusal of the recommendation of 197th SEAC meeting dtd.03.06.15 & query response of 215th SEIAA meeting dtd. 02.07.15, it was decided to grant Prior Environmental Clearance subject to the following specific conditions in addition to the conditions imposed by SEAC :-

- (i) PP shall not start mining activity before execution of lease agreement.
- (ii) The average depth of the pit shall not exceed 6.0m at the end of lease period and not beyond that.

Hence, Prior Environmental Clearance is granted for **Stone Quarry (Opencast Mining Method)** in an area of 1.0 ha. for production capacity of 4200 cum/year at Khasra no. 584/1/2/1 at Village- Charkhedi, Tehsil-Kalapipal, District- Shajapur (M.P) for the lease period to Shri Mahesh Pawar S/o Shri Suraj Singh Pawar, Panchmukhi Hanuman Square, Kurawar Road, Kalapipal, Shajapur (MP)-465337.

8. **Case No. 1635/2013** Environment Clearance for approval of 1.830 Hectares Metal Stone Quarry at Vill.-Bilaua, Teh.-Dabra, Distt.-Gwalior (M.P) at Khasra No. 3717/2 for expansion in production capacity 5000 cum/year to 1,00,000 cum/year by M/s Om Granite, Kadam Sahib Ka Bada, Janakganj, District-Gwalior, (MP).

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 05.08.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now re-listed. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

9. **Case No. 1444/2013** Prior Environmental Clearance for approval of 0.70 ha Metal Stone mine in village Bilaua, Tehsil Dabra, Dist. Gwalior, (M.P.) at Khasra No. 3717/1 for capacity 1,00,000 cum/year by M/s Jhulelal Granite, Shri Naveen Bajaj, 5 Sindh Vihar Colony, Gwalior .

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 12.08.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now re-listed. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

10. **Case No. 1136/2013** Prior Environmental Clearance for Metal stone quarry (2.880 ha) at Village - Rafadpur, Tehsil-Dabra, Dist. Gwalior (MP) at Khasra No. 137, 138 for expansion in production capacity 10,000 cum/year to 2,50,000 cum/year by Shri Rajesh Neekhara, 701, Satyam Residency, Satyadev Nagar, Gandhi Road, Gwalior.

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 30.07.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now re-listed. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

11. **Case No. 1237/2013** Prior Environmental Clearance for approval of 01.50 ha, Metal Stone quarry at Village-Bilaua, Tehsil-Dabra, Distt- Gwalior, (M.P.) at Khasra No. 3717/2 for expansion in capacity 5000 cum/year to 2,00,000 cum/year by M/s Shree Jee Stones, Partner Shri Prateek Khandelwal, Kali Santar, Morar, Dist - Gwalior.

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 29.07.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.


12. **Case No. 1456/2013** Prior Environmental Clearance for Metal Stone Quarry (2.987 ha.) at Village-Rafadpur, Tehsil-Dabra, Dist-Gwalior (MP) at Khasra No. 135 for production capacity 3,00,000 cum/year by M/s Kaila Devi Stones, Partner Shri Sanjeev Mittal, 776, Sheel Nagar, Gwalior, Dist-Gwalior.

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 30.07.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

13. **Case No. 1448/2013** Prior Environmental clearance for approval of 2.0 ha Metal Stone mine in Village Bilaua, Dist. Gwalior (M.P.) at Khasra No. 3717/2 for expansion in capacity 60000 cum/year to 1,50,000 cum/year by M/s Indra Stone Crusher, Partner Shri Dinesh Mangal, Chik Santar, Morar, Dist-Gwalior (M.P.).

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 04.08.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

14. **Case No. 1466/2013** Prior Environmental Clearance for approval of 2.00 ha Metal stone quarry at village Bilaua, Tehsil-Dabra, Gwalior, (M.P.) at Khasra No. 3909 Min-1 & 2 for capacity 2,00,000 cum/year by Shri Rajeev Lochan Sharma, Usha Colony Dabra, Gwalior (M.P.).

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 01.08.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

15. **Case No. 1399/2013** Prior Environmental Clearance for Metal Stone mine (1.00 hect.) at Village-Bilaua, Tahsil - Rafadpur, Dist. - Gwalior, (M.P.) at Khasra No. 151 for expansion in capacity 12000 cum/year to 60,000 cum/year by M/s Vinayak Grit Udhyog, Partner Shri Munendra Mangal, S/o D.C. Mangal, 196, Jawahar Nagar, Dholpur, Rajasthan.

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 30.07.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

16. **Case No. 1553/2013** Prior Environment Clearance for approval of 02.00 Hectare Metal stone quarry at Vill.- Rafadpur Bilaua, Tehsil-Dabra, Distt.-Gwalior (M.P) at Khasra No. 134/2 for expansion in production capacity 50000 cum/year to 2,00,000 cum/year by M/s Rituraj Stones Pvt. Ltd., Partner Smt. Manorma Tomer, C/o Shri Amarjeet Singh Kushwaha, 336, Tansen Nagar, Near Voiala School, District-Gwalior (MP).

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 199th meeting dtd. 12.05.2015 and PP letter received in SEIAA office on 29.07.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

17. **Case No. 1498/2013** Prior Environmental Clearance for approval of 2.00 ha Metal stone quarry at village Bilaua, Tehsil-Dabra, Gwalior (M.P.) by M/s Ganesh Stone Industries, Partner Smt. Sapna Rathore, Village Bilaua, Tehsil-Dabra, Gwalior (M.P.).

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 200th meeting dtd. 18.05.2015 and PP letter received in SEIAA office on 27.07.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman

18. **Case No. 2871/2015** Prior Environmental Clearance for Basalt Stone Quarry (Opencast Manual/ Semi Mechanized Method) in an area of 2.00 ha. for production capacity of 39900 cum/year at Khasra no. 72 at Village Katangi, Tehsil Deori, Distt. Sagar (MP) by Smt Maya Devi, W/o Shri Laxman Singh Lodhi, Sujampur, District, Sagar (MP) 470223, E.mail – eeshan.chaurasia@gmail.com, Phone - 9589709280.

After detailed discussion, perusal of the recommendations of 203th SEAC meeting dtd. 03.07.2015, SEIAA's 222nd meeting dtd. 27.07.2015 and PP letter received in SEIAA office on 13.08.2015, this case was delisted on account of discrepancy in the lease area sanctioned and applied for. PP has now submitted the correct information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

19. **Case No 1265/2013**, Prior Environmental Clearance for **Stone Quarry** in 1.00 Ha. for Production Capacity of 1000 cum/year at Khasra No. 537/2 at Village-Kuda, Tehsil & Dist. Dindori By Shri Baburam Chauhan, S/o Shri Manglu singh Chauhan, Village-Sarhari, Post – Simriya, Tehsil & Dist. Dindori - 481880 (M.P.).

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 196th meeting dtd. 27.04.2015 and PP letter received in SEIAA office on 07.08.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.

20. **Case No. 1460/2013**, Prior Environmental Clearance for mining of Stone (Gitti) in lease area of 2.00 ha. For production capacity of 11,400 m³/year at khasra No. 88/1 in village Temar, Tehsil & Dist. Jabalpur (M.P) by Shri Hemant Mulchandani, S/o Shri Parashram Mulchandani, 316, Vijaynagar, Extension, Jabalpur.

After detailed discussion, perusal of the recommendations of 169th SEAC meeting dtd. 27.01.2015, SEIAA's 200th meeting dtd. 18.05.2015 and PP letter received in SEIAA office on 17.08.2015, this case was delisted for want of information and now PP has submitted the requisite information. The case was reviewed and now **re-listed**. The case along with the technical file may be sent to SEAC for appraisal. Copy to PP and all concerned.


C. Corrigendum :-

21. **Case No. 2184/2014**, Environmental Clearance for Metal Stone Quarry in an area of 1.29 ha. for production capacity 6000 cum/year (**as per PP's consent**) at Khasra No. 1105, 1106 at Village-Makrohar, Tehsil-Mada, District-Singrauli (MP) by M/s Barbareek Project Ltd., Shri Kanhaiya Lal Agrawal, Director, Village-Makrohar, Tehsil-Mada, District-Singrauli (MP)-486886.

EC of the above case has been issued for Khasra No. 1105, 1006, due to typographical mistake the Khasras were shown as 1105, 1006, however after verifying the records the Khasras should have been 1105, 1106.

Corrigendum is hereby issued to rectify the mistake and **in the EC of the aforementioned case (2184/2014) the khasra Nos. should be read as 1105, 1106**. Copy to PP and all concerned.

The meeting ended with vote of thanks to the chair.


(H.S. Verma)
Member


(Waseem Akhtar)
Chairman